



### Key

			ĴĴ		Pack Style	
PSI	Weight	Staple	Pin/nail	Strip/coil	Packaging	Number
value	of tool	type	type	type	type	of units

Production Line	Professional	Semi Professional	DIY/Semi-Pro
Offers speed and reliability for tough and repetitive work	Versatile and durable tool for frequent stapling/nailing	A quality tool but not for continuous, repetitive work	A quality, affordable tool designed for occasional use

(ST) Safety Trigger (CT) Contact Trip (Bump Fire) (SE) Sequential

(SS) Single Shot (SF) Single Shot/Contact Trip (C) Contact Trip/Sequential

#### **Inch/mm Conversion Chart**

mm	4	5	6	8	10	12	14	16	17	18	19	20	22	25	28	30	32	35	38	40	45	50	55	60	64	65	70	75	83	90	100	130
Inches	5/ 32	3/ 16	1/4	5/ 16	3/8	1/2	9/ 16	5/8	11/ 16	23/ 32	3/4	13/ 16	7/8		1 1/8	1 3/16	1 1/4	1 3/8	1 1/2	1 9/16	1 3/4	2	2 3/16	2 3/8	2 1/2	2 9/16	2 3/4	3	3 1/4	3 3/8	4	5 1/8

Tacwise Group Plc, England T: +44 (0)844 725 9604 E: sales@tacwise.com www.tacwise.com



#### 3-4 TACWISE STORY

Tacwise is the dominant brand associated with hand and electric stapling and nailing tackers within the UK.

#### 5-6 35 NEW PRODUCTS

Introducing 35 new products to the Tacwise product portfolio. This summary shows at a glance not only what is new but what is currently being developed and coming soon.

#### 7-24 HAND/CABLE TACKERS

Design and engineering has been extended across a very comprehensive range, varying from small, compact and lightweight through to heavy and durable versions.

7-12	Z1 Series
13-14	Z2 Series
15-18	Z3 Series
19-20	Cable Tackers
21-22	Hammer Tackers
23	Technical Specifications & Applications
24	Staple Removers

#### 25-44 CORDED ELECTRIC TACKERS

From compact through to the top of the range of corded tools.

27-30 Compact Electrics - Hobby 53EL & 140EL
 31-33 Medium Duty Electrics - 181ELS Pro, 191EL Pro & 191ELS Pro
 34-44 Heavy Duty Electrics - Duo 35, Duo 50, 16G/40 Nailer,

#### 45-50 CORDLESS NAILERS

18G/50 Nailer & 400ELS Pro

18v cordless nailing up to 40mm. Powerful, sturdy and convenient, the Ranger 2 gives you the freedom to work anywhere.

45-46	Ranger 2 16G Inclined Nailer
47	Ranger 2 18G Brad Nailer
48	Ranger 2 16G Finish Nailer
49-50	<b>Technical Specifications &amp; Applications</b>

## Europe's widest quality programme

Tacwise has the widest quality stapling and nailing programme to tackle virtually every fastening challenge.

#### 51-54 HAND/ELECTRIC STAPLES/NAILS

Produced from premium quality raw materials with fine tolerances to ensure the most accurate and consistent stapling/nailing actions time after time.

#### 55-86 AIR NAILING & STAPLING

Built for the professional, Tacwise is committed to creating the ultimate in air fastening tools.

- 57-60 General Purpose, Upholstery Tackers & Staplers
- 61-63 Narrow Crown Staplers & Staples
- 64-67 Heavy Duty & Wide Crown Staplers & Staples
- 68-74 Nailers & Pinners, Nails & Pins
- 75-82 Coil Nailers & Nails
- 83-86 Strip Nailers & Metal Connector Nailer
- 87-88 Technical Specifications & Applications/Easy Reference

#### 89-92 HOT & COOL MELT GUNS/GLUE

Offering a strong, permanent alternative for many hobby, craft, DIY and industrial fixing jobs.

- 89-90 Glue Guns
- 92 Glue

#### 93-94 PACKAGING INFORMATION

Our quality thinking extends from the product design and function right through to the packaging it is supplied in.

#### 95-96 ENVIRONMENTAL MANAGEMENT

Like quality, environmental management is a journey without a destination. We have to think globally and act locally. After all, we are in this together.



# Why we do what we do

Tacwise is the dominant brand associated with hand and electric stapling / nailing tackers within the UK market. We have the widest range of quality industrial fastenings and pneumatic tackers in Europe and over 50 years of knowledge and experience.



Utilising all of our expertise we continue to create class leading tools and fasteners for the whole of Europe and beyond. Using state-of-the-art zinc and aluminium extrusion technology, learnt from the aviation industry and high performance plastics demanded by the automotive industry, Tacwise products offer the very best in performance, durability and innovation.

### **Tacwise Story**

Developing radical and market leading products

# Tacwise



## **35 New Products**



#### **Z2-M Staple Tacker**

Professional

HD-73 Packaging Plier

An all metal, fully fe	eatured tacker whi	ch comes as a complete kit as well as individually.	
Semi-Professional	Codes: 1218 & 1219	Uses Staples Type 53 & 13 from 4-8mm	Catal

This tough plier is ideal for cardboard applications and uses the Tacwise and Rapid 73 staple from 6-12mm. Uses Staples Type 73 from 6-12mm



Not featured

Catalogue pg. 21



### Heavy Duty Wide Crown Stapler

this quality wide cr	own stapler is a w	ork horse that's loaded with features.	
Production Line	Code: G1738V	Uses Staples Type 17 from 16-38mm	Catalogue pg. 65
Combi Air Sta	pler/Nailer		
A fast and versatile	e tool firing 18G nai	ls as well as 90 type narrow crown staples.	
Professional	Code: 1326	Uses Staples Type 90 from 20-40mm and 18G Nails from 20-50mm	Coming soon
0	<b>r Finish Nailer</b> nt nailer firing the s	ame angled finish nails as Ranger 2 18v and many com	mon gas tools.



this quality wide cr	rown stapler is a w	ork horse that's loaded with features.					
Production Line Code: G1738V Uses Staples Type 17 from 16-38mm Catalogue pg. 65							
Combi Air Stapler/Nailer							
A fast and versatile tool firing 18G nails as well as 90 type narrow crown staples.							
Professional	Code: 1326	Uses Staples Type 90 from 20-40mm and 18G Nails from 20-50mm	Coming soon				
16G Angled Air Finish Nailer							
Fast and lightweight nailer firing the same angled finish nails as Ranger 2 18v and many common gas tools.							



Code: 1325 Professional Uses Nail 1



#### **1.5 HP Compressor Kits**

A variety of kits wi	ll become available	e for nailing and stapling tools. Ready to go with hose and a	accessories.
Semi Professional	Codes: -	Ideal for a variety of on-site and workshop applications	Coming soon

#### 140 Type Staples Stainless Steel

The popular 140 ty	pe staples now ava	ailable in rust resistant stainless steel for outdoor and mari	ine use.
	Code: 1216	140/8mm stainless steel	Catalogue pg. 51
Professional	Code: 1217	140/10mm stainless steel	Catalogue pg. 51
	Code: 1220	140/12mm stainless steel	Catalogue pg. 51

#### 53 Type Staples Stainless Steel

53 type staples now available in rust resistant stainless steel.

		Code: 1268	53/6mm stainless steel	Catalogue pg. 51
/	Professional	Code: 1269	53/8mm stainless steel	Catalogue pg. 51
		Code: 1270	53/10mm stainless steel	Catalogue pg. 51



#### 73 Type Staples Stainless Steel

73 type staples for	use in HD-73 Plier	and Rapid HD 31 Plier. Now available in rust resistant sta	inless steel.
Professional	Code: 1227	73/8mm stainless steel	Catalogue pg. 52
1101033101141	Code: 1228	•	Catalogue pg. 52

#### 16G Type Angled Finish Nails Stainless Steel

Popular in second fix gas tools / cordless nailers and perfect for external applications.



	Code: 1222	16G Angled/32mm stainless steel	Catalogue pg. 54
	Code: 1223	16G Angled/38mm stainless steel	Catalogue pg. 54
Professional	Code: 1224	16G Angled/45mm stainless steel	Catalogue pg. 54
	Code: 1225	16G Angled/50mm stainless steel	Catalogue pg. 54
	Code: 1226	16G Angled/63mm stainless steel	Catalogue pg. 54

### **Coil Nails Wire Collated Flat Top**

Further additions to our popular air coil nail range.					
Professional	Professional Code: 1229	2.1 25mm galv., ring	Catalogue pg. 82		
Troicssional	Code: 1230	2.1 30mm bright, ring	Catalogue pg. 82		

 A54 (14
 Ideal for se

454	(140	Type)	Hammer	Tacker
-----	------	-------	--------	--------

Code: 1204

securing roofing felt with 140/12mm stainless steel staples. Professional Code: 1173 Uses Staples Type 140 from 6-12mm



#### A19 (53 & 13 type) Hammer Tacker

A compact hammer tacker using both 53 & 13 type staples without the need for adjustment.				
	Professional	Code: 1327	Uses Staples Type 53 & 13 from 6-10mm	Catalogue pg. 22



#### **71ELS Pro Electric Tacker**

For upholstery as well as other professional applications without the need for an air compressor.				
Professional	Code: 1181	Uses Staples Type 71 from 6-16mm	Catalogue pg. 36	



#### **80ELS Pro Electric Tacker**

Most commonly used throughout Europe, the 80ELS is a fast, easy to load electric upholstery stapler. Professional Catalogue pg. 36 Code: 1182 Uses Staples Type 80 from 6-16mm



#### **Ranger 2 16G Inclined Nailer**

) The most popular of our 18v cordless tools and taking the industry standard 16G inclined finish nail.				
	Professional	Code: 1243	Uses Nail Type 16G Angled from 32-64mm	Catalogue pg. 45-50



#### **Ranger 2 18G Brad Nailer**

the 18G Brad Naile	r is ideal for a rang	e of second fix and fastening / pinning tasks.	
Professional	Code: 1244	Uses Nail Type 18G Brad from 25-50mm	Catalogue pg. 47-50



#### **Ranger 2 16G Finish Nailer**

Firing our 16G Finis	sh Nails this tool is	fast, acurate, and the ideal choice for a range of demandi	ng applications.
Professional	Code: 1245	Uses Nail Type 16G Finish from 32-64mm	Catalogue pg. 48-50

Professional	Code: 1245	Uses Nail Type 16G Finish from 32-64mm	Catalogue



#### 71 Automatic Staple Tacker

	Single and continue	ous fire with a varia	able speed control.	
/	Production Line	Code: A7116AUT0	Uses Staples Type 71 from 5-16mm	Catalogue pg. 58



#### **53 Staple Tacker**

This air powered staple gun fires the popular 53 type staple and will happily run off a small compresso			
Production Line	Code: A5314V	Uses Staples Type 53 from 6-14mm	Catalogue pg. 59









	53 type staples no	w available in rus
		Code: 1268
terel	Professional	Code: 1269



73 Type Staples Stallless Ste	;
73 type staples for use in HD-73 Plier a	ar
0 1 100	-



#### **New for this Catalogue**

Type 16G Angled from 30-65mm	Coming soon

# **Hand Tackers**

Radical design, outstanding engineering with small, large, lightweight and heavy duty models all available for the very popular 13, 53 and 140 series staples. The Tacwise programme delivers superb performance with every imaginable user comfort.

### **Loaded with features**

All models are loaded with features including a guick release bottom loading system to make the changeover between staple lengths fast and simple. Perfect for an easy clearance in the unlikely event of a jam. All tools incorporate a stainless steel belt hook - practical when working up ladders when both hands are required to position the work piece and a personalisation window.





Covering the popular 13, 53 and 140 type staples.



## **Z1-53T See-Through**

Stylish, compact and lightweight but built for the professional and affordable by the hobby user too.

#### Z1-53T Staple Tacker Black 53/4-8mm

Semi-Professional Code: 0951 Includes: 200pcs 53 staples Magazine Capacity Pack Style Trade = 6 Units 125 Staples 0.22kgs 53 Staples 4-8mm Retail Clan Transit = 36 Units Z1-53T Staple Tacker Green 53/4-8mm Code: 0858 Includes: 200pcs 53 staples Pack Style Retail Clam





Trade = 6 Units Transit = 36 Units

0

Z1, Z2-M, Z3 & CT Tackers Most other tools (extra force) Staple firing point

Time

Avoids that uncomfortable "snap" at the end of the firing cycle. All Z1, Z2-M, Z3 and CT series tackers incorporate this superb feature which reduces hand strain and improves the level of comfort during prolonged periods of stapling.



#### **Hand/Cable Tackers**


Stapling up to 8mm (Z1 & Z2-M) & 14mm (Z3 & CT)

Quick release bottom loading system with no loose parts.





Stainless steel belt hook and personalisation window feature on all models.



#### **Linear Power Curve**

## **Z1** - Compact Metal

These compact die-cast tools feature cutaway noses for enhanced firing access and broad comfortable grips to avoid hand strain, combined with low grasp heights to deliver the optimum in handling comfort, even for users with small hands.

### **Durable Die-Cast**

With their unique metal sectioning to create additional strength and outstanding balance these die-cast tools are still lightweight at just 0.26kg.



Ultra compact with its neat lock-down handle







Cutaway nose

Ergonomic grip



Watch the 21 video



6

TACW



Whilst small and compact this model uses the professional 140 flat wire staple. Perfect for tradesmen wanting a small but light tool.



#### Z1-13 Metal Staple Tacker (13/4-8mm)

Semi-Professional Code: 0882 Includes: 200pcs 13 staples Magazine Capacity Pack Style Trade = 6 Units 145 Staples 0.26kgs 13 Staples 4-8mm Retail Clam Transit = 36 Units

Z1-53 Metal Staple Tacker 53/4-8mm

Professi	onal	Code: 0856	Includes: 200pcs 53 staples	
Magazine Capacity 25 Staples	0.26kas	53 Staples 4-8mm	Pack Style Retail Clam	Tra Tra
	5	Staple Tack	er Kit <u>53/4-8mm</u>	)



Z1-53 uses the discreet fine wire 53 type staple, popular for DIY and the Z1-13 uses the fine wire 13 type staple popular within educational establishments.

Stapling up to 8mm





rade = 6 Units ransit = 36 Units

Trade = 6 Units Transit = 36 Units





## Z1L - Lightweight

Powerful but extremely lightweight at just 0.22kgs, this polymer-bodied tool is tough yet comfortable to use for long periods of time.

#### **Z1/Z1-L Tool Features**

Z1 Series: comfortable and ergonomic. Incorporating a powerful range of features unseen before on traditional hand stapling tackers. Even our smallest tackers include a full steel chassis with a hardened steel magazine rail to avoid wear as the staple strip travels.





Belt hanger




Steel inner rail

### **Z1 Series Staple Tackers**

## **Technical Specification** Dimensions: H 95 x W 160 x D 27mm

Code	Tool Description	Weight (kg)	Magazine Capacity	Staples Type/Length	Min. Firing from wall
0854	Z1-140 Metal	0.26	83	140/6-8mm	5mm
0889	Z1-53 Metal Kit	0.26	125	53/4-8mm	5mm
0856	Z1-53 Metal	0.26	125	53/4-8mm	5mm
0882	Z1-13 Metal	0.26	145	13/4-8mm	5mm
0857	Z1-53L	0.22	125	53/4-8mm	5mm
0951	Z1-53T (See-Through Black)	0.22	125	53/4-8mm	5mm
0858	Z1-53T (See-Through Green)	0.22	125	53/4-8mm	5mm



Code: 0857

Magazine Capacity 125 Staples 0.22kgs 53 Staples 4-8mm

Semi-Professional



Includes: 200pcs 53 staples

Pack Style

Stapling up to 8mm

Trade = 6 Units Transit = 36 Units



## **Z2-M Staple Taker**

New for 2015, this all-metal tool is a lightweight but durable and highly practical addition to our range of hand tackers. With a host of useful features including a margin guide, this tacker fires both the 53 and 13 type staples without any need for adjustment - making it the ideal choice for a range of stapling applications.





Z2-M Staple Tacker 53/4-8mm 13/4-8mm Semi-Professional Code: 1218 Includes: Margin guide Magazine Capacity Pack Style 102 53 Staples 0.32kgs 53 Staples 4-8mm Clam 110 13 Staples 13 Staples 4-8mm Z2-M Staple Tacker Kit 53/4-8mm 13/4-8mm Semi-Professional Code: 1219 Includes: Margin guide, pro staple remover, 5000pcs 53 staples Magazine Capacity Â Pack Style 102 53 Staples 0.32kgs 53 Staples 4-8mm Case 110 13 Staples 13 Staples 4-8mm


For complete convenience, everything you need in one handy kit featuring our all-metal staple tacker, the best-selling staple remover and a selection of the most commonly used and versatile 53 type staples.





#### Attention to the detail

At Tacwise we pride ourselves on adding the details and features that make our tools the choice of the professional. The Z2-M features a staple refill indicator and a personalisation window fitted into it's die-cast casing.





## Z3 - 3-in-1 Tackers

Designed with the professional in mind, the Z3 series incorporates the most powerful performance in its class with the ability to fire three types of fastenings (staples, nails and headless pins). Includes many superb features.



### Z3-140 Metal Staple/Nail Tacker (140/6-14mm) (180(186)/15mm) (180/15mm headless

Profess	ional	Code: 0806	Includes: 200pcs 140 staples	
Magazine Capacity 90 Nails 83 Staples	0.9kgs	140 Staples 6-14mm 180 (18G) Nails 15mm	180/15mm     Pack Style     Trade = 6       Headless Pin     Style     Retail Clam	

Sitting at the top of the range this all professional workhorse drives 140 flat wire staples and is built to withstand years of trouble-free use... a true heavyweight.

#### Z3-53 Metal Staple/Nail Tacker 53/6-14mm 180(18G/15mm 180/15mm headless

Semi-Professional	Code: 0808	Includes: 200pcs 53	3 staples	
Magazine Capacity 90 Nails 125 Staples 0.9kgs	53 Staples 6-14mm 180 (18G) Nails 15mm	180/15mm Headless Pin	Pack Style Retail Clam	Trade = 6 Transit = 1

The 53 discreet fine wire version of the heavyweight all professional tool. Ideally suited to tradesmen on the move and working around site.

Z3-13 N	<i>l</i> letal	Staple/Nail	Tacker	13/6-14mm 180(	18G)/15mm 180/15m	im headless
Semi-Profe	ssional	Code: 0880	Includes: 200p	cs 13 staples		
Magazine Capacity 90 Nails 150 Staples	0.9kgs	13 Staples 6-14mm 180 (18G) Nails 15mm	180/15mm Headless Pin	Pack Style Retail Clar	m Trade = Transit =	6 Units = 12 Units

#### **Durable Die Cast**

Ultra tough and weighing in at a heavyweight 0.9kgs these die cast tools reach the highest standards within their category. Utilising Z-tec zinc die cast extrusion technology, resulting in fewer parts for enhanced reliability.



IIIIIII

#### **Z3 Hand Tackers**

Stapling up to 14mm & Nailing up to 15mm





Margin edge adjuster



Perfect for heavy-duty applications

Z3 Hand Tackers 16

## **Z3L - Lightweight Polymer 3-in-1 Tackers**

Tough and durable but extremely lightweight at just 0.4kg, the polymer line is a big hit with tradesmen on the move.



Compi Capple Tacker       V		1		2	3	4	5		6	7	8							9
Z3-13 / 53 / 140       J	Performance,	Wide ergonomic grip		Staple viewing window	Recessed cutaway nose	Belt hanger	Lock-down switch	Pull-out handle lock	Impact power adjuster	Personalisation window	Bottom loading magazine	Impact resistant metal die-cast body	Extended cutaway nose	Tough polymer lightweight body	cable	Removable margin edge adjuster	BT Approved	Cable stapling switch
Z3 4-in-1       J	Z3-13 / 53 / 140	1		1	1	1	1		1	1	1	1				1		
CT-45 / 60       Image: Second s	Z3-13L / 53L / 140L	1		1	1	1	1		1	1	1			1		1		
Z3-CT45 ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓	Z3 4-in-1	1	1	1				1	1		1		1	1	1			1
	CT-45 / 60	1		1				1	1		1		1	1	1		1	
Combi Cable Tacker     Image: Amage of the second sec	Z3-CT45	1		1		1	1		1	1	1	1	1		1		1	
	Combi Cable Tacker				1			1	1		1				1		1	

#### Z3-140L Heavy-Duty Tacker Kit (140/6-14mm) 180/15mm headless Semi-Professional Code: 0878 Includes: Staple remover, 200pcs 140 staples 140 Staples 6-14mm Magazine Capacity 90 Nails Pack Style Trade = 6 Units 180/15mm Headless Pin 180 (18G) Nails 0.25kgs Transit = 12 Units 83 Staples Retail Clam CIAC Z3-140L Staple/Nail Tacker (140/6-14mm) Semi-Professional Code: 0807 Includes: 200pcs 140 staples 140 Staples 6-14mm Magazine Capacity 90 Nails 83 Staples Trade = 6 Units 180/15mm Headless Pin 180 (18G) Nails 15mm Pack Style 0.4kas Retail Clam Transit = 12 Units

Incorporating all of the features of the Z3 metal bodied tool, this model is ultra-light but still robust with its internal steel running gear and external polymer body construction.



Z3 4-in-1	Stapl	e/Nail Ta	Cker 53/8-14mm 180(18G)/15
Semi-Professio	nal	Code: 1022	Includes: 200pcs 53 staples
Magazine Capacity 85 Nails 150 Staples 85 Cable Staples 0	.4kgs	53 Staple 8-14mm 180 (18G) N 15mm	12-14mm
Z3 4-in-1	Stapl	e/Nail Ta	
Semi-Profession	nal	Code: 1053	Includes: Staple remover, 4000pcs 53 staples, 180(18G) nails,180 headless pins & CT60
Magazine Capacity 85 Nails 150 Staples 85 Cable Staples 0.	4kgs	53 Staples 8-14mm 180 (18G) Na 15mm	↓ ↓ 12-14mm
Z3-53L Sta	aple/l	Nail Tack	<b>Cr</b> 53/6-14mm (180(18G)/15mm)
Semi-Profession	nal	Code: 0847	Includes: 200pcs 53 staples
Magazine Capacity 90 Nails 125 Staples 0.	4kgs	53 Staples 6-14mm 180 (18G) Na 15mm	
Z3-13L Sta	aple/l	Vail Tack	<b>er</b> (13/6-14mm) (180(18G)/15mm)
Semi-Profession	nal	Code: 0881	Includes: 200pcs 13 staples
Magazine	۵	13 Staples	3

Magazine Capacity 90 Nails 150 Staples	0.4kgs	13 Staples 6-14mm 180 (18G) Nails 15mm	180/15mm Headless Pin	Pack Style Retail Clam
Driving fing	wiro otopl	oc up to 1/mm (and	naile and nine)	this tool is parfact

Driving fine wire staples up to 14mm (and nails and pins), this tool is perfect for tasks where leaving a neat/discreet staple head showing is essential.



#### **Z3 Hand Tackers**

Stapling up to 14mm & Nailing up to 15mm



### Z3 4-in-1 Features


Loading any one of 4 different types of staple/nail is simple and easy, as is switching the small lever for cable staples. With the added benefits from bottom loading as with other Tacwise Z3 tools.

Transit = 12 Units










Trade = 6 Units

Transit = 12 Units



Pack Style

Retail Clar

Code: 0320

0.4kgs CT-45 Staples 8-10mm

Professional

Magazine Capacity

75 Staples

Ideal for high level installation of cabling and for the mobile user where the reduced weight will take the strain out of larger fixing tasks.









#### **All Metal** Z3-CT45 Metal Cable Tacker CT-45/8-10mm Professional Code: 0809 Includes: 200pcs CT45 cable staples

0.9kgs

Magazine Capacity

75 Staples



Cable stapling up to 14mm

**Combi Cable Tacker** ideal for **Cat 5 & Cat 6 Cable** 





Ideal for fixing neatly and securely into tight corners. Perfect for low voltage telecommunications and security cabling. Plus a wide range of electrical related installations.

Trade = 6 Units Transit = 12 Units



## **Hammer Tackers**

Tacwise offer the widest quality range of Hammer Tackers in Europe. Built without compromise, they are designed to offer the very best in speed and performance. Offering the perfect solution to many fixing tasks, from roofing to flooring, Tacwise hammer tackers continue to meet the needs of a diverse range of trades.



Transit = 18 Units

Ideal for securing roofing felt with 140/12mm

breather membrane without tearing it.

stainless steel staples. The surface protection plate also enables this tool to rapidly secure sheeting and

#### **A11 Hammer Tacker**

The A11 Hammer Tacker is the workhorse of the flooring trade. Perfect for a range of tasks including laying underlay, this convenient tool is also a popular choice for a variety of tasks requiring staples no longer than 10mm.



steel - making it ideal for exterior applications.







This compact model takes both the popular 53 and the 13 type staples from 6mm to 10mm without the need for any adjustment. A fast and easy way to deal with tasks where many staples are fired in a short time such as securing plastic sheeting. 53 series staples are now available in stainless steel for exterior applications.



#### **Hammer Tackers**

Stapling up to 12mm

### Z2/Z3 Series Staple, Nail & Cable Tackers & Removers

#### **Technical Specifications**

	Code	Tool Description	Dimensions (H x W x D)	Weight (kg)	Magazine Capacity	Fasteners Type/length (mm)	Min. Firing from wall
					Nails & Pins Staples	Nails & Pins Staples	
	1218	Z2-M Metal	85 x 158 x 28	0.3	- 102 110	- 53/4-8 - 13/4-8	-
	0806	Z3-140 Metal	121 x 193 x 33	0.9	90 83	180(18G)/15 140/4-14 180/15 headless	5mm
	0808	Z3-53 Metal	121 x 193 x 33	0.9	90 125	180(18G)/15 53/4-14 180/15 headless	5mm
	0880	Z3-13 Metal	121 x 193 x 33	0.9	90 150	180(18G)/15 13/4-14 180/15 headless	5mm
	0807	Z3-140L	121 x 193 x 33	0.4	90 83	180(18G)/15 140/6-14 180/15 headless	5mm
	0847	Z3-53L	121 x 193 x 33	0.4	90 125	180(18G)/15 53/6-14 180/15 headless	5mm
	0881	Z3-13L	121 x 193 x 33	0.4	90 150	180(18G)/15 13/6-14 180/15 headless	5mm
	1022	Z3 4-in-1	123 x 182 x 33	0.4	85 150 Cable staples = 85	180(18G)/15 53/8-14 180/15 headless CT-60/12-14	5mm
	0320	CT-45 Cable Tacker	120 x 185 x 30	0.4	- 75	- CT-45/8-10	5mm
	0321	CT-60 Cable Tacker	120 x 185 x 30	0.4	- 75	- CT-60/10-14	5mm
	1153	Combi Cable Tacker	114 x 188 x 25	0.8	- 85 - 82	- CT-45/8-10 - CT-60/10-14	5mm
	0809	Z3-CT45 Metal Cable Tacker	121 x 193 x 33	0.9	- 75	- CT-45/8-10	5mm
	0206	Pro Staple Remover	34 x 173 x 28	0.1		· ·	-
	1073	91 Staple Remover	42 x 195 x 28	0.1		· ·	-
	0322	A11 Hammer Tacker	55 x 308 x 42	0.9	- 150	- 140/6-10	-
	1173	A54 Hammer Tacker	78 x 308 x 35	0.9	- 150	- 140/6-12	-
) [	1327	A19 Hammer Tacker	45 x 278 x 32	0.4	- 125	- 53&13/6-12	-

#### **Tool Applications**

	53	Z1-53L	53T	Z1-140	13		53	Z3-53L	Z3-140	Z3-140L	13	Z3-13L	Z3-4-in-1	Z3-CT45	45	60	CT-Combi			_
Application	Z1-53	-⊦Z	Z1-53T	IZ	Z1-13	<b>Z2</b>	Z3-53	Z3-!	Z3-	Z3-:	Z3-	Z3-	Z3-	Z3-(	CT-45	CT-60	CT-(	A19	A11	A54
Alarm/data cable													•	•	•	•	•			
Blinds & awnings									•	•			•					•		
Carpeting & underlay				•					•	•			•						•	•
Display/shop fitting				•	•	•			•	•	•	•	•					•		
Exhibition/shows				•	•	•			•	•	•	•						•	•	
Fabrics & blinds	•	•	•	•	•	•	•	•	•	•	•	•	•					•		
Hobby crafts	•	•	•			•	•	•					•					•		
Insulation				•		•			•	•			•					•	•	
Moulding & beading							•	•	•	•	•	•								
Netting/wire fencing				•		•			•	•			•		•	•	•		•	
Picture framing	•	•	•	•	•	•	•	•	•	•	•	•								
Posters/displays	•	•	•		•	•	•	•			•	•						•		
Plastic sheeting				•					•	•			•					•	•	•
Roofing				•					•	•										•
Schools/education	•	•	•		•	•	•	•			•	•						•		
Telecommunications													•	•	•	•	•			
Theatre/film scenery	•	•	•		•	•	•	•			•	•						•		
Trellis/garden	•	•	•	•		•	•	•	•	•										
Upholstery				•	•	•			•	•	•	•	•							
Window dressing					•						•	•						•		

## **Staple Removers**

Tacwise Staple Removers are ideal for lifting out many types of staples from timber. They grip and retain staples whilst removing them. The ergonomic grips provide comfort during extended periods of use. Designed to safely and securely remove fastenings from a range of materials, our Staple Removers are the ideal addition to every tool kit.



#### **Pro Staple Remover**



**Retail Clam** 

Pack Style

Trade = 12 Units Transit = 48 Units

Grips and retains staples whilst removing them. Ideal for lifting out many types of staples. From panelling, insulation & lining, upholstery, carpet underlay and many more... The ergonomic grip provides comfort during extended periods of use.

91 Staple Re	emover
Professional	Code: 1073

Pack Style Trade = 12 Units Transit = 48 Units Removes 91 type and other narrow crown staples from timber. Incorporating a stepped lifting device this remover will handle staples with both short and long legs. With ergonomic grip.





.

Utilising our 50 years of knowledge, experience and expertise, our range of corded electric tackers offer the very best in performance across a range of stapling and nailing tasks. There's no need for batteries, gas cells or compressors; simply load, switch on the power and you're ready to go. Excellence in design and engineering as standard across a comprehensive range of fastening tools

ranging from small, compact and lightweight through to heavy duty nailers and staplers

#### 1. Compact

Our range of semi-pro and professional models are small, fast and lightweight. An ideal step-up from manual hand tackers, these compact electric tackers are highly balanced with an ergonomic design that makes repetitive stapling tasks easy and comfortable.

Perfect for applications including upholstery, insulation, picture framing, wire fencing carpeting and more.

#### 2. Medium Duty

With tremendous versatility, Tacwise Medium Duty electric tackers offer extraordinary value for money and are a must for every tool bag. Coupling superb performance with user comfort, our Medium Duty electric tackers are extremely fast semiprofessional tools capable of firing nails up to 35mm.

Hugely capable and loaded with features, these tackers are ideal for applications including cabinet assembly, door frames, carpeting, soft wood flooring and many more second fix tasks.

### **3. Heavy Duty**

The new generation of Tacwise electrics feature redesigned electronics and enhanced engineering, making them the tool of choice for the discerning tradesman.

These tools eat up second fix and reconstruction tasks with speed and precision. With unrivalled performance in their class, our Heavy Duty electric tackers boast a range of dynamic and innovative new features.

Essential for tradesmen, these tools will make light work of a range of second fix and making good tasks including flooring, sub flooring, underlay gripper, insulation and more.

# **Corded Electric Tackers**

V. GWISI

Supplied with either UK, Euro or other International plug/cable variations.

Stapling up to 40mm & Nailing up to 50mm

## Just load, plug in and fire





## **Compact Electrics**

Always ready at hand these tackers are designed with the minimum of parts to enhance reliability and reduce weight which, combined with a robust chassis and body materials, result in the tools delivering maximum durability.

TAC 1 2822 Hobby 53EL Tacker Kit 53/6-14mm DIV/Semi-Pro Code: 1038 Includes: Staple remover, 4000pcs 53 staples & 180 nails 53 Staples 6-14mm Capacity 90 Nails 125 Staples Trade = 1 Unit Pack Style 180 (18G) Nails 0.75kgs Transit = 10 Units

#### Hobby 53EL 53/6-14mm

DIY/Semi-Pro Code: 0434 (EURO) Includes: This pack does not contain nails or staples 53 Staple 6-14mm



#### Hobby 53EL 53/6-14mm 180(18G)/15mm

-							
DIY/Sem	i-Pro	Code: 0865	Includes: 100pcs 180(18G) nails, 200pcs 53 staples				
DIT/Selli-FIU		Code: 0879 (EURO)	Includes: 100pcs 180(18G) nails, 200pcs 53 staples				
Magazine Capacity 90 Nails 25 Staples	0.75kgs	53 Staples 6-14mm 180 (18G) Nails 15mm	Pack Style Retail Clam	Trade = 1 Unit Transit = 10 Units			

Trade = 1 Unit

Transit = 10 Units

	And I wanted
	and the second se
	and the second second
	10 10 10

Tool A	pplications	Blinds & awnings	Carpeting & underlay	Display/shop fitting	Exhibition/shows	Fabrics & blinds	Hobby crafts
	Hobby 53EL					•	•
	140EL	•	•	•	•	•	


These ultra-compact corded tackers boast a host of dynamic and innovative features and are ideal for professional and lightweight applications. Featuring an all polymer body, the compact 53EL uses the popular 53 type (DIY, fine wire) staple, ideal for professionals seeking discreet fastening.



Stapling up to 14mm & Nailing up to 15mm

#### DIY/Semi-Pro... 53EL & 140EL

Compressed into a neat clam which will hang on





### Semi-Pro... 140EL

Suitable for professionals such as general builders and tradesmen. Taking the popular 140 flat wire staples in lengths 6mm to 14mm and 180/15mm series nails.

140EL	40/6-14r	nm (180(18G)/15mm		
Semi-P	ro	Code: 0274	Includes: 1000pcs 180(18G) n	ails, 1000pcs 140 staples
Magazine Capacity 90 Nails 83 Staples <b>140EL (</b>	0.75kgs	140 Staples 6-14mm 180 (186) Nails 15mm 140/6-14mm (180	Pack Style (18G)/15mm	Trade = 1 Unit Transit = 10 Units
Semi-P	ro	Code: 0928	Includes: 100pcs 180(18G) nai	ils, 200pcs 140 staples
Magazine Capacity 90 Nails 83 Staples	0.75kgs	140 Staples 6-14mm 180 (18G) Nails 15mm	Pack Style Retail Clam	Trade = 1 Unit Transit = 10 Units

## **Technical Specifications** Dimensions: H 135 x W 195 x D 55mm

mensions	. II 155 X W 155 X D	John					
Code	<b>Tool Description</b>	Weight (kg)		azine acity	Faste Type/Leng		Min. Firing from wall
			Nails	Staples	Nails	Staples	
0865	Hobby 53EL	0.75	90	125	180(18G)/15	53/6-14	6mm
0879	Hobby 53EL Euro	0.75	90	125	180(18G)/15	53/6-14	6mm
0434	Hobby 53EL Euro	0.75	90	125	180(18G)/15	53/6-14	6mm
0274	140EL	0.75	90	83	180(18G)/15	140/6-14	6mm
0928	140EL Euro	0.75	90	83	180(18G)/15	140/6-14	6mm

### **Tool Features**

	Performance, Comfort & Safety	Hobby 53E	140EL
1	Long power cord	1	1
2	Wide ergonomic grip	1	1
3	On/off switch	1	1
4	Personalisation window	1	✓
5	Belt hanger	1	1
6	Tough polymer lightweight body	1	1
7	On/off light indicator	1	1
8	Safety lock switch	1	✓
9	Trigger	1	1
10	Air vents	1	✓
(1)	Bottom loading magazine	1	1
12	Staple/nail viewing window	1	1

Each with their own powerful features Tacwise compact electric tools are carefully designed for user safety and convenience.









#### **Compact Electrics**

Stapling up to 14mm & Nailing up to 15mm

### Loaded with features

### **Bottom Loading**

Full strip bottom loading for speed and simplicity with no loose parts.

Features include the light indicator on/off for safety, belt hanger for convenience and personalisation window. Easily disassembled for recycling.



ELECTRIC MAILERSTAPLER

191EL

## **Medium Duty Electrics**

An essential for the busy tradesman these medium duty electrics will save time and effort day in, day out.

Suitable for a wide range of second fix and fastening tasks, these electric nailers and staplers achieve great results with minimum effort. All tools in this range feature a positive action trigger, a separate on/off switch and nose safety device which much be pressed against the work piece to fire.

### **181ELS**

The dedicated nailing incarnation of our top-selling 191EL/191ELS Pro, the 181ELS is a versatile nailer that fires 180(18G) nails up to 35mm.

Feature-rich and light-weight, the 181ELS is a highly practical and lightweight nailer that's perfect for repetitive nailing tasks.

#### Master Nailer<sup>™</sup> 181ELS Pro Electric Nailer 180(18G)/15-35mm



### **191EL Ultimate** Versatility

191EL Pro is a 'must have' for all professional tradesmen tackling any number of second fix and making good tasks as well as precision jobs in the workshop. Hugely popular for flooring including boarding out and soft wood floorboards.



Popular for securing glued items to avoid movement



TACWISE

Light, compact size for obs that are difficult to access



Great for getting into tight corners. Excellent for dry wall lining with 91DP (divergent point) staples.

191EL is the tool everyone should have in their toolbag regardless of which other staple or nail guns they own. The best value, most versatile corded stapler/nailer on the market.

### **191EL**

Firing six different lengths of nails and four different lengths of staple, the 191EL Pro is a nailer & stapler that's perfect for a wide range of fixing applications.

Versatile, ergonomic and lightweight; the 191EL Pro is perfect for continuous nailing tasks, especially those in difficult to reach areas. Simple, easy to use and the fastest tool of its kind, it's no wonder the 191EL Pro is the UK's favourite nailer/stapler.

#### Master Nailer<sup>™</sup> 191EL Pro **Electric Nailer/Stapler**



### Master Nailer™ 191ELS Pro Electric Nailer/Stapler (91/15-30mm) (180(18G)/15-35mm

orioutaroa						
Semi-Pro	Code: 1180	Includes: This pack does not contain nails or stap				
ochi i i o	Code: 1200 (EURO)	Includes: This pack does not contain nails or stap				
Magazine Capacity 100 Nails 00 Staples 1.8kgs	91 Staples 15-30mm 180 (18G) Nails 15-35mm	Pack Style Plain Box				

New model with quick release nose



#### **Medium Duty Electrics**

Stapling up to 30mm & Nailing up to 35mm

Trade = 1 Unit Transit = 6 Unit

Trade = 1 Unit Transit = 4 Units

es	
es	

Trade = 1 Unit Transit = 4 Units



### **Medium Duty Electrics**

### **Tool Applications**

mets     •     •       •     •     •       •     •     •       nresholds     •     •       heeting & lining     •     •       beading     •     •       •     •     •
---

	181ELS Pro	191EL Pro	191ELS Pro
Plasterboard		•	•
Cabins, mobile homes, caravans	•	•	•
Saunas	•	•	•
Sheds & garden buildings	•	•	•
Shoe repair		•	•
Soft & medium wood flooring	•	•	•
Staircase/bannister construction	•	•	•
Sub flooring/boarding out	•	•	•
Tacking plasterboard/pre-screwing	•	•	•
Tacking with glue applications	•	•	•
Theatre/film scenery	•	•	•
Tongue & groove flooring	•		
Trellis/panelling	•	•	•
Window dressing		•	•

### **Technical Specifications**

Code	Tool Description	Dimensions (H x W x D)	Weight (kg)		gazine pacity	Fasten Type/Lengt		Min. Firing from wall
				Nails	Staples	Nails	Staples	
1176	181ELS Pro	230 x 255 x 68	1.6	100	-	180(18G)/15-35	-	25mm
1177	181ELS Pro Euro	230 x 255 x 68	1.6	100	-	180(18G)/15-35	-	25mm
1178	181ELS Pro	230 x 255 x 68	1.6	100	-	180(18G)/15-35	-	25mm
0326	191EL Pro (Boxed)	230 x 255 x 68	1.8	100	100	180(18G)/15-35	91/15-30	25mm
0327	191EL Pro	230 x 255 x 68	1.8	100	100	180(18 <b>G</b> /15-35	91/15-30	25mm
0190	191EL Pro Euro	230 x 255 x 68	1.8	100	100	180(18 <b>G)</b> /15-35	91/15-30	25mm
1180	191ELS Pro	230 x 255 x 68	1.8	100	100	180(18 <b>G</b> /15-35	91/15-30	25mm
1200	191ELS Pro Euro	230 x 255 x 68	1.8	100	100	180(18G)/15-35	91/15-30	25mm

### **Tool Features**

Performance, Comfort & Safety	181ELS Pr	191EL Pro	191ELS Pr
Single shot trigger	1	1	1
Quick release loading	1	1	1
Quick release nose gate	1		1
Nose protector	1	1	1
Nose safety device	1	1	1
Safety on/off switch	1	1	1
Nail/staple viewing window	1	1	1
Impact resistant industrial body	1	1	1
Spare noses – 5pcs	1	1	1
Max. speed per minute	30	30	30

### **Replacement Nose Pieces**

Code	Tool Description	Pack Qty.
0848	Nose 181EL (Orange)	5
1172	Nose 181ELS (Black)	5
0849	Nose 191EL (Orange)	5
1172	Nose 191ELS (Black)	5



# **Tool Features**

Performance, **Comfort & Safety** 

71ELS

80ELS

Duo 35

Duo 50

**400ELS** 

18G/50

16G/45

Single shot trigger	Quick release loading	Quick release nose gate	Nose protector	Nose safety device	Pro metal magazine
	$\checkmark$	$\checkmark$		$\checkmark$	1
	1	1		1	$\checkmark$
1	1	1	1	1	√ √
1	1	1	1	1	1
1	$\checkmark$	1	$\checkmark$	$\checkmark$	√ √
1	$\checkmark$	1	1	1	1
1	1	1	1	1	1

2 3 4


1

Stapling up to 30mm & Nailing up to 50mm

## **Heavy Duty Electrics**

The next generation of Tacwise electric nailers and staplers. Built for the professional, these electric tools will eat up second fix jobs with ease and comfort.

Offering the very best in performance, innovation and versatility, the new corded nailers and staplers from Tacwise are perfect for a wide range of tasks.







#### **Duo 35**

A compact tool with tremendous versatility the Duo 35 gives unrivalled performance and eats up second fix jobs with speed and precision. With all-new electronics, enhanced switch-gear and improvements throughout, this nailer and stapler is another great addition to the exciting new generation of electric tools from Tacwise.







Quick release magazine

Flip-open nail gate

#### **Duo 35 Tool Versatility**

Perfect for precision as well as demanding fixing jobs, the Duo 35 has been re-designed with the tradesmen in mind so you can work on flooring, panelling or skirting, architrave and more. The Duo 35 is your essential tool; made for second fix jobs, compact, durable and affordable.



Watch the Duo35 video




Professional

Magazine Capacity 100 Staples

## Professional

100 Staples

fast, easy to load electric upholstery stapler that does away with the need for gas / air compressors, providing precise fixing time after time.





The re-designed Duo 35 is fully loaded with a host of innovative features which include; a flip-open nail gate, an air-tool magazine, a nose safety device, power light and a separate on/off switch.



#### **Heavy Duty Electrics**









#### **Duo 50**

The world's first corded 50mm nailer and 45mm stapler, the Duo 50 is a high spec tool that sits at the top of the new generation Tacwise tool line. It has an air tool magazine for fast easy loading, a flip open nail gate, a belt hook and a compact nose to get into those hard-to-reach areas.

#### Master Nailer™ Duo 50 Electric Nailer/Stapler (91/20-45mm) (180(18G)/20-50mm)





### **Heavy Duty Electrics**

Stapling up to 45mm & Nailing up to 50mm



#### **18G/50 Nailer**

This dedicated nailing tool has a precision air tool construction and will accurately drive 18 gauge brads with little marking to the surface of the timber. Ideal to speed through a wide variety of tasks this will save the busy tradesman a lot of time and free one hand to guide and position the work peice. Also ideal for a temporary fix during glue drying.

finish nail (a heavier nail than the 18 gauge version) this tool is perfect for a wide selection of applications and in particular those requiring a heavier more secure second fix nail.





Fast and convenient these second fix, dedicated nailers are quick to load and do not require gas packs or compressors... simply load, plug in, turn on and fire. Perfect in the work shop or for the busy tradesman on the move.

#### Code: 1207 (EURO) Includes: This pack does not co

Pack Style No colour sl 100 Nails 2.3kgs 180 (18G) Nails 20-50mm No colour sleeve

Master Nailer™ 18G/50 Electric Nailer

Code: 1183

### All new magazine

Professional

The 18G/50 Nailer and 16G/45 Finish Nailer both embrace an all new magazine with a high level of precision and the 18G tool featured has two viewing windows. As with all new generation Tacwise electrics there is a quick release nail gate and easy close side load system.

TOG



Includes: This pack does not con



ne 186/50 vide

Trade = 1 Unit

Transit = 4 Units



### **Heavy Duty Electrics**

Stapling up to 45mm & Nailing up to 50mm

#### No gas or compressor required




## **Inclined Professional Nailers**

Sitting at the top of the Tacwise tool line, the 400ELS offers ultimate convenience with its inclined magazine system.

### **400ELS Pro**

The Master Nailer<sup>™</sup> 400ELS is fast and light and its handy angled design makes it ideal for tackling fixing tasks where elbow room or access is limited – such as under stairs, behind baths or sanitaryware etc. Delivering the closest thing to air-tool performance in an electric nailer, the 400ELS fires six lengths of nail up to 40mm, and at speeds of up to 30 nails per minute - more than enough for practically all purposes.



#### An unrivalled performance

400ELS (the all new nailer replacing 400EL) is a little different from the other Tacwise electrics. The key feature is its angled magazine which makes the tool extremely compact and capable of firing into very tight spaces. It is also the only model to include a rubber grip and surface pad on the top of the tool and a removeable wire stand, which can be clipped on and off in an instant, positions the tool upright 'ready to go' when used in tasks such as securing floor boards and boarding out.







400ELS incorporates a rifle butt style quick release catch for rapid reloading and a unique easy access nail gate makes freeing fastenings simple in the unlikely event of a misfire.



### **Complete in their tough carry case**

Tough professional work/carry cases are standard with most corded tools including the heavy duty and inclined models...look for the symbol alongside each tool to see if it's supplied in a box, carry case or retail clampack.





#### **Heavy Duty Electrics**

Stapling up to 45mm & Nailing up to 50mm

Trade = 1 Unit Transit = 4 Units



### **Heavy Duty Electrics**

#### **Replacement Nose Pieces**

Code	For Tool Models	Pack Qty.
1172	Duo 50, Duo 35, 18G/50, 16G/45, 400ELS & 181ELS	5
1206	Duo 50 (Extra Thick)	5

### **Technical Specifications - Heavy Duty Electrics**

Code	Tool Description	Dimensions (H x W x D)	Weight (kg)		jazine bacity	Fastener Type/length		Min. Firing from wall
				Nails	Staples	Nails	Staples	
1181	71ELS Electric Tacker	226 x 271 x 66	1.8		100		71/6-16	25mm
1176	80ELS Electric Tacker	226 x 271 x 66	1.6	-	100		80/6-16	25mm
1165	Duo 35	226 x 271 x 66	2.1	100	100	180(18G)/15-35	91/15-30	25mm
1167	Duo 35 Euro	226 x 271 x 66	2.1	100	100	180(18G)/15-35	91/15-30	25mm
1166	Duo 50	294 x 275 x 73	2.7	100	100	180(18G)/20-50	91/20-45	25mm
1168	Duo 50 Euro	294 x 275 x 73	2.7	100	100	180(18G)/20-50	91/20-45	25mm
1183	18G/50 Brad Nailer	296 x 277 x 80	2.3	100	-	180(18G)/20-50		25mm
1207	18G/50 Brad Nailer Euro	296 x 277 x 80	2.3	100	-	180(18G)/20-50		25mm
1187	16G/45 Finish Nailer	296 x 277 x 80	2.3	100	-	160(16G)/20-45		25mm
1208	16G/45 Finish Nailer Euro	296 x 277 x 80	2.3	100		160(16G)/20-45		25mm
0733	400ELS Inclined Nailer	210 x 290 x 57	1.8	100		500(18G Angled)/15-4	0	15mm
0876	400ELS Inclined Nailer Euro	210 x 290 x 57	1.8	100		500(18G Angled)/15-4	0	15mm

#### **Tool Applications**

400ELS	16G/45	18G/50	Duo 50	Duo 35	80ELS	71ELS	Application
·	•	•	•	·			Cabinet/woodwork assembly
·		•	•	·			Cane/rattan furniture
							Carpeting & underlay
•		•	•	·	•	·	Display/shop fitting
•	•	•	•	·			Door frames & skirting
•		•	•	•			Drawer bottoms
•	•	•	•	•	•	•	Exhibition/show(s)
•	•	•	•	•			External pelmets
	•	•	•	•			Fencing
•	•	•	•	•			Garden furniture
		•	•	•			Gripper & thresholds
•		•	•	•	•	•	Insulation/sheeting & lining
•		•	•	·			Moulding & beading
•			•	·	•	·	Netting/wire fencing
•	•	•	•	·			Pet cages, runs & enclosures
ŀ	·	·	•	ŀ			Picture/mirror framing
			•	ŀ			Plasterboard
ŀ	·		•	ŀ			Cabins, mobile homes, caravans
ŀ	•		•	ŀ			Saunas
ŀ	•		•	ŀ			Sheds & garden buildings
•			•	·			Shoe repair
ŀ	·	ŀ	•	ŀ			Soft & medium wood flooring
	•						Soffits & facias
•	•		•	·			Staircase/bannister construction
•	•		•	·			Sub flooring/boarding out
•	•	•	•	·			Tacking plasterboard/pre-screwing
•	•		•	·			Tacking with glue applications
•	•	•	•	•	•	•	Theatre/film scenery
ŀ	·						Tongue & groove flooring
ŀ	•	ŀ	•	ŀ			Trellis/panelling
•	•	•	•	•	•	•	Window dressing

### Which Electric Tool?

#### **Tool Summary**

	Fastening Type	Hobby 53EL	140EL	181EL	191EL
		DIY		S	EMI-
	53 Type Fine Wire - up to 14mm	1			
	140 Type Flat Wire - up to 14mm		<b>√</b>		
	91 Type Narrow Crown - up to 30mm				<b>√</b>
ES	91 Type Narrow Crown - up to 45mm				
STAPLES	71 Type Upholstery - up to 16mm				
ST	80 Type Upholstery (Europe) - up to 16mm				
	18G Type Brads - up to 15mm	1	<b>√</b>	1	<b>√</b>
	18G Type Brads - up to 35mm				
	18G Type Brads - up to 50mm				
NAILS	16G Type Finish - up to 45mm				
	500 Type Angled 18G Brads - up to 40mm				
ona	Tools taking both Staples and Nails	1	1		1

1. Compact

These semi-pro models are small, fast and light. The first step up from manual hand tackers.




4. Heavy Duty

Top of the range of corded tools, these are the most robust construction within the Tacwise assortment.



#### **Heavy Duty Electrics**

Stapling and Nailing up to 15mm





Providing extraordinary value for money 181ELS (nailer) and 191EL/ELS (stapler/ nailer) are an essential for every tool bag.

### **3. Inclined 400ELS Pro**

400ELS is part of the new generation of heavy duty tools and offers the benefit of an angled magazine for nailing into tight spaces.

# **Cordless Nailers**

Ranger 2 is our latest range of high-quality battery-powered nail guns. Perfect for the busy tradesman with demanding applications. Loaded with features Ranger 2 delivers perfect nailing results on a wide range of second fix tasks.

### **Ranger 2 16G Inclined Nailer**

The most popular of our 18v cordless tools and taking the industry standard 16G inclined finish nail compatible with most other cordless and gas second fix tools

#### JEV Ranger 2 16G Inclined Nailer 16G Angled/32-64mm

Professional Code: 1243 Includes: 2 batteries, 1 charger, 500pcs 35mm nails Magazin Trade = 1 Unit 16G Angled Nails 32-64mm Pack Style 3.16kas 110 Nails

This tool features an angled magazine which makes it capable of firing into very tight spaces



#### **On site**

Offering outstanding versatility, Ranger 2 18v tools are a must for every tradesman tackling new build, restoration and repair projects. These tools are designed to deliver outstanding results time after time.













Ranger 2 Nailers all feature a quick release nose gate for ease of access and removal in the unlikely event of a nail jam - fully exposing the driver blade and nail channel. Easily removed and reassembled in a matter of seconds, massively reducing downtime.

Nailing up to 64mm

#### Ranger 2... anti-jam






### **Ranger 2 18G Brad Nailer**

Another sterling addition to our growing range of high-quality battery-powered nail guns, the 18G Brad Nailer is ideal for a range of second fix and fastening/ pinning tasks achieving great results with minimum effort.

#### Ranger 2 18G Brad Nailer 18G(180)/25-50n

Professional Code: 1244 Includes: 2 batteries, 1 charger, 500pcs 35mm nails



Trade = 1 Unit Transit = 2 Units

NEW

This nailer fires 18G brad nails. For best results use genuine Tacwise quality consumables. Built with a professional magazine and fast reloading system.

#### **Tool Features**

Ranger 2 safety features include a nose safety device and thumb operated 'trigger actuation system', All tools benefit from a depth adjustment dial to precisely set nailing depths and a large nail capacity to keep downtime to a minimum

### **Ranger 2 16G Finish Nailer**

A dedicated nailer that provides high levels of performance, accuracy and durability. Built with the professional in mind, this battery-powered tool employs the latest technology and smart engineering to ensure class-leading results.



Firing our 16G Finish Nails this tool is fast, acurate, and the ideal choice for a range of demanding applications.

#### **16G Finish Nailer Speed and durability**

Ranger 2 16G Finish Nailers include a professional magazine with a fast reloading system, a rubber nose piece to protect work surfaces from marking and a "quick release" nose gate that's easy to open in the unlikely event of a jam. This high-spec tool also features a belt-hook, ensuring your 16G Finish Nailer is always close at hand.







#### **Cordless Nailing**

Nailing up to 64mm





Trade = 1 Unit Transit = 2 Units



### Versatility

No gas, air hoses or mains cables required. Ranger 2 gives you power, fastening flexibility and total independence around site. Delivers fast turnaround, less downtime and a quality job every time.



### **Tool Features**

	Performance, Comfort & Safety	Ranger 2 16G Incline	Ranger 2 16G Finish	Ranger 2 18G Brad
1	Single shot trigger	1	1	1
2	Quick release loading	1	1	1
3	Swivel quick release nose gate	1	1	1
4	Rubber nose protector	1	1	1
5	Nose safety device	1	1	1
6	Safety trigger 'actuation system'	1	1	1
7	Adjustable depth dial system	1	1	1
8	Nail capacity viewing window	1	1	
9	Impact resistant industrial body	1	1	1
10	18v Li-ion battery x 2	1	1	1
	Spare rubber noses – 1pc	1	1	1
	Max. nailing speed per min	40	40	40



### **Technical Specifications**

	Code	Tool Description	Dimensions (H x W x D)	Weight (kg)	U	jazine bacity	Fastene Type/Length		Min. Firing from wall
				With Battery	Nails	Staples	Nails	Staples	without rubber nose
NEW	1243	Ranger 2 16G Inclined Nailer	313 x 330 x 97	3.41	110	-	16G Angled/32-64	-	5mm
NEW	1244	Ranger 2 18G Brad Nailer	330 x 280 x 97	3.09	110	-	18G/25-50	-	25mm
NEW	1245	Ranger 2 16G Finish Nailer	330 x 285 x 97	3.22	110		16G/32-64	-	30mm

### **Replacement Rubber Nose Pieces**

	Code	Tool Description	Pack Qty.
NEW	1255	Rubber Nose Ranger 2 16G Inclined Nailer	5
NEW	1256	Rubber Nose Ranger 2 18G Brad Nailer	5
NEW	1264	Rubber Nose Ranger 2 16G Finish Nailer	5
NEW	1292	Replacement bungee cords for all Ranger 2	4
NEW	1301	Driver blade assembly Ranger 2 16G Inclined Nailer	1
NEW	1302	Driver blade assembly Ranger 2 18G Brad Nailer	1
NEW	1303	Driver blade assembly Ranger 2 16G Finish Nailer	1

### Battery 18v (Li-ion) **Specifications**

Capacity/shots per Weight (kg) Code charge 1253 2.0Ah/800 shots (approx.) 0.4kg NEW

The latest Li-ion technology. Light in weight at just 0.44kg. Delivering long nailing periods between charges. The Ranger 2's are supplied with 2 x 2Ah 18v batteries - no need for lengthly downtime.

### **Charger Specifications**

	Code	Mains voltage /input VAC	Approx. charging time (mins)	Weight (kg)	Fitted plug
NEW	1254	100-240v	60	0.43kg	UK/Euro

Chargers are easy to use, space-efficient and will get your Ranger 2's 2Ah 18v battery charged back up in just one hour - greatly reducing down time. The charger comes with an interchangeable plug between UK and Euro, fitted ready for UK use.



Nailing up to 64mm

### **Replacing the driver** return bungees

Each Ranger 2 tool comes supplied with spare driver return bungees which wear out eventually. The video below (as well as the tool manual) explain the simple procedure to replace these consumable parts. Also available to order code: 1292 (pack 4).



Jatch the video



## **Staples**

TACWISE

Produced from high grade raw materials, our staples are available in a range of finishes and sizes with full coverage of those most commonly used in upholstery, installation and second fix trades. Whatever the stapling task, you'll find a fastening that exceeds expectations.

	40 sta			
	Code	Staple Length/Type	Box Qty.	For Use In:
	0350	140 Selection Pack	4400	Z1-140, Z1-140L, Z3-140, Z3-140L, A11, 140EL
	0340	140/6mm	5000	A54, Z1-140, Z1-140L, Z3-140, Z3-140L, A11, 140EL
	0341	140/8mm	5000	A54, Z1-140, Z1-140L, Z3-140, Z3-140L, A11, 140EL
60mm	0342	140/10mm	5000	A54, Z3-140, Z3-140L, A11, 140EL
	0477	140/10mm s/steel	5000	A54, Z3-140, Z3-140L, A11, 140EL
	0343	140/12mm	5000	A54, Z3-140, Z3-140L, 140EL
	0344	140/14mm	5000	Z3-140, Z3-140L, 140EL
V	0345	140/6mm	2000	Z1-140, Z1-140L, Z3-140, Z3-140L, A11, 140EL
	0346	140/8mm	2000	Z1-140, Z1-140L, Z3-140, Z3-140L, A11, 140EL
NEW	1216	140/8mm s/steel	2000	A54, Z1-140, Z1-140L, Z3-140, Z3-140L, A11, 140EL
	0347	140/10mm	2000	Z3-140, Z3-140L, A11, 140EL
NEW	1217	140/10mm s/steel	2000	A54, Z3-140, Z3-140L, A11, 140EL
	0348	140/12mm	2000	Z3-140, Z3-140L, 140EL
NEW	1220	140/12mm s/steel	2000	A54, Z3-140, Z3-140L, 140EL
	0349	140/14mm	2000	Z3-140, Z3-140L, 140EL
ļ	53 stapl	les		
	1095	53 Selection Pack	6000	Z1-53, Z1-53L, Z1-53T, Z3-53, Z3-53L, Hobby 53EL
5mm	0331	53/6mm	5000	Z1-53, Z1-53L, Z1-53T, Z3-53, Z3-53L, Hobby 53EL
	0332	53/8mm	5000	Z1-53, Z1-53L, Z1-53T, Z3-53, Z3-53L,Z3-4 in 1, Hobby 53EL
	0431	53/10mm	5000	Z3-53, Z3-53L, Z3-4 in 1, Hobby 53EL
	0450	53/12mm	5000	Z3-53, Z3-53L, Z3-4 in 1, Hobby 53EL
U	0452	53/14mm	5000	Z3-53, Z3-53L, Z3-4 in 1, Hobby 53EL
Ŷ	0453	53/16mm	5000	
	0333	53/4mm	2000	Z1-53, Z1-53L, Z1-53T
	0334	53/6mm	2000	Z1-53, Z1-53L, Z1-53T, Z3-53, Z3-53L, Hobby 53EL
NEW	1268	53/6mm s/steel	2000	Z1-53, Z1-53L, Z1-53T, Z3-53, Z3-53L, Hobby 53EL
Ŭ	0335	53/8mm	2000	Z1-53, Z1-53L, Z1-53T, Z3-53, Z3-53L, Z3-4 in 1, Hobby 53EL
NEW	1269	53/8mm s/steel	2000	Z1-53, Z1-53L, Z1-53T, Z3-53, Z3-53L,Z3-4 in 1, Hobby 53EL
	0336	53/10mm	2000	Z3-53, Z3-53L, Z3-4 in 1, Hobby 53EL
NEW	1270	53/10mm s/steel	2000	Z3-53, Z3-53L, Z3-4 in 1, Hobby 53EL
	0337	53/12mm	2000	Z3-53, Z3-53L, Z3-4 in 1, Hobby 53EL
	0338	53/14mm	2000	Z3-53, Z3-53L, Z3-4 in 1, Hobby 53EL
		able tacker staples		
6.3mm			5 v 1000	CT 45 72 CT 45
	0351	CT-45/8mm	5 x 1000	CT-45, Z3-CT45
	0980	CT-45/8mm white	5 x 1000	CT-45, Z3-CT45
	0352	CT-45/10mm	5 x 1000	CT-45, Z3-CT45
V	0353	CT-45/10mm white	5 x 1000	CT-45, Z3-CT45

5 x 1000

5 x 1000

5 x 1000

CT-60, Z3-CT60

CT-60, Z3-CT60, Z3-4 in 1

CT-60, Z3-CT60, Z3-4 in 1

CT-60/10mm white

CT-60/12mm

CT-60/14mm

1094 0355

0356

	ole tacker staples (co	Jinui
Code	Staple Length/Type	l
0357	CT-60/14mm white	5
1061	CT-60/14mm black	5



(actual size) 5.95mm

(actual size)

V 16m

(actual size)

12.8mn

(actual size

11.20mm

Code Staple Length/Type Box Qty. For Use Ir	n:
0357 CT-60/14mm white 5 x 1000 CT-60, Z3-CT60, J	Z3-4 in 1
1061 CT-60/14mm black 5 x 1000 CT-60, Z3-CT60, J	Z3-4 in 1
13 staples	
0232 13/4mm 5000 Z1-13, Z1-1	
0233 13/6mm 5000 Z1-13, Z1-13L, Z3-13, Z3-	
0234 13/8mm 5000 Z1-13, Z1-13L, Z3-13, Z3	
0235 13/10mm 5000 Z3-13, Z3-13L, Ho	
0236 13/14mm 5000 Z3-13, Z3-13L, Ho	obby 13EL
91 staples	
0204 91 Selection Pack 2800 191EL/S, Duo 35, Duo 50, Rar	nger 2. Ranger 40 Duo
0283 91/15mm 1000 191EL/S, Duo 35, Ranger	
0287 (91/18mm divergent) 1000 191EL/S, Duo 35, Ranger	· •
1069 91/18mm divergent s/steel 1000 191EL/S, Duo 35, Ranger	
0284 (91/20mm) 1000 191EL/S, Duo 35, Duo 50, Rar	, 5
0288 (91/22mm divergent) 1000 191EL/S, Duo 35, Duo 50, Ran	
1070 91/22mm divergent s/steel 1000 191EL/S, Duo 35, Duo 50, Ran	o , o
0285 91/25mm 1000 191EL/S, Duo 35, Duo 50, Ran	
1071 91/25mm s/steel 1000 191EL/S, Duo 35, Duo 50, Ran	
0286 91/30mm 1000 191EL/S, Duo 35, Duo 50, Rar	
0289 (91/30mm divergent) 1000 191EL/S, Duo 35, Duo 50, Ran	nger 2, Ranger 40 Duo
0746 91/35mm 1000 Duo 50, Ranger 2, Ra	anger 40 Duo
0768 (91/40mm) 1000 Duo 50, Ranger 2, Ra	anger 40 Duo
1174 91/45mm 1000 Duo 50	
71 staples	
0367 71/6mm 20000 71EL, 71E	
1014 71/6mm s/steel 20000 71EL, 71El	
0368 71/8mm 20000 71EL, 71El	
1065 71/8mm black 20000 71EL, 71El	
0369 71/10mm 20000 71EL, 71El	
0373 71/10mm black 20000 71EL, 71El	
0375         71/10mm s/steel         20000         71EL, 71E           0370         71/12mm         20000         71EL, 71E	
0370         71/12mm         20000         71EL, 71El           0290         71/12mm black         20000         71EL, 71El	
0488 <b>71/12mm beige</b> 20000 71EL, 71EL	
0436         717211111 beige         20000         71EL, 71El           0371         71/14mm         10000         71EL, 71El	
0374 <b>71/14mm black</b> 10000 71EL, 71EL	
0372 <b>71/16mm</b> 10000 71EL, 71EL	
80 staples	
0381 80/6mm 10000 80ELS	
0382 80/8mm 10000 80ELS	
0383 80/10mm 10000 80ELS	
0384 80/12mm 10000 80ELS	
0385 80/14mm 10000 80ELS	
1141 80/16mm 10000 80ELS	
73 staples	
1227 73/8mm s/steel 2500 All 31 Type P	Pliers
0456 73/10mm 5000 All 31 Type P	
0457 73/12mm 5000 All 31 Type P	
1228 73/12mm s/steel 2500 All 31 Type P	

taples (co		
Гуре	Box Qty.	For Use In:
vhite	5 x 1000	CT-60, Z3-CT60, Z3-4 in 1
lack	5 x 1000	CT-60, Z3-CT60, Z3-4 in 1
	5000	Z1-13, Z1-13L
	5000	Z1-13, Z1-13L, Z3-13, Z3-13L, Hobby 13EL
	5000	Z1-13, Z1-13L, Z3-13, Z3-13L, Hobby 13EL
	5000	Z3-13, Z3-13L, Hobby 13EL
	5000	Z3-13, Z3-13L, Hobby 13EL
ck	2800	191EL/S, Duo 35, Duo 50, Ranger 2, Ranger 40 Duo
	1000	191EL/S, Duo 35, Ranger 2, Ranger 40 Duo
rgent	1000	191EL/S, Duo 35, Ranger 2, Ranger 40 Duo
gent s/steel	1000	191EL/S, Duo 35, Ranger 2, Ranger 40 Duo
	1000	191EL/S, Duo 35, Duo 50, Ranger 2, Ranger 40 Duo
rgent	1000	191EL/S, Duo 35, Duo 50, Ranger 2, Ranger 40 Duo
gent s/steel	1000	191EL/S, Duo 35, Duo 50, Ranger 2, Ranger 40 Duo
	1000	191EL/S, Duo 35, Duo 50, Ranger 2, Ranger 40 Duo
el	1000	191EL/S, Duo 35, Duo 50, Ranger 2, Ranger 40 Duo
	1000	191EL/S, Duo 35, Duo 50, Ranger 2, Ranger 40 Duo
gent	1000	191EL/S, Duo 35, Duo 50, Ranger 2, Ranger 40 Duo
	1000	Duo 50, Ranger 2, Ranger 40 Duo
	1000	Duo 50, Ranger 2, Ranger 40 Duo
	1000	Duo 50
	20000	71EL, 71ELS
( )	20000	71EL, 71ELS
el	20000	71EL, 71ELS
	20000	71EL, 71ELS
	20000	71EL, 71ELS
e	20000	71EL, 71ELS
	10000	71EL, 71ELS
(	10000	71EL, 71ELS
	10000	71EL, 71ELS
	10000	80ELS
	2500	All 31 Type Pliers
	5000	All 31 Type Pliers
	5000	All 31 Type Pliers
el	2500	All 31 Type Pliers

80 staples
------------

o Stapio		
0381	80/6mm	10
0382	80/8mm	1(
0383	80/10mm	1(
0384	80/12mm	1(
0385	80/14mm	1(
1141	80/16mm	1(



Tacwise HD73 Plier, code: 1204, for 73/6-12mm. Now available

#### **Hand/Electric Staples**

Staples up to 40mm & Nails up to 50mm



## Nails

TACWISE

The largest range of quality nails in Europe, manufactured from premium grade materials to exacting standards. With an ever increasing range of Stainless Steel for external applications, our fastenings deliver outstanding results across a range of applications and tools.

#### Nails for use in hand, corded and cordless tackers





#### **Inch/mm Conversion Chart**

mm	4	5	6	8	10	12	14	16	17	18	19	20	22	25	28	30	32	35	38	40	45	50	55	60	64	65	70	75	83	90	100	130
Inches	5/ 32	3/ 16	1/4	5/ 16	3/8	1/2	9/ 16	5/8	11/ 16	23/ 32	3/4	13/ 16	7/8		1 1/8	1 3/16	1 1/4	1 3/8	1 1/2	1 9/16	1 3/4	2	2 3/16	2 3/8	2 1/2	2 9/16	2 3/4	3	3 1/4	3 3/8	4	5 1/8



(actual size)

64mm

Nail = [] Head

500 angl	ed nails (18G angled	brad nails)	
Code	Nail Length/Type	Box Qty.	For Use In:
0971	500/15mm	1000	400EL, 400ELS
0823	500/20mm	5000	400EL, 400ELS, 500EL
0479	500/20mm	1000	400EL, 400ELS, 500EL
1131	500/20mm s/steel	1000	400EL, 400ELS, 500EL
0824	500/25mm	5000	400EL, 400ELS, 500EL
0480	500/25mm	1000	400EL, 400ELS, 500EL
0825	500/30mm	5000	400EL, 400ELS, 500EL
0481	500/30mm	1000	400EL, 400ELS, 500EL
1132	500/30mm s/steel	1000	400EL, 400ELS, 500EL
0826	500/35mm	5000	400EL, 400ELS, 500EL
0482	500/35mm	1000	400EL, 400ELS, 500EL
1133	500/35mm s/steel	1000	400EL, 400ELS, 500EL
0827	500/40mm	5000	400EL, 400ELS, 500EL
0483	500/40mm	1000	400EL, 400ELS, 500EL
1134	500/40mm s/steel	1000	400EL, 400ELS, 500EL
0828	500/45mm	5000	500EL
0484	500/45mm	1000	500EL
0829	500/50mm	5000	500EL
0485	500/50mm	1000	500EL
1135	500/50mm s/steel	1000	500EL
	-		
160 (160	i) stainless steel finis	sh nails	
1096	160(16G)/32mm s/steel	1000	16G/45, Ranger 2 16G
1097	160(16G)/38mm s/steel	1000	16G/45, Ranger 2 16G
1098	160(16G)/50mm s/steel	1000	Ranger 2 16G
16G finis		0500	100/15
0665	16G/20mm	2500	16G/45
0666 0293	16G/25mm	2500	16G/45 16G/45
0293	16G/30mm 16G/32mm	2500 2500	
0294	16G/32mm	2500	16G/45, Ranger 2 16G 16G/45, Ranger 2 16G
0295	16G/38mm	2500	16G/45, Ranger 2 16G
0230	16G/40mm	2500	16G/45, Ranger 2 16G
0297	16G/45mm	2500	16G/45, Ranger 2 16G
0298	16G/50mm	2500	Ranger 2 16G
0299	16G/55mm	2500	Ranger 2 16G
0300	16G/60mm	2500	Ranger 2 16G
0301	16G/64mm	2500	Ranger 2 16G

500 angl	ed nails (18G angled	brad nails)	
Code	Nail Length/Type	Box Qty.	For Use In:
0971	500/15mm	1000	400EL, 400ELS
0823	500/20mm	5000	400EL, 400ELS, 500EL
0479	500/20mm	1000	400EL, 400ELS, 500EL
1131	500/20mm s/steel	1000	400EL, 400ELS, 500EL
0824	500/25mm	5000	400EL, 400ELS, 500EL
0480	500/25mm	1000	400EL, 400ELS, 500EL
0825	500/30mm	5000	400EL, 400ELS, 500EL
0481	500/30mm	1000	400EL, 400ELS, 500EL
1132	500/30mm s/steel	1000	400EL, 400ELS, 500EL
0826	500/35mm	5000	400EL, 400ELS, 500EL
0482	500/35mm	1000	400EL, 400ELS, 500EL
1133	500/35mm s/steel	1000	400EL, 400ELS, 500EL
0827	500/40mm	5000	400EL, 400ELS, 500EL
0483	500/40mm	1000	400EL, 400ELS, 500EL
1134	500/40mm s/steel	1000	400EL, 400ELS, 500EL
0828	500/45mm	5000	500EL
0484	500/45mm	1000	500EL
0829	500/50mm	5000	500EL
0485	500/50mm	1000	500EL
1135	500/50mm s/steel	1000	500EL
	-		
160 (160	i) stainless steel finis	sh nails	
1096	160(16G)/32mm s/steel	1000	16G/45, Ranger 2 16G
1097	160(16G)/38mm s/steel	1000	16G/45, Ranger 2 16G
1098	160(16G)/50mm s/steel	1000	Ranger 2 16G
16G finis		0500	100/15
0665	16G/20mm	2500	16G/45
0666 0293	16G/25mm	2500	16G/45 16G/45
0293	16G/30mm 16G/32mm	2500 2500	
0294	16G/32mm	2500	16G/45, Ranger 2 16G 16G/45, Ranger 2 16G
0295	16G/38mm	2500	16G/45, Ranger 2 16G
0230	16G/40mm	2500	16G/45, Ranger 2 16G
0297	16G/45mm	2500	16G/45, Ranger 2 16G
0298	16G/50mm	2500	Ranger 2 16G
0299	16G/55mm	2500	Ranger 2 16G
0300	16G/60mm	2500	Ranger 2 16G
0301	16G/64mm	2500	Ranger 2 16G

500 angl	ed nails (18G angled	brad nails)	
Code	Nail Length/Type	Box Qty.	For Use In:
0971	500/15mm	1000	400EL, 400ELS
0823	500/20mm	5000	400EL, 400ELS, 500EL
0479	500/20mm	1000	400EL, 400ELS, 500EL
1131	500/20mm s/steel	1000	400EL, 400ELS, 500EL
0824	500/25mm	5000	400EL, 400ELS, 500EL
0480	500/25mm	1000	400EL, 400ELS, 500EL
0825	500/30mm	5000	400EL, 400ELS, 500EL
0481	500/30mm	1000	400EL, 400ELS, 500EL
1132	500/30mm s/steel	1000	400EL, 400ELS, 500EL
0826	500/35mm	5000	400EL, 400ELS, 500EL
0482	500/35mm	1000	400EL, 400ELS, 500EL
1133	500/35mm s/steel	1000	400EL, 400ELS, 500EL
0827	500/40mm	5000	400EL, 400ELS, 500EL
0483	500/40mm	1000	400EL, 400ELS, 500EL
1134	500/40mm s/steel	1000	400EL, 400ELS, 500EL
0828	500/45mm	5000	500EL
0484	500/45mm	1000	500EL
0829	500/50mm	5000	500EL
0485	500/50mm	1000	500EL
1135	500/50mm s/steel	1000	500EL
160 (16G	) stainless steel finis	sh nails	
1096	160(16G)/32mm s/steel	1000	16G/45, Ranger 2 16G
1097	160(16G)/38mm s/steel	1000	16G/45, Ranger 2 16G
1098	160(16G)/50mm s/steel	1000	Ranger 2 16G
16G finis		0500	100/15
0665	16G/20mm	2500	16G/45
0666 0293	16G/25mm	2500 2500	16G/45 16G/45
0293	16G/30mm 16G/32mm	2500 2500	16G/45 16G/45, Ranger 2 16G
0294	16G/35mm	2500	16G/45, Ranger 2 16G
0295	16G/38mm	2500	16G/45, Ranger 2 16G
0290	16G/40mm	2500	16G/45, Ranger 2 16G
0297	16G/45mm	2500	16G/45, Ranger 2 16G
0297	16G/50mm	2500	Ranger 2 16G
0290	16G/55mm	2500	Ranger 2 16G
0300	16G/60mm	2500	Ranger 2 16G
0301	16G/64mm	2500	Ranger 2 16G

#### 16G angled finish nails

			0769	16G/32mm	2500	DeWalt <sup>™</sup> DC618 & DCN660, Paslode <sup>®</sup> IM250A & IM65A F16 Nailers, Ranger 2 16G Inclined
		NEW	1222	16G/32mm s/steel	2500	DeWalt <sup>™</sup> DC618 & DCN660, Paslode <sup>®</sup> IM250A & IM65A F16 Nailers, Ranger 2 16G Inclined
(actual size	1 17		0770	16G/38mm	2500	DeWalt <sup>™</sup> DC618 & DCN660, Paslode <sup>®</sup> IM250A & IM65A F16 Nailers, Ranger 2 16G Inclined
	//	NEW	1223	16G/38mm s/steel	2500	DeWalt <sup>™</sup> DC618 & DCN660, Paslode <sup>®</sup> IM250A & IM65A F16 Nailers, Ranger 2 16G Inclined
			0771	16G/45mm	2500	DeWalt <sup>™</sup> DC618 & DCN660, Paslode <sup>®</sup> IM250A & IM65A F16 Nailers, Ranger 2 16G Inclined
<b>∆</b> 32mm		NEW	1224	16G/45mm s/steel	2500	DeWalt <sup>™</sup> DC618 & DCN660, Paslode <sup>®</sup> IM250A & IM65A F16 Nailers, Ranger 2 16G Inclined
3211111	7		0772	16G/50mm	2500	DeWalt <sup>™</sup> DC618 & DCN660, Paslode <sup>®</sup> IM250A & IM65A F16 Nailers, Ranger 2 16G Inclined
63mm	0	NEW	1225	16G/50mm s/steel	2500	DeWalt <sup>™</sup> DC618 & DCN660, Paslode <sup>®</sup> IM250A & IM65A F16 Nailers, Ranger 2 16G Inclined
	🛛 = Nail Head		0773	16G/63mm	2500	DeWalt <sup>™</sup> DC618 & DCN660, Paslode <sup>®</sup> IM250A & IM65A F16 Nailers, Ranger 2 16G Inclined
		NEW	1226	16G/63mm s/steel	2500	DeWalt <sup>™</sup> DC618 & DCN660, Paslode <sup>®</sup> IM250A & IM65A F16 Nailers, Ranger 2 16G Inclined

Coming Soon. Code 1325 16G Angled Air Finish Nailer firing 30mm - 65mm finish nail

#### **Hand/Electric Nails**

Staples up to 40mm & Nails up to 50mm






# **Air Nailing & Stapling**

Coming Soon. A variety of kits including our new 1.5 HP Compresso



. 9

















#### **Air Nailing/Stapling**

Stapling up to 50mm & Nailing up to 130mm

#### **Built for the professional**

Tacwise is committed to creating the ultimate fastening product range from hand, corded, cordless, and air powered equipment, combined together to provide the widest quality tools and consumables programme in Europe.

#### Loaded with features

Each with their own powerful features Tacwise air tools are carefully designed for user safety, convenience and durability.

> Many tools include a flip open quick release nail gate for clearance of a fastener in the unlikely event of a jam.

They're packed with features including reload indicators and rubber noses to avoid damaging softer timbers.

Handy and easy to use controls for depth adjustment make precision tasks simple.

This small lever allows the user to quickly switch between single shot and contact trip (bump fire).

Quick release magazines of different styles mean ultra fast re-loading.



## **General Purpose & Upholstery Tackers**

Unrivalled quality and performance from our top selling upholstery and general purpose air staplers. From the fastest to the lightest, we have a programme that covers all applications.

#### **Market Leader**

Widely used within the upholstery and general stapling channels, Tacwise has continued to refine its programme after many years of industry experience.

#### Extra Long Nose 71 Staple Tacker (71/4-16mm)

Production Line Code: A7116LN **BEST VALUE** 

**TACWISE** 

Trade = 1 Unit

Style / Carry Case Magnesium bodied stapler with an extended 50mm nose to allow for stapling into awkward areas. Lightweight and compact with rear exhaust, this tool is a firm favourite in the re-upholstery trade.

Pack Style Carry Case

#### Extra Long Nose 80 Staple Tacker (80/4-16mm)

Code: A8016LN **BEST VALUE** Production Line



60-100



1.1kgs 71 Staples 4-16mm



#### **Technical Specifications**

Tool Data	A7116LN	A7116V	A7116AUT0	A7116P	A8016V	A8016LN	A5314V	A14014V
Height (mm)	230	218	216	218	218	230	155	235
Width (mm)	45	43	38	43	43	45	47	46
Depth (mm)	220	150	140	152	150	220	200	159
Weight (kg)	1.1	0.9	0.9	0.8	0.9	1.3	0.9	0.9
Takes staple type	71	71	71	71	80	80	53	140
Fasteners length (mm)	4-16	4-16	5-16	4-16	4-16	4-16	6-14	4-14
Capacity	180	180	150	180	150	150	150	150
Max dBA sound/noise	77	77	83	77	77	77	82	83
PSI	60-100	60-100	70-100	60-100	60-100	60-100	60-100	60-100
Trigger	Single Shot	Single Shot	Single & Auto Shot	Single Shot	Single Shot	Single Shot	Single Shot	Single Shot





Stapling up to 16mm

#### **Tool Features**

	Performance, Comfort & Safety	A7116LN	A7116V	A7116AUT0	A7116P	A8016V	A8016LN	A5314V	A14014V
1	Soft rubber safety grip	1	1	1	1	1	1	1	1
2	Single shot trigger	1	1	1	1	1	1	1	1
3	Automatic shot trigger			1					
4	Slender length nose	1	1	1	1	1	1	1	1
5	Neat rear exhaust	1	1	1	1	1	1		
6	Double safety trigger		1	1	1	1			$\checkmark$
7	High capacity magazine	1	1	1	1	1	1	1	1
8	High durability driver blade system	1	1	1	1	1	1	1	1
9	Variable speed control			1					
	Bottom loading	1	1	1	1	1	1	1	1
	Extra long nose	1					1		
	Ultra quick release reloading system	1	1	1	1	1	1	1	1

Easy to switch between single and continuous fire with a variable speed control. Quick reloading makes for rapid stapling on large jobs with minimum downtime. This tool is powerful yet lightweight and will happily run from a small compressor.





	Product	tion Line	Code: A/116V	BEST VALUE	
<b>`</b>	<b>60-100</b>	0.9kgs	71 Staples 4-16mm	Pack Style Carry Case	Trade = 1 Unit Transit = 10 Ur
	Incorpora	ating every		many professional u insisted upon by th y quick to load.	

60-100

0.9kas



Premi	um 71	Staple Tac	71/4-16mm	
Product	tion Line	Code: A7116P		
		71 Stanlag & 10mm	Pack Style	Tra

71 Upholstery Staple Tacker 71/4-16mm

BEST VALUE

Transit = 10 Units

de = 1 Unit nsit = 10 Units

Trade = 1 Unit

Transit = 10 Units

This model is fast and well balanced. Designed for the production line environment. Incorporating every essential feature insisted upon by the most demanding of users. Quiet, reliable and extremely quick to reload.



#### 80 Upholstery Staple Tacker (80/4-16mm)








Fast, reliable and the ultimate first choice for many professional upholsterers. Ideal for production line use. The wide 80 series staple provides additional fastening strength for materials such as plastic sheeting. Especially popular with our European users.










71 staples



1120	
0365	71/4mm
0366	71/5mm
0367	71/6mm
1014	71/6mm s/steel
0368	71/8mm
1065	71/8mm black
0369	71/10mm
0373	71/10mm black
0375	71/10mm s/stee
0370	71/12mm
0290	71/12mm black
0488	71/12mm beige
0371	71/14mm
037/	71/1/mm black


80 staples

Code Staple Length/Type 71/4mm s/stee

1065	71/8mm black	
0369	71/10mm	
0373	71/10mm black	
0375	71/10mm s/steel	
0370	71/12mm	
0290	71/12mm black	
0488	71/12mm beige	
0371	71/14mm	
0374	71/14mm black	
0372	71/16mm	

(actual size	2)
k	12.8mm
<b>4</b> mm	
▼ 14mm	

9.95mm



1400 staples 0378 1400/10mm

0379 1400/12mm

#### **General Purpose/Upholstery**

Stapling up to 16mm



ox Qty.	For Use In:
0000	 
0000	
0000	
0000	
0000	
0000	
0000	
0000	All Tacwise 71 Series and other industry standard 71 tools
0000	
0000	
0000	
0000	
0000	
0000	
0000	
0000	

0000	-	
0000		
0000		
0000		All Tacwise 80 Series and other industry standard 80 tools
0000		
0000		
0000	F	

10000	Haubo
10000	Haubo


ld<sup>®</sup> Type Tackers ld<sup>®</sup> Type Tackers

## **Narrow Crown Staplers**

Our narrow crown programme offers outstanding performance and versatility. The C9725V is compact and fast. The D9040V is versatile, reliable and with many stand-out features puts it at the top of the class in cabinet making and many garden furniture applications.

















97 narrov	97 harrow crown staples						
Code	Staple Length/Type	Box Qty.	For Use In:				
0302	97/10mm	5000	C9725V, C9725VHH				
0303	97/15mm	5000	C9725V, C9725VHH				
0304	97/20mm	5000	C9725V, C9725VHH				
0305	97/25mm	5000	C9725V, C9725VHH				

#### 90 narrow crown staple

0306	90/15mm	5000	C9032V, D9040V, C9030VHH, C9040LHH, DNS50PHH
0312	90/18mm divergent point	5000	C9032V, D9040V, C9030VHH, C9040LHH, DNS50PHH
0307	90/20mm	5000	C9032V, D9040V, C9030VHH, C9040LHH, DNS50PHH
0313	90/22mm divergent point	5000	C9032V, D9040V, C9030VHH, C9040LHH, DNS50PHH
0308	90/25mm	5000	C9032V, D9040V, C9030VHH, C9040LHH, DNS50PHH
0309	90/30mm	5000	C9032V, D9040V, C9030VHH, C9040LHH, DNS50PHH
1144	90/32mm	5000	C9032V, D9040V, C9030VHH, C9040LHH, DNS50PHH
0310	90/35mm	5000	D9040V, C9040LHH, DNS50PHH
0311	90/40mm	5000	D9040V, C9040LHH, DNS50PHH



















Built to last, this performance stapler copes easily with high volume stapling. Narrow nose/quick release staple gate and safety. Top multi-directional exhaust and recessed magazine release.

**BEST VALUE** 

**25mm Narrow Crown Stapler** 

Code: C9725V

97 Staples 10-25mm

Production Line

1.2kgs

60-100













### **Tool Features**

	Performance, Comfort & Safety	Model	C9725V	C9032V	D9040V
1	High durability driver blade system		1	1	1
2	High capacity magazine		1	1	1
3	Soft rubber safety grip		$\checkmark$	1	1
4	Slender length nose		$\checkmark$	$\checkmark$	1
5	360° adjustable exhaust port			1	1
	Open (viewable) magazine system		1	1	1
	Quick release nose gate to release jams		1	1	1
	Non marking nose			1	~
	Depth control adjustment for precise countersinking			1	1
	Side mounted quick release loading system			1	1

#### **Technical Specifications**

Tool Data	C9725V	C9032V	D9040V
Width (mm)	248	273	302
Depth (mm)	55	67	88
Height (mm)	192	231	253
Weight (kg)	1.2	1.2	1.7
Takes staple type	97	90	90
Fasteners length (mm)	10-25	12-32	15-40
Capacity	125	100	100
Max dBA sound/noise level (on surface impact)	86	88	88
PSI	60-100	60-100	60-100
Trigger	Contact Trip	Contact Trip	Contact Trip & Sequential

# Heavy Duty & Wide Crown Staplers

Outstanding power and speed from our range of heavy duty and wide crown staplers. Rugged tools which are highly reliable.

Production Line

(Psi) 70-120



#### Heavy Duty & Wide Crown

Stapling up to 50mm

### **50mm Heavy Duty Stapler**

Code: G1450V

BEST VALUE

2kgs

14 Staples 19-50mm

Pack Style Carry Case

Trade = 1 Unit Transit = 6 Units

Preferred throughout the bedding and furniture industry, this durable framing tool is a first choice. Loaded with features including firing variations, depth control and a quick release nose gate in the unlikely event of a staple jam.





#### **50mm Heavy Duty Stapler**

Production Line Code: F1450M





Lightweight, compact and powerful this 50mm tool delivers an impressive performance. Beautifully balanced and highly reliable. Well established in many "blue chip" furniture factories. Can be supplied without the quick release nose gate (as per image).



#### **Heavy Duty Wide Crown Stapler** Production Line Code: G1738V BEST VALUE



Primarily used for attaching packaging materials to wooden pallets, this quality wide crown stapler is a work horse that's loaded with features. Tough and reliable, it boast a magazine stabilising bar, a depth adjuster and a flip-open nail gate for quick clearance of staples in the unlikely event of a jam.



Quick release nose gate



70-120






Single shot - contact trip

# **Corrugated Fastener**

### **Premium 15mm Corrugated Fastener**





Powerful fastening tool, capable of countersinking 15mm fasteners. Easy bottom loading of any size with minor adjustment. Ideal for butt joints in cabinet and furniture frames and for door and window sash manufacturers.



### **Tool Features**

	Performance, Comfort & Safety	G1450V	F1450M	G1738V	FCF15X
1	High durability driver blade system	1	1	1	1
2	Easy top loading system	1	1	$\checkmark$	
3	Non marking nose	1	1		
4	Soft rubber safety grip	1	1	$\checkmark$	1
5	360° adjustable exhaust port	1		$\checkmark$	
6	Double power cylinder system	1	1	$\checkmark$	
7	Open (viewable) magazine system	1	1	1	
8	Depth control adjustment for precise countersinking	1			
	Neat rear exhaust system		1		
	Quick release nose gate to release jams	1		1	
	High capacity magazine	1	1	1	

8




#### **Heavy Duty & Wide Crown**

Stapling up to 50mm

Technical Specifications	G1450V	F1450M	G1738V	FCF15XCB
Width (mm)	368	360	330	300
Depth (mm)	97	78	80	87
Height (mm)	290	272	252	270
Weight (kg)	2.0	1.9	2.4	2.6
Takes staples type	14	14	17	CF
Fasteners length (mm)	19-50	19-50	16-38	9-15
Capacity	150	150	140	80
Max dBA sound/noise level (on surface impact)	90	85	86	80
PSI	70-120	70-120	70-120	65-115
Trigger	Single Shot & Contact Trip	Contact Trip	Contact Trip	Contact Trip

Heavy Duty & Wide Crown 66



Our precision wide crown staples are ideal for attaching packaging material to wood, as well as a wide variety of furniture framing applications.




The depth control adjustment avoids the need to manually gauge the staple depth by adding downward force when firing the tool.



#### 14 heavy duty staples galv. coated 14/19mm 0179 15000 15000 0180 14/25mm 0181 14/28mm 15000 14/32mm 10000 14/35mm 10000 14/38mm 10000 14/45mm 10000 10000 0177 14/50mm

440L, G1450V, F1450M, F1440LHH, G1450MHH	
440L, G1450V, F1450M, F1440LHH, G1450MHH	
G1450V, F1450M, G1450MHH	
G1450V, F1450M, G1450MHH	



#### 17 wide crown staples

0780	17/19mm	10000	G1738XHH, G1738V
0386	17/25mm	10000	G1738XHH, G1738V
0387	17/32mm	10000	G1738XHH, G1738V

2000

2000

F1

F14

F14

Fi

(actual size)

(actual size)



∮9mm 15mm

#### 32/15mm 0186 0187 32/18mm

32 carton closing staples

Stanuaru	Garton	ιυμ	anu	DOLLOIN	3501513	
Standard	carton	top	and	bottom	sealers	

#### **Corrugated fasteners**

Jul			
0447	CF9 9mm	2000	FCF15XCB
0448	CF12 12mm	1750	FCF15XCB
0449	CF15 15mm	1500	FCF15XCB





## **Nailers & Pinners**

A programme of 8 quality nailers and pinners; meeting all your requirements.


#### 64mm Angled Finish Nailer

Production Line

/0\

1.8kgs

70-120



Pack Style 15G 'D' Head Inclined Finish Nails 32-64mm

Popular on-site as well as for workshop/joinery applications. Supplied with a non marking nose safety and fast reload system, this tool is light and compact. Capable of counter sinking a 64mm nail.



ailing/Pinning up to




TACWIG

Trade = 1 Unit Transit = 5 Units





#### **35mm Headless Pinner**



Trade = 1 Unit Transit = 10 Units

This quality, lightweight tool is perfect for fixing fine beading. Ultra slim nose for accurate pin placement. No adjustment is required to fire pins of different lengths. Rear exhaust, double trigger safety system and high durability driver.



32mm	Brad	Nailer	180/10	-32mm	(18G/10-32	2mm
Producti	on Line	Code: C1	832V	BEST	VALUE	
(PSI) 60-100	1.1kgs	180 (18G) Nail	s 10-32mr	n Pack Style	Carry Case	Trade = 1 Unit Transit = 6 Units

This hugely popular lightweight tool is accurate and reliable and offers tremendous value. Compact and versatile it can be bump fired with its contact trip valve. Fires up to 5 shots per second.



#### **35mm Mini Brad Nailer**

Professional Code: CMB35PHH



60-100


21G 'Mini Tip' Mini Brads Pack Style 15-35mm Carry Case

Trade = 1 Unit Transit = 5 Units

High durability nail driver system. Out-performs metal bodied versions which cost a great deal more. Firing up to 35mm mini brad nails, it has virtually no vibration/recoil. Nail reload indicator. Small nose for accurate fixing.



50mm Brad Nailer (180/20-50mm) (18G/20-50mm)





Trade = 1 Unit <sup>′</sup> Transit = 6 Units

All professional fully featured tool including a depth adjuster. Comfortable fast and lightweight. Specified by trade professionals throughout Europe this model is already a Tacwise best seller.





50mm Finish Production Line

1.7kgs 70-120

Offering excellent v this ergonomic mod comes with a flush, quick release nose gate designed to avoid obstructing tool access in tight spaces. With essential user features it's reliable and demanded for volume nailing tasks.

#### 64mm Finish Nailer (160/20-64mm) (16G/20-64mm) Production Line Code: GFN64V **BEST VALUE**



Pack Style Carry Case

Versatility at its best. Uses 20-64mm nails without requiring any magazine adjustment. Features a nailing depth control and a special font opening jam clearance system to keep "down time" to a minimum.







ations	Nailers & Pinners				
Nailing/pinning up to 64mm					
h Nailer (	60/20-50mm 16G/20-50mm				
Code: DFN50V	BEST VALUE				
160 (16G) Nails 2	-50mm				
alue and widely accepted in the furniture manufacturing industry, del delivers peak performance. Fast and accurate, this finish nailer					

Trade = 1 Unit Transit = 6 Units







#### **Nailers & Pinners**

Proven nailers and pinners that are tough and reliable. Tacwise's lightweight polymer bodied nailers are the perfect choice for all your low volume nailing requirements. As our range of quality nailers and pinners are highly specified they require little or no adjustment and so for repeated nailing time after time insist on Tacwise.

NEW

#### Coming Soon. A variety of kits including our new 1.5 HP Compressor

Technical Specifications Tool Data	GDA64V	A6435	C1832V	<b>CMB35PHH</b>	DGN50V	DFN50V	GFN64V
Width (mm)	331	240	228	250	273	302	300
Depth (mm)	100	44	67	49	67	88	90
Height (mm)	302	162	288	200	249	270	300
Weight (kg)	1.8	0.9	1.1	1.3	1.2	1.7	1.8
Takes nail type	15G	23G/.64	18G/180	21G	18G/180	16G/160	16G/160
Fasteners length (mm)	32-64	12-35	10-32	15-35	20-50	20-50	20-64
Capacity	100	170	100	150	100	100	100
Max dBA sound/noise level (on surface impact)	89	77	81	86	86	86	89
PSI	70-120	60-100	60-100	60-100	60-100	70-120	70-120
Trigger	Single Shot & Contact Trip	Safety Trigger	Contact Trip	Sequential	Contact Trip	Contact Trip	Single Shot & Sequential

#### **Tool Features**

TACWISE

#### Performance, Comfort & Safety

High durability driver blade system	1	1	1	1	1	1	1
Ultra quick release reloading system		1	✓	✓	1	1	1
Neat rear exhaust system		1					
Soft rubber safety grip	1	1	1	1	1	1	1
Slender length nose		1	1		1		1
360° adjustable exhaust port	1		1	1	1	1	1
Nail refill window		1		1	1		
Automatic pin length adjuster		1					
Open (viewable) magazine system	1						1
Quick release nose gate to release jams	1		1	1	1	1	1
Non marking nose	1	1	1	1	1		1
Depth control adjustment for precise countersinking	1		1	1	1		
High capacity magazine		1	1		1	1	1
Side mounted quick release loading system							1

#### Tacwise air tackers quieter by design

With noise pollution in the workplace at the forefront of our minds, Tacwise tools are carefully created to perform at lower, more acceptable decibel sound/noise levels (dBA) than others in their class.

#### **Nailers & Pinners**

Nailing/pinning up to 64mm

3

# TACWISE

#### **Versatility and diversity**

A comprehensive programme of accurate and reliable fine nailing tools and fastenings designed to satisfy the demands of a huge range of woodworking applications.





4000

2000



C1832V, DGN50V, DGN50LHH, DGN50VHH

C1832V C1832V

C1832V, DGN50V, DGN50LHH, DGN50VHH

C1832V, DGN50V, DGN50LHH, DGN50VHH, Ranger 2 18G


C1832V, DGN50V, DGN50LHH, DGN50VHH, Ranger 2 18G

C1832V, DGN50V, DGN50LHH, DGN50VHH, Ranger 2 18G C1832V, DGN50V, DGN50LHH, DGN50VHH, Ranger 2 18G C1832V, DGN50V, DGN50LHH, DGN50VHH

DGN50V, DGN50LHH, DGN50VHH, Ranger 2 18G

DGN50V, DGN50LHH, DGN50VHH, Ranger 2 18G

DGN50V, DGN50LHH, DGN50VHH, Ranger 2 18G DGN50V, DGN50LHH, DGN50VHH, Ranger 2 18G



#### 180 (18G) nails 0205 0358

0359	180(18G)/15mm	2000
0360	180(18G)/20mm	1000
0361	180(18G)/25mm	1000
1066	180(18G)/25mm s/steel	1000
0362	180(18G)/30mm	1000
1067	180(18G)/30mm s/steel	1000
0363	180(18G)/32mm	1000
0364	180(18G)/35mm	1000
1068	180(18G)/35mm s/steel	1000
0747	180(18G)/40mm	1000
1156	180(18G)/50mm	1000


#### 18G brad n 0392

0393

0394

0398 0399

0400 0401



nalis		
(18G/10mm)	5000	C1832V, DGN50V
(18G/13mm)	5000	C1832V
(18G/15mm)	5000	C1832V
(18G/20mm)	5000	C1832V, DGN50V
(18G/25mm)	5000	C1832V, DGN50V, Ranger 2 18G
(18G/30mm)	5000	C1832V, DGN50V, Ranger 2 18G
(18G/32mm)	5000	C1832V, DGN50V, Ranger 2 18G
(18G/35mm)	5000	DGN50V, Ranger 2 18G
(18G/40mm)	5000	DGN50V, Ranger 2 18G
(18G/50mm)	5000	DGN50V, Ranger 2 18G



(actual size)

**♦**64mm

(actual size)

▲ 32mr

Nail = [ Head

18G

i angle	ed brad halls (500	Series)	
Code	Nail Length/Type	Box Qty.	For Use In:
)823	500/20mm	5000	400EL, 400ELS, 500EL, BeA <sup>™</sup> 350-226C
131	500/20mm s/steel	1000	400EL, 400ELS, 500EL, BeA <sup>™</sup> 350-226C
)824	500/25mm	5000	400EL, 400ELS, 500EL, BeA <sup>™</sup> 350-226C
)825	500/30mm	5000	400EL, 400ELS, 500EL, BeA <sup>™</sup> 350-226C
132	500/30mm s/steel	1000	400EL, 400ELS, 500EL, BeA <sup>™</sup> 350-226C
)826	500/35mm	5000	400EL, 400ELS, 500EL, BeA <sup>™</sup> 350-226C
133	500/35mm s/steel	1000	400EL, 400ELS, 500EL, BeA <sup>™</sup> 350-226C
)827	500/40mm	5000	400EL, 400ELS, 500EL, BeA <sup>™</sup> 350-226C
134	500/40mm s/steel	1000	400EL, 400ELS, 500EL, BeA <sup>™</sup> 350-226C
)828	500/45mm	5000	400EL, 400ELS, 500EL, BeA <sup>™</sup> 350-226C
)829	500/50mm	5000	400EL, 400ELS, 500EL, BeA <sup>™</sup> 350-226C
135	500/50mm s/steel	1000	400EL, 400ELS, 500EL, BeA <sup>™</sup> 350-226C

#### 160 (16G) stainless steel finish nails

1096	160/(16G)32mm s/steel	1000	DFN50V, FFN64LHH, GFN64V, FCT50LHH, Ranger 2 16G
1097	160/(16G)38mm s/steel	1000	DFN50V, FFN64LHH, GFN64V, FCT50LHH, Ranger 2 16G
1098	160/(16G)50mm s/steel	1000	DFN50V, FFN64LHH, GFN64V, FCT50LHH, Ranger 2 16G

#### 16G finish nails

0665	16G/20mm	2500	DFN50V, FFN64LHH, GFN64V, FCT50LHH
0666	16G/25mm	2500	DFN50V, FFN64LHH, GFN64V, FCT50LHH
0293	16G/30mm	2500	DFN50V, FFN64LHH, GFN64V, FCT50LHH
0294	16G/32mm	2500	DFN50V, FFN64LHH, GFN64V, FCT50LHH, Ranger 2 16G
0295	16G/35mm	2500	DFN50V, FFN64LHH, GFN64V, FCT50LHH, Ranger 2 16G
0296	16G/38mm	2500	DFN50V, FFN64LHH, GFN64V, FCT50LHH, Ranger 2 16G
0319	16G/40mm	2500	DFN50V, FFN64LHH, GFN64V, FCT50LHH, Ranger 2 16G
0297	16G/45mm	2500	DFN50V, FFN64LHH, GFN64V, FCT50LHH, Ranger 2 16G
0298	16G/50mm	2500	DFN50V, FFN64LHH, GFN64V, FCT50LHH, Ranger 2 16G
0299	16G/55mm	2500	FFN64LHH, GFN64V, Ranger 2 16G
0300	16G/60mm	2500	FFN64LHH, GFN64V, Ranger 2 16G
0301	16G/64mm	2500	FFN64LHH, GFN64V, Ranger 2 16G


#### 16G angled finish nails

	•			
	0769	16G/32mm	2500	DeWalt <sup>™</sup> DC618 & DCN660, Paslode <sup>®</sup> IM250A & IM65A F16 Nailers, Ranger 2 16G Inclined
NEW	1222	16G/32mm s/steel	2500	DeWalt <sup>™</sup> DC618 & DCN660, Paslode <sup>®</sup> IM250A & IM65A F16 Nailers, Ranger 2 16G Inclined
	0770	16G/38mm	2500	DeWalt <sup>™</sup> DC618 & DCN660, Paslode <sup>®</sup> IM250A & IM65A F16 Nailers, Ranger 2 16G Inclined
NEW	1223	16G/38mm s/steel	2500	DeWalt <sup>™</sup> DC618 & DCN660, Paslode <sup>®</sup> IM250A & IM65A F16 Nailers, Ranger 2 16G Inclined
	0771	16G/45mm	2500	DeWalt <sup>™</sup> DC618 & DCN660, Paslode <sup>®</sup> IM250A & IM65A F16 Nailers, Ranger 2 16G Inclined
NEW	1224	16G/45mm s/steel	2500	DeWatt <sup>™</sup> DC618 & DCN660, Paslode <sup>®</sup> IM250A & IM65A F16 Nailers, Ranger 2 16G Inclined
	0772	16G/50mm	2500	DeWatt <sup>™</sup> DC618 & DCN660, Paslode <sup>®</sup> IM250A & IM65A F16 Nailers, Ranger 2 16G Inclined
NEW	1225	16G/50mm s/steel	2500	DeWalt <sup>™</sup> DC618 & DCN660, Paslode <sup>®</sup> IM250A & IM65A F16 Nailers, Ranger 2 16G Inclined
	0773	16G/63mm	2500	DeWalt <sup>™</sup> DC618 & DCN660, Paslode <sup>®</sup> IM250A & IM65A F16 Nailers, Ranger 2 16G Inclined
NEW	1226	16G/63mm s/steel	2500	DeWalt <sup>™</sup> DC618 & DCN660, Paslode <sup>®</sup> IM250A & IM65A F16 Nailers, Ranger 2 16G Inclined

#### Coming Soon. Code 1325 16G Angled Air Finish Nailer firing 30mm - 65mm finish nails

#### 15G 'D' head inclined finish nails

		nuns	
0402	DA13/25mm	4000	FBA50VCB
0403	DA15/32mm	4000	FBA50VCB, GBA64LHH
0404	DA17/38mm	4000	FBA50VCB, GDA64V, GBA64LHH
0405	DA19/44mm	4000	FBA50VCB, GDA64V, GBA64LHH
0406	DA21/50mm	4000	FBA50VCB, GDA64V, GBA64LHH
0407	DA25/64mm	4000	GDA64V, GBA64LHH









🛛 = Nail Head

#### **Nails & Pins**

Nailing/pinning up to 64mm





# **10 high performance coil** nailers

#### Unrivalled

Most Tacwise coil nailers fire 4+ nails per second and can be used single handedly. This is because lightweight magnesium is used to manufacture many of the tool bodies and triple hardened internal parts facilitate rapid firing and excellent durability. Ergonomic design provides great balance and comfort. Neat touches, such as external top cap crash bars help to ensure less down time than other nailers.

#### Versatility

Popular for traditional nailing applications such as building sheds, fence panels and pallets. Coil nailers are also a brilliant time saving solution for any number of nailing applications where speed and efficiency are desirable. High capacity magazines contain a large volume of nails and offer continuous effective operation.

Increasingly demanded within the construction industry, the ability to fire up to 400 nails without re-loading increases productivity and makes coil nailing the preferred option when compared to strip nailers which only load around 100 nails at a time.

All Tacwise coil nailers up to 90mm are light enough for single handed operation.












#### **57mm Mini Coil Nailer**



2.3kas

70-120



2.1-2.5 Flat Coil Nails 25-57mm

Highly versatile heavy duty nailer taking 25-57mm round head, wire collated coil nails in a transparent nail drum. Perfect for packaging applications including pallet reconditioning and top-decking pallets in particular. Also very popular for the construction of garden buildir

Nailing up to 130mm

#### **Coil Nailers**

FCN57V featured here offers unrivalled performance and the lightweight magnesium alloy body provides exceptional power and complete ease of use. It is especially suited for shed and fence manufacture as its 350 nail high capacity magazine means less reloading is required.

#### Serious about coil nailing

This category forms a particularly important focus for Tacwise and our full tool line covers most major and niche applications with an extensive and heavily stocked fastening programme to cater for pressures of demand from our dealers and their largest users.

Trade = 1 Unit Transit = 5 Units





#### **50mm Mini Coil Nailer**

Production Line Code: DCN50LHH



An exceptional tool for 2.1 diameter round head nails. Weighing a mere 1.5kgs it will nevertheless countersink a 45mm ring shank nail. Compact design with a single or bump fire trigger. Very popular in the fencing, shed and flooring industry.




#### **50mm Coil Nailer**

2.0kgs

60-120







Weighing only 2kg, this tool offers exceptional speed and will take 27-50mm flat and conical head nails making it ideal for fencing and shed manufacture. Single or bump fire trigger.





#### **57mm Coil Nailer**

Production Line Code: GCN57P BEST VALUE





Trade = 1 Unit Transit = 5 Units

An extremely heavy duty workhorse, this tough production line tool has a highly developed construction and specification, firing approximately 400 nails without reloading. Contact trip trigger. Suitable for exhibition, pallet, crate and packaging industries.



#### **65mm Coil Nailer**

Production Line Code: FCN65V




Trade = 1 Unit Transit = 2 Units

Ultra lightweight, this professional production line tool has a highly developed construction and specification, firing up to 350 nails without reloading. Extremely versatile as it accepts a wide range of nail diameters.

Commercial Box



#### 70mm Coil Nail





#### Production Line 0





#### 90mm Coil Nail





#### 130mm Coil Na



Supplied with side hand point. This powerful nailer has a single shot trigger and good power to weight ratio. Mainly designed for large packing case, crate and cable drum manufacture. Also widely used for heavy duty pallets, framing and steel skids.

<b>10 tool variations</b>	<b>Coil Nailers</b>
	Nailing up to 130mm
70mm Coil Noilor	
70mm Coil Nailer Production Line Code: GCN70V	BEST VALUE
2.3-2.9 Flat Coil	Pack Trade = 1 Unit
70-120 3.7kgs <sup>()</sup> Nails 40-70mm This tough production line tool has a hi specification, firing up to 300 nails with ideal for the pallet and packaging indus	ghly developed construction and nout reloading. Contact trip trigger. Tool
83mm Coil Nailer	
Production Line Code: HCN83P	BEST VALUE
Image: Constraint of the second sec	Pack Style Carry Case Trade = 1 Unit Transit = 2 Units
Robust traditional tool for reliable and to hardened working parts ensure a long a rugged pallet and case industries in par	and productive life. Developed for the
90mm Coil Nailer	
Production Line Code: JCN90XHH	
Image: Constraint of the second sec	Pack Style Commercial Box Trade = 1 Unit Transit = 2 Units
	n. Super-lightweight magnesium alloy body for e safety designed to avoid slippage. Tough continuous on-site use.
<b>130mm Coil Nailer</b> Production Line Code: LCN130V	Side handle for easy grip of this sturdy tool
(1) (1) (1) (1) (1) (1) (1) (1) (1) (1)	Pack Style Commercial Box Trade = 1 Unit Transit = 1 Unit
Supplied with side handle (shown above	e) for two-handed operation and suspension



Technical Specifications	Model DCN50LHH	FCN50LHH	GCN57P	FCN57V	HCN65P	FCN65V	GCN70V	HCN83P	JCN90XHH	LCN130V
Tool Data	DCN	FCI	GC	FCI	HC	FCI	GC	ЭН	JCI	ΓCI
Width (mm)	260	305	380	305	305	268	330	305	385	370
Depth (mm)	108	128	130	130	130	128	132	132	143	165
Height (mm)	284	294	290	302	312	306	308	340	370	479
Weight (kg)	1.5	2.0	2.7	2.3	2.5	2.0	3.7	3.9	3.6	6.5
Takes nail type	2.1	2.1	2.1-2.3	2.1-2.5	2.3-2.9	2.1-2.9	2.3-2.9	2.5-3.3	2.5-3.1	3.1-3.8
Fasteners length (mm)	22-50	27-50	25-57	25-57	32-65	32-65	40-70	38-83	45-90	75-130
Capacity	400	400	300-400	300-350	250-350	250-350	250-350	250-300	300	225-300
Max dBA sound/noise level (on surface impact)	83	96	96	96	96	95	83	95	88	98
PSI	70-120	60-120	60-120	70-120	70-120	70-120	70-120	70-120	70-120	70-100
Trigger	Single Shot / Contact Trip	Single Shot/ Contact Trip	Contact Trip	Single Shot/ Contact Trip	Single Shot/ Contact Trip	Single Shot/ Contact Trip	Contact Trip	Contact Trip	Contact Trip	Single Shot

#### **Tool Features**

#### Performance, Comfort & Safety

1	High durability driver blade system	1	1	1	1	1	✓	1	1	1	✓
2	Soft rubber safety grip	1	~	1	1	1	1	1	~	1	1
3	360° adjustable exhaust port	1	1	1	1	1	1		1		
4	High capacity nail drum	1	~	1	1	1	1	1	1	1	1
5	Safety yoke to avoid slippage	1	~		1	1	1			1	1
	Non marking foot	1	~		1	1	1			1	
6	Countersinking adjustment	1	1		1	1	1			1	
	Slender length nose	1	1		1					1	✓
	Open (viewable) magazine system	1			1						



Hardened steel protection bars and ears



Powerful but simple nail drive train



Adjustable trigger for single/ continuous (bump) fire



Cutting edge air flow technology



1



#### **Complete Versatility**

The HCN65P featured here is the benchmark tool for a wide number of timber frame house applications and is particularly versatile as this single tool, without the need for any adjustment, drives both the reduced head or standard 7mm head, 50mm nails used for sheathing. Whilst compact, it incorporates outstanding power and speed driving up to 65mm. A premium quality, highly recommended tool.



**Coil Nailers** 

Nailing up to 130mm

Coil nails wire collated flat top





#### Put to the test

We admit – we're tough on our products. We have to be when they're used in busy industrial environments. They need to be able to withstand the toughest treatment, which is why we painstakingly stress test every new item and why we then hand test every single tool.


#### **Outstanding Quality and** Performance

Sophisticated progressive tooling, intelligent electronic engineering and a commitment to precision and detail, create the greatest air tacker programme available worldwide. Our dedication to quality begins in the initial stages of design with every component machined to extra ordinary precision for years of trouble-free use.

# **High Performance Coil Nails**

Increasingly demanded within the construction industry, the ability to fire up to 400 nails without re-loading increases productivity.

Point Varietie	s	Shank Varieties			Nail Surfa Treatment		Euro code 5 CE Service class 2 (CE2/12+)
		Smooth Shank -	0	0	Bright: Untreated	Galvanised (Galv.) electroplated zinc coating	Extra Galvanised (Extra Galv.) Rust protected by electroplated
Diamond	Blunt	smooth plain surface	Ring Shank	Screw Shank	(no coating)	approx. 6-8 microns	zinc coating 12+ microns



(actual size)

(2.1)

		s wile conated nat top		
N	1229	2.1 25mm galv., ring	14400	GCN57P, FCN57V
	0993	2.1 30mm bright, ring	14400	FCN50LHH, GCN57P, FCN57V
Ŋ	1230	2.1 32mm galv., ring	14400	FCN50LHH, GCN57P, FCN57V, FCN65V
	0994	2.1 35mm bright, ring	14400	FCN50LHH, GCN57P, FCN57V, FCN65V
	0995	2.1 40mm bright, ring	14400	FCN50LHH, GCN57P, FCN57V, FCN65V
	0996	2.1 40mm galv, ring	14400	FCN50LHH, GCN57P, FCN57V, FCN65V
	0997	2.1 45mm bright, ring	14400	FCN50LHH, GCN57P, FCN57V, FCN65V
	0998	2.1 45mm galv, ring	14400	FCN50LHH, GCN57P, FCN57V, FCN65V
	0999	2.1 50mm bright, ring	14400	FCN50LHH, GCN57P, FCN57V, FCN65V
	0495	2.1 50mm galv., ring	14400	FCN50LHH, GCN57P, FCN57V, FCN65V
	0279	2.3 50mm bright, ring	9000	GCN57P, FCN57V, HCN65P, GCN70V
	0421	2.5 45mm bright, ring	9000	FCN57V, HCN65P, FCN65V, GCN70V, HCN83P, JCN90XHH
	0422	2.5 50mm bright, ring	9000	FCN57V, HCN65P, FCN65V, GCN70V, HCN83P, JCN90XHH
	0423	2.5 50mm gav., ring	9000	FCN57V, HCN65P, FCN65V, GCN70V, HCN83P, JCN90XHH
	0424	2.5 55mm bright, ring	9000	FCN57V, HCN65P, FCN65V, GCN70V, HCN83P, JCN90XHH
	0425	2.5 60mm bright, ring	9000	HCN65P, FCN65V, GCN70V, HCN83P, JCN90XHH
	0427	2.5 64mm bright, ring	9000	HCN65P, FCN65V, GCN70V, HCN83P, JCN90XHH
	1074	2.5 64mm bright, smooth	9000	HCN65P, FCN65V, GCN70V, HCN83P, JCN90XHH
	0428	2.5 64mm galv., ring	9000	HCN65P, FCN65V, GCN70V, HCN83P, JCN90XHH
	0489	2.5 70mm bright, ring	9000	GCN70V, HCN83P, JCN90XHH
	1093	2.5 70mm bright, smooth	9000	HCN65P, FCN65V, GCN70V, HCN83P, JCN90XHH
	0429	2.7 64mm bright, ring	6000	HCN65P, GCN70V, HCN83P, JCN90XHH
	0430	2.7 75mm bright, ring	6000	HCN83P, JCN90XHH
	0820	2.7 75mm CE2/12+ micron galv., ring	6000	HCN83P, JCN90XHH
	1140	2.8 50mm CE2/12+ micron galv., smooth	4000	HCN65P, GCN70V, HCN83P, JCN90XHH
	0777	2.8 50mm CE2/12+ micron galv., ring	4000	HCN65P, GCN70V, HCN83P, JCN90XHH
	0964	2.8 64mm CE2/12+ micron galv., ring	4000	HCN65P, GCN70V, HCN83P, JCN90XHH
	0965	2.8 83mm bright, ring	4000	HCN83P, JCN90XHH
	0433	3.1 90mm CE2/12+ micron galv., ring	4000	JCN90XHH, LCN130V
	1021	3.1 90mm bright., ring	4000	JCN90XHH, LCN130V
	1036	3.3 65mm CE2/12+ micron galv., ring	4000	HCN83P, JCN90XHH, LCN130V
	1035	3.3 75mm CE2/12+ micron galv., ring	4000	HCN83P, JCN90XHH, LCN130V
	1154	3.3 98mm bright ring	4000	LCN130V
	1155	3.8 130mm bright screw	1500	LCN130V

#### Coil nails wire collated conical top

1128	2.1 22mm galv., ring	14400	DCN50LHH
1000	2.1 27mm galv., ring blunt	14400	DCN50LHH, FCN50LHH
1001	2.1 32mm bright, ring	14400	DCN50LHH, FCN50LHH, FCN65V
1002	2.1 32mm galv., ring	14400	DCN50LHH, FCN50LHH, FCN65V
1003	2.1 32mm galv., ring blunt	14400	DCN50LHH, FCN50LHH, FCN65V
1004	2.1 38mm bright, ring	14400	DCN50LHH, FCN50LHH, FCN65V
1005	2.1 38mm galv., ring	14400	DCN50LHH, FCN50LHH, FCN65V
1006	2.1 38mm galv., ring blunt	14400	DCN50LHH, FCN50LHH, FCN65V
1007	2.1 45mm bright, ring	14400	DCN50LHH, FCN50LHH, FCN65V
1008	2.1 45mm bright, smooth	14400	DCN50LHH, FCN50LHH, FCN65V
1009	2.1 45mm galv., ring	14400	DCN50LHH, FCN50LHH, FCN65V
1010	2.1 45mm galv., ring blunt	14400	DCN50LHH, FCN50LHH, FCN65V
1011	2.1 50mm bright, ring	14400	DCN50LHH, FCN50LHH, FCN65V
1012	2.1 50mm galv., ring	14400	DCN50LHH, FCN50LHH, FCN65V

12+ Micron galvanised Euro code 5 CE Service Class nails. Now available

Nailing up to 130mm





AIN

# **Strip Nailers**

The ultimate range of angled strip nailers, offering sheer power, outstanding performance and reliability. An essential for all those tough jobs.

#### 90mm 34° Angled Strip Nailer



**BEST VALUE** 



TACWISE

Extremely powerful, re 'D' head strip nailer is and is perfect for a wi with tin





**Metal Connector Nailer** Professional Code: FRH38THH 3.75mm diameter 34° Paper Collated Nails/25-38mm /Ü

2.1kgs

70-120



A compact and lightweight tool designed for quickly locating the nail point into the holes of joist hangers and any number of other metal braces and timber construction metal links.



**Strip Nailers** 

Nailing up to 100mm

#### 90mm Angled Strip Nailer

🎓 2.9-3.3mm diameter 22° Plastic Collated Strip Nails/50-90mm







An extremely powerful first fix strip nailer that won't let you down. The lightweight angled magazine provides easy access in all frame construction applications day in, day out. Probably the most reliable tool on the market.

This robust tool is complimented with a range of great user features including a bumper/belt hanger and floating nose system.

Trade = 1 Unit

Transit = 2 Units

# **TACWISE**

#### Strip nails plastic collated (22° inclined round head)

-	•		
Code	Nail Diameter/Length/Type	Box Qty.	For Use In:
0435	2.9 50mm CE2/12+ micron galv., screw	3000	JSN90MHH, JSN00LHH
0436	3.1 90mm CE2/12+ micron galv., screw	3000	JSN90MHH, JSN00LHH
0437	3.3 65mm CE2/12+ micron galv., screw	3000	JSN90MHH, JSN00LHH
0438	3.3 75mm CE2/12+ micron galv., screw	3000	JSN90MHH, JSN00LHH
0439	3.4 100mm CE2/12+ micron ga., screw	3000	JSN00LHH

#### Strip nails paper collated (34° inclined 'D' head)

1124	2.8 50mm CE2/12+ micron galv., ring	3300	KDH90V, KDH90XHH, JDH90FHH
1125	2.8 65mm CE2/12+ micron galv., ring	3300	KDH90V, KDH90XHH, JDH90FHH
1120	3.1 65mm CE2/12+ micron galv., ring	2200	KDH90V, KDH90XHH, JDH90FHH
1121	3.1 75mm CE2/12+ micron galv., ring	2200	KDH90V, KDH90XHH, JDH90FHH
0505	3.1/75mm galv plain	2500*	KDH90V, KDH90XHH, JDH90FHH
0949	3.1 75mm bright, plain	2500*	KDH90V, KDH90XHH, JDH90FHH
1122	3.1 90mm CE2/12+ micron galv., plain	2200	KDH90V, KDH90XHH, JDH90FHH
1123	3.1 90mm CE2/12+ micron galv., ring	2200	KDH90V, KDH90XHH, JDH90FHH

\* While stocks last

#### Positive placement nails paper collated (34° inclined round head) 0984 3.75 38mm CE/12 micron galv., ring 3000

#### Strip nails and Gas Fuel Cell Packs (Paper Collated 34° inclined)

1118	2.8/50mm CE2/12+ micron galv., ring + 3 Gas Fuel Cells	3300
1119	2.8/65mm CE2/12+ micron galv., ring + 3 Gas Fuel Cells	3300
1114	3.1/65mm CE2/12+ micron galv., ring + 2 Gas Fuel Cells	2200
1115	3.1/75mm CE2/12+ micron galv., ring + 2 Gas Fuel Cells	2200
1116	3.1/90mm CE2/12+ micron galv., plain + 2 Gas Fuel Cells	2200
1117	3.1/90mm CE2/12+ micron galv., part ring + 2 Gas Fuel Cells	2200

#### **Gas Fuel Cells**

1113 Gas Fuel Cell 80ml (2 pcs per hanging clam)

#### 12+ Micron galvanised Euro code 5 CE Service Class 2 nails. Now available



#### For your heavy duty nailing tasks

These heavy duty strip nailers handle the popular and standard 34° 'D' head paper collated nails up to 90mm. Tough and reliable yet relatively lightweight by way of their magnesium alloy bodies they are perfect for a wide range of timber frame and construction tasks. Plus many applications where these longer nails are required including heavy weight decking and fencing, cable drums and steel skids, pallet and case construction.





#### Valuable and robust tool features

Single shot/contact trip trigger in one Ultra fast loading








Technical Specifications	KDH90V	HHWOGNSI	FRH38THH
Tool Data ≗	¥	ìſ	Ē
Width (mm)	470	526	326
Depth (mm)	150	137	114
Height (mm)	364	364	260
Weight (kg)	3.8	3.9	2.1
Takes nail type	2.8-3.7	2.9-3.3	3.75
Fasteners length (mm)	50-90	50-90	25-38
Capacity	75-95	80	55
Max dBA sound/noise level (on surface impact)	86	91	84
PSI	70-120	70-120	70-120
Trigger	Single Shot	Contact Trin	Single Shot

Performance, Comfort & generation         Safety	V06HDX	HHW06NSC	FRH38THH
High durability driver blade system	1	1	1
Soft rubber safety grip	1	1	1
Slender length nose	1	1	
360° adjustable exhaust port	1	1	1
Open (viewable) magazine system	1	1	
Non marking nose	1	1	
Depth control adjustment for precise countersinking	1	1	
High capacity magazine	1	1	1
Floating nose system			1
Belt hanger			1







# Nail Head



**Strip Nails** 

Nailing up to 90mm

FRH38THH

NEW

#### Quality gas/nail and nail only packs

The Tacwise 80ml fuel cell can be used with all compatible first fix gas nailing tools. COSHH and material safety data sheet details are available on request. These fuel cells are available as a gas only twin cell pack or complete with nails as featured here.

Wide carton handle makes carrying safe and easy. Rain resistant laminated packaging.

General Purpose &	Gene	General Purpose &	bose {	a 1	ה 5				Na	Narrow		Ē,	HD, Wide Crown &	Crown		Nailers	-					ö:	Coil									Strip	
Ш	N19112	A9112	0TUA0117	d9117	V9108	N19108	23147	V41014V	90337A 5	0040V	1420A		1 <b>38</b> 7	CLIEXCB	V49A0	2432		МВЗЕРНИ	<b>NOSN</b>	VOGNE	Λ <b>†</b> 9ΝΞ			N2SNC d2SNC			VOTIC	CN83P	HHX06NC	V051N3	Л06Н0	HHW06NS	<sup>2</sup> HHT8EH8
Specification Length (mm)	<b>A</b> 082	<b>A</b> 85	A 316	<b>A</b> 85						,						A 042															470 <b>K</b>	2 <sup>2</sup>	326
()																2															:		
Width (mm)	45	43	38	43	43	45	47	46 5	55 6	67 88	97	. 78	80	87	100	44	67	49	67	88	88	108 1	128 1:	130 13	130 13	130 128	3 132	132	143	165	150	137	114
Depth (mm)	220	150	149	152	150	220	200 1	159 19	192 23	231 253	3 290	0 272	252	270	302	162	228	200	249	270 2	295	284 2	294 2	290 30	302 31	312 306	5 308	340	370	479	364	364	260
Weight (kg)	1.1	0.9	0.9	0.8	0.9	1.3	0.9	0.9 1.	1.2 1.	1.2 1.7	7 2.0	1.9	2.4	2.6	1.8	0.9		1.3				1.5 2	2.0 2									3.9	2.1
Takes staple/nail type	71	71	71	71	80	80	53 1	140 9						CF	15G	23G/ 0.64																3.3 9.5	3.75
Fasteners length (mm)	4-16	4-16	5-16	4-16	4-16	4-16	6-14 4	4-14 23	10- 25 30	12- 15- 32 40	- 19-	- 19-	16- 38	9-15	32- 64	12- 35	32 40	35-15	23	20	64-	22- 50	27- 50 5						45- 90		90 C	88	38 -2 38 -2
Capacity	180	180	150	180	150	150	150 1	150 12	125 10	100 10			140	80	100	170															1~		55
Max dBA sound/noise	77	77	17	22												77																91	84
PSI	60- 100	60- 100	60- 100	60- 100	60- 100		60- 100	60- 100 10	60- 100 10	60- 60- 100 100	- 70- 0 120	- 70- 120	70- 120	65- 115	70- 120	60- 100	60- 100	-100 100	100-1	70-120	70-	70- 6 120 1	60- 120 1	60- 70- 120 120		70- 70- 120 120	- 70- 0 120	70-120	70-120	70-100	70- 120	70- 120	70- 120
Trigger	$\otimes$	S								~	~	-	-	-	~	(F2)		-	~	-	-	-							~		-	5	S
Performance, Comfort & Safety	Ą																																
Soft rubber safety grip	•	•	•	•	•	•	•	•		•	•	•	•	٠	•	•	•	•	•	•	•	•	•	•	•	•	•	٠	•	•	•	•	•
Single shot trigger	•	•	•		•	•	•	•							•							•	•	•	•	•	•				٠		•
Slender length nose	•	•	٠	•	•	•	•	•		•	_					•	•	•	•		•	•	•	•					•	٠	٠	٠	
Neat rear exhaust system	•	•	٠	•	•	•						•				•																	
Double safety trigger		•	•		•			•																									
High capacity magazine/nail drum	•	•	•	•	•	•	•	•	•	•	•	•	•			•	•	•	•	•	•	•	•	•	•	•	•	٠	•	•	٠	•	•
Extra long nose	•					•	•																										
Bottom loading	•	•	•	•	•	•	•	•																									
High durability driver blade system	•	•	٠	•	•	•	•	•		•	•	•	٠	٠	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	٠	٠	٠	•
Quick release reloading system		•	٠	•	•		•	•								•	•	•	•	•	•												
Depth control countersinking									•	•	•				•		•	•	•			•	•	•	•	•			•		٠	•	
Variable speed control			•																														
Non marking foot									•	•	•	•			•	•	•	•	•		•	•	•	•	•	•			•		•	•	
Quick release nose gate								-	•	•	•		•		•		•	•	•	•	•												
Open (viewable) magazine system								•	•	•	•	•			•						•	•		•	•						•	•	
360° adjustable exhaust port									•	•	•		•		•		•	•	•	•	•	•	•	•	•	•		٠			٠	•	•
Double power cylinder system											•	•	•																				
Side quick release loading system									•	•			•								•												
Staple/nail refill window																•		•	•														
Automatic pin length adjuster																																	
Safety yoke to avoid slippage																						•	•	•		•			•	•			
Protective bumper																																	•
(ST) Safety Trigger	Ē	(CT)Contact Trip (Bump Fire)	Trip (B.	ump Fil	re)		(SE)	SE) Sequential	ial			(SS) SI	SS) Single Shot	Jot		(SE) Sir	Strip Single Shot/Contact Trip	ot/Con:	tact Tri	d	C <sup>2</sup> S	ण्डे Contact Trip/Sequential	Trip/St	3quenti.	a								

ş	ннт8єняя					•	•			•												•								•	•		•			
Strip Nailers	HHW06NSC		٠			٠	٠				٠							٠				٠										٠	٠			
%≥	конол		•			•	•				•											•											•			
	LCN130V					٠					٠		•					٠															٠			
	ннхобиог					•	•				•							•				•			•							•	•			
	НСИ8ЗЬ					٠	٠											٠				٠			٠								٠			
	VOTNOD					•	•			•	•							•				•			•					•		•	•			
	FCN65V					٠					٠							٠				٠			٠					٠						•
	<b>НСИ65</b> Р					•					•							•				•			•					•			•			•
	<b>VTBNDF</b>						٠				٠							٠				٠			٠											
ŝ	gcn57p						•				•							•				•			•											
Coil Nailers	ннлодтоя							٠	٠	٠	٠			٠			٠		٠		•			٠	٠		٠	•	٠		٠					
	ннтоямоа						•			•	•							•		•		•			•					•						•
	V48N7D	٠	٠		٠		٠	٠	٠	٠	٠				٠	٠	٠		٠	٠	•	٠	٠	٠	٠			•	٠			٠		٠		
	DEN20A							•	•	•	•			•			•		•		•			•	•		•	•	•		•					
	DGN50V	٠	٠	٠	•			٠	٠	٠	٠	٠			٠		٠		٠	٠	•	٠	٠	٠	٠	٠		•	٠	٠		٠		٠	٠	
	СМВЗЕЬНН	•	•		•			•				•					•		•	•	•	•	•												•	
	C1832V	٠	٠	٠	٠			٠	٠	٠	٠	٠			٠		٠		٠	٠	•		٠	٠	٠	٠			٠			٠			٠	
Nailers & Pinners	26435	•			•			•									•				•	•	•												•	
Vaile & Pin	V49AG9		٠		٠		٠	٠	٠	٠	٠				٠	٠	٠	٠	٠	٠	•	٠		٠	٠			•	٠			٠		٠		
2.00															yldi			ture											ß							
	Applications	Beading & picture/mirror frames	uilding	Cane/rattan furniture	Coffin manufacture	uction		Display & shop fitting	Door frames & skirting	Exhibition/show construction		Fire surrounds	Cable drums and steel skids	Fixing gripper and thresholds	Furniture/cabinet/woodwork assembly	Insulation & lining	Kitchen & bedroom furniture	Pallet/crate/packing case manufacture	D	Pet cages, runs and enclosures	Pine furniture manufacture	Cabins, mobile homes, caravans	Presentation boxes		Sheds & garden building	spair	Skirting boards/dado to masonry	Soft and medium wood floorboards	Staircase construction and banisters	Sub flooring/boarding out	Suspended ceilings	Theatre & film scenery	Timber framing	Tongue and groove flooring	Toy manufacture	Jork
	Appl	Beading	Boat building	Cane/ra	Coffin r	Construction	Decking	Display	Door fra	Exhibiti	Fencing	Fire su	Cable o	Fixing (	Furnitur	Insulatio	Kitchen	Pallet/cr	Panelling	Pet cag	Pine fur	Cabins	Present	Saunas	Sheds 8	Shoe repair	Skirting	Soft an	Stairca	Sub floc	Suspen	Theatre	Timber	Tongue	Toy ma	Trellis work
_	Appl Appl	Beading	Boat bu	Cane/ra	Coffin r	Constru	Decking	Display	Door fra	Exhibiti	Fencing	Fire su	Cable o	Fixing (	Furnitur	Insulatio	Kitchen	Pallet/cr	Panellin	Pet cag	Pine fur	Cabins	• Present	Saunas	Sheds 8	Shoe re	Skirting	Soft an	Stairca	Sub floo	Suspen	<ul> <li>Theatre</li> </ul>	Timber	Tongue	Toy ma	Trellis w
rown		Beading	Boat bu	Cane/r	Coffin r	Constru	Decking	Display	Door fr	Exhibiti	Fencing	Fire su	Cable o	Fixing (	Furnitur	Insulatio	Kitchen	Pallet/cr	Panellin	Pet cag	Pine fu	Cabins	Ereseni	Saunas	Sheds 8	Shoe re	Skirting	Soft an	Stairca	Sub floo	Suspen	Theatre	Timber	Tongue	Toy ma	Trellis w
ide Crown er	FCF15XCB	Beading	Boat bu	Cane/ra	Coffin r	Constru	Decking	Oisplay	Door fr	Exhibiti	Fencing	Fire su	Cable o	Fixing (	Furnitur	Insulation	Kitchen	Pallet/cr	Panellin	Pet cag	Pine fur	Cabins	Ereseni	Saunas	Sheds 8	Shoe re	Skirting	Soft an	Stairca	Sub floc	Suspen	Theatre	Timber	Tongue	Toy ma	Trellis w
ty, Wide Crown stener	ECE1EXCB C1238A	Beading	Boat bu	Cane/ra	Coffin r	Constru	Decking	Oisplay	Door fra	Exhibiti	Fencing	Fire su	Cable o	Fixing (	Furnitur	Insulation	Kitchen	Pallet/cr	Panellin	Pet cag	Pine fur	Cabins	Ereseni	Saunas	Sheds &	Shoe re	Skirting	Soft an	Stairca	Sub floc	Suspen	Theatre	Timber	• Tongue	Toy ma	Trellis w
y Duty, Wide Crown rr Fastener	FCF15XCB 61738V F1450M		Boat bu	Cane/ri	Coffin r	Constru	Decking	Oisplay	Door fr	● Exhibiti	Fencing	Erre su	Cable c	Fixing (	Furnitur	Insulatic	Kitchen	Pallet/cr	Panellin	Pet cag	Pine fur	• Cabins	Bresent	Saunas	Sheds &	Shoe re	Skirting	Oft an	Stairca	Sub floc	Suspen	Theatre	Timber	Engue	Toy ma	Trellis w
Heavy Duty, Wide Crown & Corr Fastener	ECE15XCB E1450M E1450V		Boat bu	Cane/ri	Coffin r	Constru	Decking		Door fr	Exhibiti	Fencing	Eire su	Cable of	Fixing	Furnitur	•     •     •     •	Kitchen	Pallet/cr	Annellin	Pet cag	Erice fur	• Cabins.	Bresent	Saunas	Sheds 8	Shoe re	Skirting	Oft an	Stairca	Sub floc	Suspen	Theatre	Timber	Tongue	Toy ma	Trellis w
Heavy Duty, Wide Crown & Corr Fastener	ECE16XCB 61738V 61450M 61450V D9040V	•	Boat bu	Cane/ri	Coffin r	Constru	Decking		Ooor fr	Exhibiti	Fencing	Eire su	•	Fixing (	Furnitur	Insulation	Kitchen	Pallet/cr	e	Pet cag	Eline fur	Cabins.	beschilden in the series of the series	Saunas	Sheds 8	Shoe re	Skirting	Soft an	Stairca	Sub floc	Suspen	Theatre	Timber	Longue	Toy ma	•
	ECE152CB 61538V 61450M 61450V D9040V C9032V	•	Boat bu	Cane/ri	Offin r	• Constru	Decking		Ouor fr:	Exhibiti	Fencing	Eire su	•	Fixing (	Furnitur		• Kitchen	Pallet/cr	Annellin	Pet cag	Element	Cabins	beschild	Saunas	• Sheds 8	Shoe re	Skirting	Soft an	Stairca	Sub floc	Suspen		Timber	• •	Toy ma	•
	ECE12XCB e1238A e1420W c1420A D3040A C3035A C3035A	•	Boat bu	Cane/ri	Odffin r	• Constru		Oisplay	Ouor fit	Exhibiti	Eencing	Eire su	•	Elixing (	Furnitur		Kitchen	Pallet/cr	•     •     •	Eet cag	•     •     •	Cabins.	bresent	Saunas	Sheds 8	Shoe re	Skirting	Soft an	Stairca	Sub floc	Suspen	Theatre	• Timber	Ender	Toy ma	•
Narrow Heavy Duty, Wide Crown Crown & Corr Fastener	A14014V 61725V 61750M 61450V 61450V 61450V 738V 738V 738V 61750M 61750M 61750M 738V 738V 738V 738V 738V 738V 738V 738V	•	Boat bu	Cane/ri	Coffin r	Constru	Oecking	Oisplay		Exhibiti	Eencing	Elie su	•	Etxing (	Eurnitur		Kitchen	•     •     Pallet/cr	•     •		Eline fui	Cabins	bresent	Saunas	Sheds {	Shoe re	Skirting	Soft an	Stairca	Sub floc	Suspen		Timber	Engle	Toy ma	•
Narrow Crown	A14014V 61755V 61756V 61450V 61450V 61450V 738V 738V 738V 738V 738V 738V 738V 738	•	Boat bu	Cane/ri	Coffin r	Constru	•	Oisplay		Exhibiti	•	Erre su	•	Etxing (	Eurnitur	Insulatit	•	Eallet/cr	Eanellin	•	•     •     •	• Cabins.	bresent	Saunas	•	Shoe re	Skirting	•	Stairca	Oub floc	Suspen	• • • • •	• Timber	• •	• • •	•
Narrow Crown	A8016LN 6175XV 61750V 61450V 61450V 61450V 733V 733V 733V 733V 733V 733V 733V 73	•	e     e	•     •     Cane/ri	Coffin r	Constru	•	Oisplay		Exhibiti	•	Eire su	•	Elixing (	Eumitur	Insulatit	•	Eallet/cr	Eanellin	•	Eine fui	Gabins	Berline	Saunas	•	Shoe re	Skirting	•	Stairca	Sub floc	Suspen	• • • • •	Timber	• •	• • • • • •	•
Narrow Crown	A8016V A8016V A8016LN A14014V C9032V C9032V C9032V A14014V A14014V A1450M C9755V C9032V A8016V A8016V A8016V A8016V	•	•     •     Boat bu	Cane/rt	Odfin r	• Constru	•	Oisplay	Obor fr	Exhibiti	•	Fire su	•	Elixing (	Eurnitur	Insulatit	•	•     •     Pallet/cr	Eanellin	•	Eline fui	Cabins	Present	Saunas	•	Shoe re	Skirting	•	Stairca	Sub floc	Suspen	• • • • •	Timber	• •	• • • • Toy ma	•
Narrow Crown	A21116P A8016V A8016LN A8016LN C9032V C9032V A14014V A5314	• • • • • • • • • •	Boat bu	Cane/rt	Coffin r	Constru	•		Obor fr	Exhibiti	•	Eire su	•	Elxing (	Eumitur	Insulatit	•	•     •     Pallet/or	Earellin	•	<ul> <li>Pine fu</li> </ul>	Cabins	Present	Saunas	•	Shoe re	Skirting	•	Stairca	Sub floc	Suspen	• • • • •	• Timber	Engle     Tongue	•         •         •           Toy ma         •         •	•
Narrow Crown	A7116PU10 A7116P A8016V B9040V C9032V C9032V C9032V C9032V C9040V C9756V	• • • • • • • • • •	Boat bu	Cane/rt	Coffin r	• Constru	•	Oisplay	Door fit	Exhibiti	•	Eire su	•	Etxing (	•	Insulation	•	Pallet/or	e e	•	Eine fu	Cabins	Present	Saunas	•	Shoe re	Skirting	•	Stairca	Sub floc	Onspen	• • • • • • • • • • • • •	Timber	Engle	Toy ma	•
General Purpose & Narrow Upholstery Crown	۲۲۱۱6۶ ۸۲۱۱6۶ ۸۲۱۱6۶ ۸۲۱400 ۸80162 ۸801620 ۸801620 ۸2374 ۸23147 ۸23147 ۸23147 ۸23147 ۸23147 ۸23147 ۸23147 ۸23147 ۸23147 Λ2327 Λ237 Λ23	• • • • • • • • • • • •	Bed frames	Furniture frames	Cane/rattan furniture	Carpet/underlay/gripper/itnesholds	•	Coffin manufacture	Drawer bottoms/cabinet assembly	Exhibition/show construction	•	Fencing	•	Furniture/cabinet/woodwork assembly	•	Kitchen & bedroom furniture	•	Pallet/crate/packing case manufacture	Panelling	•	Pet cages, runs and enclosures	Plasterboard	Cabins, mobile homes, caravans	Presentation boxes	•	Sheds & garden buildings	Shoe repair	•	Soft and hardwood floorboards Stairca	Staircase construction and banisters	Sub flooring/boarding out & plywood	• • • • • • • • • • • • •	Timber	Tubs and barrels	Upholstery & re-upholstery • • • • • • • • • • • • • • • •	•

# **Technical specifications at a glance**

## **Hot & Cool Melt Glue Guns**

Offering a strong permanent alternative for many hobby, craft, DIY and industrial fixing jobs.

#### **Speed and durability**

**TACWISE** 

The 207 leads the glue gun programme. For the hobby and professional alike, Tacwise glue guns and adhesives are a superb, powerful essential for every tool bag and workshop.

All our versatile, high impact trigger fed glue guns bond almost anything in less than two minutes.

#### **207 Tool Features**


Durable 3 minute heat up melting chamber, cooling "air flow" vents, a removable non-drip push on nozzle for accurate gluing, a platform and retractable stand as well as a 4-finger trigger operation for ease and convenience.





#### **150/202 Tool Features**

Models 150/202 have handy features including insulated rubber nose protectors, on/off switches (illuminated for 202) and pressure touch feed systems for speed and reliability.



#### **150 Cool Melt Glue Gun**

DIY/Semi-Pro Code: 0465 Length Pack Style 7.4mm x 100mm 0.3kgs

Trade = 12 Units Transit = 36 Units

Includes: 2pcs 7.4mm x 100mm clear glue sticks

Safe, compact gun, ideal for hobby use, arts and crafts or general low volume applications. Cool melt offers a safer alternative with the adhesive running at a much lower temperature.

#### 202 Hot Melt Glue Gun

Semi-Professional Code: 0466 Includes: 1pc 11.75mm x 100mm clear glue stick Length 11.75mm x 300mm Trade = 6 Units Pack Style 0.5kgs Transit = 24 Units Well balanced gun for maximum control and an easier output flow of glue. New high wattage model (not featured) coming Summer 2016

#### 207 Hot Melt Glue Gun

Professional Code: 0003

FFS <sup>2</sup>11.75mm x 300mm 1.5kgs

Diameter Length Pack Style Carry Case

Trade = 4 Units Transit = 8 Units

Robust gun offering high performance during high volume glue output. Rear clutch trigger mechanism enables fast and steady glue flow. 2kg glue output per hour.



#### **Hot & Cool Melt Guns**

7.4mm & 11.75mm Diameter Glue Guns





Illuminated on/off switch (model 202)



Pressure touch feed system



#### **Hot & Cool Melt Glue Gun Technical Specifications**

Code	Tool Description	Dimensions (H x W x D)	Weight (kg)	Glue Diameter/ Length (mm)
0465	150 Cool Melt Glue Gun	117 x 127 x 24	0.3	7.4 x 100mm
0466	202 Hot Melt Glue Gun	157 x 187 x 32	0.5	11.75 x 300mm/100mm
0003	207 Hot Melt Glue Gun	175 x 265 x 48	1.5	11.75 x 300mm/100mm

#### **Tool Applications**

Application	150	202	207
Beading/mouldings		•	•
Decorative/general DIY	•	•	•
Display/shop fitting		•	•
Exhibition/shows			•
Exhibition/shows upholstery			•
Fixing carpets/underlay		•	•
Fixing gripper/thresholds		•	•
Floristry	•	•	•
Hobby crafts	•	•	•
Kitchen/bedroom furniture			•
Picture/mirror frames		•	
Pine furniture			•
Schools/education	•	•	
Shoe repair			•
Theatre/film scenery		•	
Upholstery/re-upholstery		•	•
Window dressing		•	•

**Tool Features** 

Pe Co

erformance, omfort & Safety	150	202	207
ng power cord	1	1	1
de ergonomic grip	1	1	1
n/off switch	1	1	
ugh polymer htweight body	1	1	1
n/off light indicator		1	
ulti-finger trigger		1	1
vents			1
and	1	1	1
de safety stand			1
se heat protector	1	1	1
st heating system	J	1	1





Models 150/202 are great for arts, crafts, blinds and furnishings.



Ideal for a wide variety of industrial/semi-industrial applications from packaging, carpentry assembly, flooring (gripper) and many more.

#### **Glue Stick Technical Specifications**

#### Hot Meit Giue

Code	Description	Dimension	Pack Qty	Pack Style	Application	For Use In:
0470	Clear Hot Melt Glue Sticks	11.75 x 300mm	16 Sticks	Retail Box	Multi purpose	202, 207
0471	Clear Hot Melt Glue Sticks	11.75 x 300mm	5kg/160 Sticks	Carton	Multi purpose	202, 207
0472	Tan Hot Melt Glue Sticks	11.75 x 300mm	5kg/160 Sticks	Carton	Packaging/flooring	202, 207
1013	Tan Hot Melt Glue Slugs	43mm	10kg/168 Slugs	Carton	Packaging/flooring	Standard 43mm Slug Guns
Cool Melt Glue						
0476	Clear Cool Melt Mini Glue Sticks	7.4 x 100mm	12 Sticks	Retail Card	Multi purpose	150

#### **Glue Stick Applications**

|--|

not meit aine		
Glue Type	Open Time (seconds)	
White/Woodworking	45 - 60	
Clear Multi-Purpose	45 - 60	Genera
Tan Glue	20 - 25	Pa
Tan Glue Slugs	20 - 35	Pa
Clear Premium Multi-Purpose	60	

<b>Cool Meit Glue</b>	
Clear Multi-Purpose	

60

#### **Hot & Cool Melt Guns**

7.4mm & 11.75mm Sticks & 43mm Slugs

#### Ideal For:

Woodworking and where white packaging/finish is needed I packaging, product assembly, upholstery and dried flower displays ckaging and flooring applications including carpet and grippers aging and flooring trade high volume usage in industrial guns A multitude of applications. Popular for 'fabric to fabric'

Hobby crafts, schools and floristry



# Packaging

Great products need to be perfectly packaged too.

Our quality thinking extends from the product design and function right through to the packaging it is supplied in. With environmental needs at the forefront of our thinking we strive for eco-friendly solutions and aim to provide customers with all essential information. Packs display great consumer detail such as compatibility, function, major applications and features plus, of course, any related safety issues. We are committed to Euro 5 labelling.



#### **Buff Boxes**

Many staple and nail packs come in both small retail versions as well as these larger commercial boxes for the tradesman using large quantities. Information includes references to popular tools from other manufacturers, translations and EAN 13 barcodes.



#### Carton

Styled to a high standard and with clear product information, our cartons display easy product/ re-order code identification and large "at a glance" content details on two sides, translations and EAN 13 barcodes. Most cartons are water resistant too.



#### **Retail and Commercial Packs**

Many staple and nail packs come in both small retail versions as well as these larger commercial boxes for the tradesman using large quantities. Information includes references to popular tools from other manufacturers, translations and EAN 13 barcodes.



#### **Innovative and Convenient Alternatives**

Aside from popular standard packs of staples and nails in both small retail and bulk versions, Tacwise also offers a number of innovative packs including its nail and staple selection packs. All are designed to provide convenience and best value for the consumer.



#### **Selection Packs**

A convenient and cost effective alternative to buying singlesized fixings in bulk. These premium quality assorted staples and nails come in handy selection packs. Offering significant added value the unique packs provide a similar level of user friendliness to the drill bit and blade selection packs that are common within the tools trade.



#### **Retail Clams**

Neat "try me" clams show off tool features. Most tools are supplied with an information booklet and a starter supply of fastenings. Packaging for higher value items also includes a security device label. All with translations and EAN 13 barcodes.



#### **Retail Tool Box**

The benefits are clear to see on our bright eye-catching full colour packaging. Descriptive details of major applications, translations on the leading surface and easy product/re-order code identification for nails/staples used. Safety/warning precautions and easy reference symbols, EAN 13 barcodes as well as instruction manuals with clear illustrations.

#### **Packaging**

#### **Great Packaging Solutions**



#### **Carrv** Case

Tough carry cases are the most popular form of packaging for tool protection and to retain associated components in one neat store. These cases are retailed with full colour sleeves or labels, to make clear the suitability of each tool to its prospective new owner. Incorporates all of the features of the retail tool box.



# **Care throughout the** supply chain

We are committed to excellence in health and safety management and are continually seeking ways to conserve natural resources, to reduce the amount of energy we use, to eliminate pollutants and hazardous substances from our products, processes and to maximise the use of recycling.

Time and focus has been directed towards the coatings on our metal products to ensure traditional methods are changed in favour of modern eco-friendly ones without ever compromising quality. Galvanising in place of copper and nickel in place of chrome. Parts are easily disassembled in order to allow for specific recycling, such as our tackers, when compared with others, which are welded or pressed together making them impossible to repair and difficult to recycle.

We are putting the environment in front of our marketing desires so that packaging is not oversized, nor overly complicated and considerable thought into making its eventual recycling as easy as possible. Products are designed and created to achieve strength and longevity with strong materia formed into shapes able to out-perform larger heavier non eco-friendly items supplied by other

Our worldwide customers expect us to make our designs, developments, manufacturing proc products as energy efficient and environmentally responsible as possible. It is a continuing mi

Like quality, environmental management is a journey without a destination. We have to think glob and act locally. After all, we are all in this together.

#### **Environmental Management**

### TACWISE

#### **Variations of Air Tool Triggers**

Any tool likely to be used to fire higher volumes of fasteners at speed will almost always be capable of bump firing or (in the case of very small upholstery type tools) require no additional safety system other than the standard single or double trigger.

A sequential or single shot trigger will usually be fitted where exact placement of the fastener is most important.

#### Sequential Firing (red in colour)

This system also requires the nose safety to be depressed against the nose surface. However, this MUST be done prior to activating the trigger or the tool will not fire. This means that even if the trigger is held up, the tool will not fire if the safety contacts a surface either accidentally or on purpose.



With a sequential safety it is possible for the tool to continue to be fired all the time the nose safety is depressed against the work surface. Once released the exact same sequence (hence sequential firing) must be repeated in order to fire an additional fastener(s).

For speed firing, you may choose to leave the nose pressed against the work surface with the nose safety depressed and slide the tool along the work piece whilst activating the trigger.

#### **Single Shot Firing**

This safety mechanism will only ever allow one fastener to be fired at a time. To fire the next fastener, the nose safety needs to be lifted from the work surface and the trigger allowed to reset.

#### **Safety Trigger**

This is purely a safety locking device whereby the main trigger cannot be activated until the secondary trigger is depressed.



#### Contact Trip (Bump Firing)

This allows a fastener to be fired whenever both the nose safety trip and trigger are activated simultaneously. Consequently, fasteners can be fired at speed by holding up the trigger and repeatedly bumping the nose against the workpiece (referred to as bump firing). Effectively the tool drives a fastener each time it is 'bumped'.

The contact trip (nose safety) still prevents a fastener from being fired if it is not depressed against the work surface, however, if the trigger is activated and the nose safety trip accidentally touches against an object or person, a fastener will be fired. Therefore, UNDER NO CIRCUMSTANCES should an operator hold or carry a tool around with the trigger depressed.

Unless reasonable downward pressure is maintained on the nose safety after firing, it is possible for certain tools to recoil back from the work surface and then fire again on re-contact (only if the operator continues to hold up the trigger).

To prevent this from happening, these tools should be allowed to recoil far enough to release the contact trip and avoid a repeat cycle of the driver, which fires a fastener. It is possible to purchase a single shot trigger (usually red) for most contact trip tools in the Tacwise range - please contact our service department for details.



Product name and serial number for easy identification and reference.

R.S. Johnston Industrial Fastening Systems

16 Diamond Road, Dromore, Co Down, BT25 1FD Tel: +44 (0) 28 92699644 Fax: +44 (0) 28 92693498 Email General: info@rsjohnston.co.uk Web: www.rsjohnston.co.uk