


Upholstery Colours & Specifications

All of the **SEERS MEDICAL** products are available in a choice of 6 standard upholstery colours, with further options available on request.



Flame Retardant	BS5852 Crib 5, IMO A652, M2, B1, EN1021.1-2
Anti-bacterial	Will not support microbial or fungal growth including Salmonella, E Coli and MRSA
Waterproof Capability	Water or oil based solutions will not penetrate or absorb into the fabric; - Water Column 4
Martindale abrasion	100,000 cycles
Surface Finish	Leather Look
Stain resistant	Excellent stain removal has been observed for grease, ink, blood, urine, coffee, iodine, betadine, ketchup, chewing gum, chocolate, grape juice



UPHOLSTERY DIMENSIONS: Note sizes may vary + / - 2cm due to manufacturing tolerances

PLEASE NOTE: The illustrated colours may vary slightly from actual vinyl supplied. This occurs due to the four colour printing process. However every attempt has been made to make them as accurate as possible.

www.seersmedical.com
MANUFACTURED IN THE UNITED KINGDOM



SEERS MEDICAL LTD

Kenton Road, Debenham, Suffolk, IP14 6LA, UK.

t: +44 (0)1728 861590 f: +44 (0)1728 861868

e: info@seersmedical.com w: www.seersmedical.com

© Copyright Seers Medical Ltd 2012

THERAPY RANGE
Couches and Tables for Rehabilitation

In this new brochure we cover our range of physiotherapy and rehabilitation products. There is a wide choice of models and accessories to cater for various examination procedures as well as different manual therapy and rehabilitation techniques. Most models are variable in height with a choice of both manual or electric positioning and height operation.

The development of these products has been achieved by applying our many years of experience and knowledge in this market. Much thought has been given to the design, to benefit both the comfort and security of the patients as well as providing manual handling solutions which promote good posture and ergonomics to all clinical staff when they are using this equipment.

With the management and control of our own assembly line at our premises in Debenham, Suffolk in the UK, our couches comply to the CE medical devices directive 93/42/EEC, ensuring we supply high quality products every time, with short lead times to meet the tightest of deadlines.

CONTENTS

- 4-5** 2 Section Therapy Couch - Standard model
- 6-7** 2 Section Therapy Couch - Basic & Plus model
- 8-9** 3 Section Therapy Couch - Standard model
- 10-11** 3 Section Therapy Couch - Basic & Plus model
- 12-13** 3 Section Therapy Drop End Couch
- 14-15** Deluxe Therapy Drainage Couch
- 16-17** Deluxe Therapy Couch
- 18-19** Therapy Traction Tables & Packages
- 20-21** Therapy Traction Tables & Packages
- 22-23** Bobath Therapy Couch
- 24-25** Deluxe Bobath Therapy Table
- 26-27** Mat Therapy Tables
- 28-29** Therapy Tilt Tables
- 30-31** Deluxe Therapy Tilt Tables
- 32-33** Child Tilt Table
- 34-35** Hygiene Therapy Table
- 36-37** Ergo Tables
- 38-39** Shower Trolley
- 40-41** Portable Couches
- 42-43** Optional Couch Accessories including Chairs and Stools
- backcover** Upholstery Information and Colours



Our UK production facility occupying over 5 acres, with 22,000 square feet of production capacity



In-house CNC wood cutting for Upholstery production, ensuring accuracy and repeatability

At SEERS Medical we are using state of the art design tools, to assist us in getting ideas in development quickly into manufacture. Whilst designing new products, manufacturing capabilities available are taken into consideration, such as CNC wood cutting, laser profiling and robot welding, which deliver reliable build quality and repeatability of accurate components, time after time.

A typical innovative use of these processes, is evident in a high loaded component such as the ram bracket, a common item on many SEERS couches, where using laser profiling we have been able to make the parts interlock, adding immense strength, even before welding! This is typical of the attention to detail that we pride ourselves with, and sets us apart from other couch manufacturers, giving us confidence, in the reliability and longevity of the products we manufacture.

MECHANICAL SAFETY AND LOAD TESTING

All SEERS Medical products have been tested to the applicable clauses within IEC 60601-2-38 for mechanical safety and load test. Our couches have been thoroughly tested with a two and a half times safe working load (in excess of 600kgs) loaded evenly, for in excess of one hour, to prove load support capability without failure. All products are tested in accordance to IEC 60601-2-38 Clause 28.4. Not only do our products have high safe working loads (typically 240kgs), but our products also lift the rated safe working load from the minimum height to the maximum height smoothly.

ELECTRICAL SAFETY

All SEERS Medical products comply to IEC 60601-1 Safety for Medical Electrical Equipment as well as meeting the requirements of EMC to the standards of EN 60601-1-2:2000 - Directive 2007/47/EC. In addition, the actuation and control systems used on our products are marked with the UL mark, demonstrating compliance to UL60601-1 and CAN/CSA-C22.2No. 601.1-M90, meeting the requirements for USA and Canada. The actuation control system is also marked with approval to C-ETL-UL No. 3154358.

CE MARKING AND QUALITY SYSTEM


SEERS Medical operates a Quality Management System in accordance with ISO 9001:2008. SEERS products comply with the Essential Requirements in Annex I of EC Directive 93/42/EC, with all relevant design, production records, risk assessments, product testing and labelling information recorded in the documentation file labelled the "Technical File". All products carry a unique serial number for trace-ability of build date, model number and associated build records.

FLAMMABILITY

The upholstered couch sections satisfies flammability requirements to the standards of BS 7176:1995 (medium hazard) using ignition sources 0 (cigarette), 1 (gas) as defined in BS EN. 1921-1 and 2 and 5 (crib) BS 5852:1990

WARRANTY

The variable height couches detailed in this brochure have a 10 year structural frame warranty, 2 years on electric and hydraulic actuation, 2 years on gas struts and 12 months on all other components. (further warranty details are available on request)



Interlocking structural components



Laser profiling



Robot Welding



A very strong and rigid 2 section couch, with a traditionally long head section or backrest for supporting the patient in a sitting position. Available as hydraulic or electric elevation and supplied with breathing hole and plug

MODEL SPECIFICATION - STANDARD HEAD DESIGN

- Safe working load and lifting capacity (from minimum height) of 240kgs (528lbs=37.7 stone)
- The power assisted backrest section incorporates anti-trap design gas strut
- Backrest angle adjustment from -25 degrees to +75 degrees
- Choice of manual or electric height elevation
- Excellent height range from 45-98cm (18"-38")
- Retractable wheel design with adjustable foot for stability on uneven surfaces
- Purpose made precision bearings on all pivot points
- Clearance beneath frame for mobile hoist
- Hand switch fitted as standard on electric models
- Standard width 65cm (25")
- Choice of upholstery colours - see back cover
For alternative widths, please refer to price list.

OPTIONAL COUCH ACCESSORIES

- Perimeter foot switch for electric models
- Single foot switch operation for electric models
- Double foot switch operation for electric models
- Paper towel holder
- Side support rails and cushions
- Upper limb support
- Matching therapy chair or stool
- Removable head/knee support
- Stretch towelling covers

See pages 42-43 for additional information

2 SECTION THERAPY COUCH - STANDARD

2 SECTION THERAPY COUCH

CHOICE OF MODELS AVAILABLE

ST2557 Standard head design - hydraulic

ST2567 Standard head design - electric




Model **ST2567** - Electric elevation with optional foot switch.
Colour Light Grey



Model **ST2567**. Backrest in negative position. Colour Light Grey



Model **ST2567**. Low transfer height. Colour Light Grey



Designed for head and neck mobilisation, as well as traction techniques, these strong and rigid tables feature a short head section, with the option of adjustable height armrests on the "Plus" model, providing additional patient comfort during prone treatments.

MODEL SPECIFICATION - BASIC AND PLUS HEAD DESIGN

- Safe working load and lifting capacity (from minimum height) of 240kgs (528lbs=37.7 stone)
- The power assisted head section incorporates anti-trap design gas strut
- Head section angle adjustment from -25 degrees to +75 degrees
- Adjustable height armrests on "Plus" head models
- Choice of manual or electric height elevation
- Excellent height range from 45-98cm (18"-38")
- Retractable wheel design with adjustable foot for stability on uneven surfaces
- Purpose made precision bearings on all pivot points
- Clearance beneath frame for mobile hoist
- Hand switch fitted as standard on electric models
- Standard width 65cm (25")
- Choice of upholstery colours - see back cover
For alternative widths, please refer to price list.

OPTIONAL COUCH ACCESSORIES

- Perimeter foot switch for electric models
- Single foot switch operation for electric models
- Double foot switch operation for electric models
- Paper towel holder
- Side support rails and cushions
- Upper limb support
- Matching therapy chair or stool
- Removable head/knee support
- Stretch towelling covers

See pages 42-43 for additional information

2 SECTION THERAPY COUCH - BASIC & PLUS MODELS

2 SECTION THERAPY COUCH

CHOICE OF MODELS AVAILABLE

ST2558 Basic head design - hydraulic

ST2568 Basic head design - electric

ST2559 Plus head design - hydraulic

ST2569 Plus head design - electric





Model **ST2569** Plus head design - electric with optional perimeter foot switch. Colour Tilleul



Model **ST2569**. Plus head design - electric with optional perimeter foot switch. Low transfer height. Colour Tilleul



Model **ST2568** Basic head design - electric. Colour Light Grey



A very strong and rigid 3 section couch with a traditionally long head section to suit a wide range of physiotherapy and general examination procedures. The couch can be adjusted to provide support for the patient in prone, supine and seated positions.

MODEL SPECIFICATION - STANDARD HEAD DESIGN

- Safe working load and lifting capacity (from minimum height) of 240kgs (528lbs=37.7 stone)
- The power assisted head section is adjustable from -25 to +75 degrees
- The power assisted backrest is adjustable from horizontal to 80 degrees
- Both the head section and backrest incorporates anti-trap design
- Choice of manual or electric height elevation
- Excellent height range from 45-98cm (18"-38")
- Retractable wheel design with adjustable foot for stability on uneven surfaces
- Purpose made precision bearings on all pivot points
- Clearance beneath frame for mobile hoist
- Hand switch fitted as standard on electric models
- Standard width 65cm (25")
- Choice of upholstery colours - see back cover
For alternative widths, please refer to price list.

OPTIONAL COUCH ACCESSORIES

- Perimeter foot switch for electric models
- Single foot switch operation for electric models
- Double foot switch operation for electric models
- Paper towel holder
- Side support rails and cushions
- Upper limb support
- Matching therapy chair or stool
- Removable head/knee support
- Stretch towelling covers

See pages 42-43 for additional information

3 SECTION THERAPY COUCH - STANDARD

3 SECTION THERAPY COUCH



CHOICE OF MODELS AVAILABLE

ST3557 Standard head design - hydraulic

ST3567 Standard head design - electric



Model **ST3567** with head section negative. Colour Cream



Model **ST3567** in typical seating position. Colour Cream



Model **ST3567** at low patient transfer height. Colour Cream

Designed with a short head section for head and neck mobilisation techniques, these versatile tables are suitable for a wide range of physiotherapy and rehabilitation procedures. The "Plus" model features adjustable height armrests which promote a relaxed shoulder girdle and a more comfortable patient during prone treatments

MODEL SPECIFICATION - BASIC & PLUS HEAD DESIGN

- Safe working load and lifting capacity (from minimum height) of 240kgs (528lbs=37.7 stone)
- The power assisted head section is adjustable from -25 degrees to +40 degrees
- Adjustable height armrests on "Plus" head model
- The power assisted backrest is adjustable from horizontal to +80 degrees
- Both the head section and backrest incorporates anti-trap design
- Choice of manual or electric height elevation
- Excellent height range from 45-98cm (18"-38")
- Retractable wheel design with adjustable foot for stability on uneven surfaces
- Purpose made precision bearings on all pivot points
- Clearance beneath frame for mobile hoist
- Hand switch fitted as standard on electric models
- Standard width 65cm (25")
- Choice of upholstery colours - see back cover
For alternative widths, please refer to price list.

OPTIONAL COUCH ACCESSORIES

- Perimeter foot switch for electric models
- Single foot switch operation for electric models
- Double foot switch operation for electric models
- Paper towel holder
- Side support rails and cushions
- Upper limb support
- Matching therapy chair or stool
- Removable head/knee support
- Stretch towelling covers

See pages 42-43 for additional information

3 SECTION THERAPY COUCH - BASIC & PLUS MODELS

3 SECTION THERAPY COUCH





CHOICE OF MODELS AVAILABLE

ST3558 Basic head design - hydraulic

ST3568 Basic head design - electric

ST3559 Plus head design - hydraulic

ST3569 Plus head design - electric



BASIC head design



Model **ST3558** Basic head design - hydraulic. Colour Light Grey



Model **ST3569** Plus head design - electric with optional perimeter foot switch. Low height. Colour Black



Model **ST3569** Plus head design - electric with optional perimeter foot switch. Colour Black

An extremely strong and rigid 3 section couch incorporating both an adjustable angle backrest and a single drop end head section, these models are suitable for a wide range of manual therapy and patient examination procedures

MODEL SPECIFICATION

- Safe working load and lifting capacity (from minimum height) of 240kgs (528lbs=37.7 stone)
- Adjustable angle backrest from horizontal to +90 degrees
- Adjustable angle head section from +10 to -90 degrees negative
- The power assisted backrest and head sections incorporate anti-trap design
- Choice of manual or electric height elevation
- Excellent height range from 48-101cm (19"-39")
- Retractable wheel design with adjustable foot for stability on uneven surfaces
- Purpose made precision bearings on all pivot points
- Clearance beneath frame for mobile hoist
- Hand switch fitted as standard on electric models
- Standard width 65cm (25")
- Choice of upholstery colours - see back cover
For alternative widths, please refer to price list.

OPTIONAL COUCH ACCESSORIES

- Perimeter foot switch for electric models
- Single foot switch operation for electric models
- Double foot switch operation for electric models
- Paper towel holder
- Upper limb support
- Matching therapy chair or stool
- Removable head/knee support

See pages 42-43 for additional information



3 SECTION THERAPY DROP END COUCH

3 SECTION THERAPY DROP END COUCH

CHOICE OF MODELS AVAILABLE

ST3556 Hydraulic elevation

ST3566 Electric elevation



Model **ST3566**. Therapy Drop End Couch. Colour Dark Blue



Model **ST3566**. Head section negative. Colour Dark Blue



Model **ST3566**. Seating position. Colour Dark Blue



Model **ST3566**. At low transfer height. Colour Dark Blue

Incorporating electric drainage positioning and an integral perimeter foot switch for height control, a choice of head section design, and an option for individual operating leg sections these models are very versatile and suitable for a wide range of manual therapy procedures

MODEL SPECIFICATION

- Safe working load and lifting capacity (from minimum height) of 240kgs (528lbs=37.7 stone)
- Electric drainage facility to 25 degrees between mid section and backrest
- Electric height operation via integral perimeter foot switch 46-99cm (19"-39")
- Adjustable angle backrest from horizontal to +90 degrees
- Adjustable head section with positive and negative angle
- The power assisted backrest and head sections incorporate anti-trap design
- Choice of Standard, Basic or Plus head design with adjustable armrests
- Breathing hole and plug included as standard
- Retractable wheel design with adjustable foot for stability on uneven surfaces
- Purpose made precision bearings on all pivot points
- Standard width 65cm (25")
- Choice of upholstery colours - see back cover
For alternative widths, please refer to price list.

OPTIONAL COUCH ACCESSORIES

- Paper towel holder
- Removable head/knee support
- Protective base shroud
- Matching therapy chair or stool

See pages 42-43 for additional information

DELUXE THERAPY DRAINAGE COUCH

DELUXE THERAPY DRAINAGE COUCH

CHOICE OF MODELS AVAILABLE

- ST3547** Standard head design
- ST3547S** Standard head design with split leg
- ST3548** Basic head design
- ST3548S** Basic head design with split leg
- ST3549** Plus head design
- ST3549S** Plus head design with split leg




Model **ST3549S**. Deluxe Therapy Drainage Couch with Plus head and split leg. Colour Dark Blue





Model **ST3549**. Deluxe Therapy Drainage Couch with Plus head. Colour Dark Blue

STANDARD head design





Model **ST3547**

BASIC head design




Model **ST3548**

PLUS head design



Model **ST3549**



Model **ST3547S**



Model **ST3548S**



Model **ST3549S**

Incorporating an integral perimeter foot switch for height control, a choice of head section design, and an option for individual operating leg sections these models are very versatile and suitable for a wide range of manual therapy procedures.

STANDARD MODEL SPECIFICATION

- Safe working load and lifting capacity (from minimum height) of 240kgs (528lbs=37.7 stone)
- Electric height operation via integral perimeter foot switch 46-99cm (19"-39")
- Adjustable angle backrest from horizontal to +90 degrees
- Adjustable head section with positive and negative angle
- The power assisted backrest and head sections incorporate anti-trap design
- Choice of Standard, Basic or Plus head design with adjustable armrests
- Breathing hole and plug as standard
- Retractable wheel design with adjustable foot for stability on uneven surfaces
- Purpose made precision bearings on all pivot points
- Standard width 65cm (25")
- Choice of upholstery colours - see back cover
For alternative widths, please refer to price list.

OPTIONAL COUCH ACCESSORIES

- Paper towel holder
- Removable head/knee support
- Protective base shroud
- Matching therapy chair or stool

See pages 42-43 for additional information

DELUXE THERAPY COUCH - NON DRAINAGE

DELUXE THERAPY COUCH

CHOICE OF MODELS AVAILABLE

ST3347 Standard head design

ST3347S Standard head design with split leg

ST3348 Basic head design

ST3348S Basic head design with split leg


ST3349 Plus head design

ST3349S Plus head design with split leg



Model **ST3349**. Deluxe Therapy Couch with Plus head. Colour Dark Blue

STANDARD head design




Model **ST3347**



Model **ST3347S**

BASIC head design




Model **ST3348**



Model **ST3348S**

PLUS head design



Model **ST3349**



Model **ST3349S**

Model **ST3349**. Deluxe Therapy Couch with Plus head. Colour Dark Blue

The traction tables have been specifically designed for lumbar and cervical traction. They feature an integral rolling top design to facilitate effective traction procedures. The tables are available separately with machine mount or as part of a package with traction machine, flexion stool, all harnesses and neck pillow.

STANDARD MODEL SPECIFICATION - TRACTION TABLES

- Safe working load and lifting capacity (from minimum height) of 240kgs (528lbs=37.7 stone)
- Integral rolling top design to provide effective application of traction forces
- Adjustable height mount for traction machine with offset positioning for changing angle of traction application
- Adjustable angle backrest from horizontal to +80° degrees positive
- Adjustable angle head/foot section from -25° to +75° degrees
- Head section includes breathing hole and plug
- The power assisted backrest and foot sections incorporate anti-trap design
- Choice of manual or electric height elevation
- Excellent height range from 50-101cm (20"-40")
- Retractable wheel design with adjustable foot for stability on uneven surfaces
- Fixation point for optional cervical traction accessory
- Purpose made precision bearings on all pivot points
- Hand switch fitted as standard on electric models
- Standard width 70cm (28")

OPTIONAL COUCH ACCESSORIES

- Single foot switch for electric models
- Cervical in sitting accessory
- Pelvic (Lumbar) traction harness
- Thoracic traction harness
- Thoracic harness straps (pair)
- Cervical traction head halter
- Cervical pillow
- Flexion stool
- Spreader bar

THERAPY TRACTION TABLES AND PACKAGES

THERAPY TRACTION TABLES AND PACKAGES


CHOICE OF MODELS AVAILABLE

ST6567 Electric Traction Table with machine mount

ST6557 Hydraulic Traction Table with machine mount

ST6567P Electric Traction Package

ST6557P Hydraulic Traction Package



Model **ST6567** Electric traction table and machine mount. Colour Dark Blue



Model **ST6567P** Electric traction package. Colour Dark Blue

Friction free rolling top design

A very versatile and easy to operate traction machine with both static and intermittent treatment modes. The SM12 Traction machine features variable speed control with clear displays of all treatment settings and is available seperately or as part of a traction package with table and accessories

THERAPY TRACTION TABLES AND PACKAGES




STANDARD MODEL SPECIFICATION - SM12 TRACTION MACHINE

- Choice of intermittent or static traction modes
- Variable speed control with quiet operation throughout treatment period
- Minimum and maximum force settings 2.5 - 91kgs (5.5lbs - 200lbs)
- Variable hold and rest times from 0 - 99 seconds
- Clear displays of all set treatment perimeters
- Patient safety switch with adjustable alarm
- Supplied with spreader bar
- CE marked and registered - Class 2A medical device
- Dimensions W27cm x H27cm x D34cm
- Weight 13.5 kgs (30lbs)



TRACTION PACKAGE - ACCESSORIES INCLUDED

- Variable height machine mount
- SM12 Traction Machine
- Flexion stool with height adjustment
- Pelvic and thoracic harness with anchor straps
- Cervical harness and spreader bar
- Cervical pillow



Model **ST6567** Electric traction table showing offset mount position. Colour Dark Blue

By tradition, Bobath treatment techniques require a suitably wide treatment surface with a safe and capable lifting capacity for both patient and therapist. The Bobath Therapy range of couches has more than achieved this with a choice of 2 sizes and higher than standard **safe working load of 250kgs (550lbs = 39 stone)**

STANDARD MODEL SPECIFICATION

- Safe working load and lifting capacity (from minimum height) of 250kgs (550lbs=39 stone)
- The power assisted backrest section incorporates anti-trap design gas strut
- Backrest angle adjustment from horizontal to +75° degrees
- Choice of manual or electric height elevation
- Excellent height range from 46-100cm (18"-39")
- Retractable wheel design with adjustable foot for stability on uneven surfaces
- Purpose made precision bearings on all pivot points
- Clearance beneath frame for mobile hoist
- Hand switch fitted as standard on electric models
- Choice of widths - 105cm (41") or 125cm (49")
- Choice of upholstery colours - see back cover

OPTIONAL COUCH ACCESSORIES

- Perimeter foot switch for electric models
- Single foot switch operation for electric models
- Double foot switch operation for electric models
- Side support rails and cushions
- Breathing hole and plug

See pages 42-43 for additional information

BOBATH THERAPY COUCHES

BOBATH THERAPY COUCH

CHOICE OF MODELS AVAILABLE

ST4552 Bobath Therapy Couch - hydraulic width 105cm (41")

ST4562 Bobath Therapy Couch - electric width 105cm (41")

ST4542 Bobath Therapy Couch - electric with electric backrest - width 105cm (41")

ST4552W Bobath Therapy Couch - hydraulic width 125cm (49")

ST4562W Bobath Therapy Couch - electric width 125cm (49")

ST4542W Bobath Therapy Couch - electric with electric backrest - width 125cm (49")






Model **ST4562** - Electric elevation. Colour Sky Blue -105cm wide

Model **ST4562**. With optional perimeter foot switch. Colour Dark Blue - 105cm wide



Model **ST4562W**. Low transfer height. Colour Dark Blue - 125cm wide



This top of the range Deluxe Bobath Table has a **safe working load and lifting capacity of 325kgs (715lbs = 51 stone)**. Features include electric backrest operation, large wheel design with steering facility and central locking. There is also a choice of optional accessories for various neurological procedures

STANDARD MODEL SPECIFICATION

- Safe working load and lifting capacity (from minimum height) of 325kgs (715lbs=51 stone)
- Powered electric backrest adjustable from horizontal to +75° degrees positive
- Choice of widths - 105cm (41") or 125cm (49")
- Electric height elevation
- Excellent electric height range from 46-100cm (19"-39")
- Large wheel design with steering facility and central locking from a single lever
- Purpose made precision bearings on all pivot points
- Clearance beneath frame for mobile hoist
- Hand switch fitted as standard
- Choice of upholstery colours - see back cover

OPTIONAL COUCH ACCESSORIES

- Battery back-up
- Double foot switch
- Side support rails
- Side support rail cushions
- Bobath patient limb support for use at foot end
- Patient handgrip supports for use at foot end
- Accessory rail for fixation of patient handgrip supports on the side of couch

See pages 42-43 for additional information

DELUXE BOBATH THERAPY TABLE

DELUXE BOBATH THERAPY TABLE

CHOICE OF MODELS AVAILABLE

ST4642 Electric with electric backrest - Large wheel design - width 105cm (41")

ST4642W Electric with electric backrest - Large wheel design - width 125cm (49")



Model **ST4642W**. Colour Dark Blue - 125cm wide



Model **ST4642** with optional side support rails and handgrip supports. Colour Light Grey - 105cm wide






Model **ST4642** with optional side support rails and limb support. Colour Light Grey - 105cm wide



Model **ST4642** with optional handgrip supports. Colour Light Grey - 105cm wide



Model **ST4642** with optional side support rails and limb support. Colour Light Grey - 105cm wide



The Mat Therapy Tables are very similar to the Bobath models in terms of specification, but without the backrest facility. The single section top design provides a large and stable variable height support surface for a wide range of exercises and Bobath rehabilitation procedures

STANDARD MODEL SPECIFICATION

- Safe working load and lifting capacity (from minimum height) of 250kgs (550lbs=39 stone)
- Choice of widths - 105cm (41"), 125cm (49"), 150cm (59") or 200cm (79")
- Choice of manual or electric height elevation on 105cm & 125cm versions
- Excellent electric height range from 46-100cm (18"-39")
- Retractable wheel design and adjustable foot for stability on uneven floors
- Purpose made precision bearings on all pivot points
- Clearance beneath frame for mobile hoist
- Hand switch fitted as standard
- Choice of upholstery colours - see back cover

OPTIONAL COUCH ACCESSORIES

- Battery back-up
- Single foot switch for electric models
- Double foot switch for electric models
- Perimeter foot switch for 105cm / 125cm models

See pages 42-43 for additional information

MAT THERAPY TABLES

MAT THERAPY TABLE

CHOICE OF MODELS AVAILABLE

- ST5551** Hydraulic - width 105cm (41")
- ST5561** Electric - width 105cm (41")
- ST5551W** Hydraulic - width 125cm (49")
- ST5561W** Electric - width 125cm (49")
- ST5561L** Electric - width 150cm (59")
- ST5561XL** Electric - width 200cm (79")







Model **ST5561**. Elevated height. Colour Cream - 105cm wide



Model **ST5561W**. Minimum height. Colour Lotus Green - 125cm wide



Model **ST5561XL** Minimum height. Colour Tilleul - 200cm wide



These excellent Tilt Tables have been designed to meet the requirements of a wide range of applications for rehabilitation, assessment and examination procedures. Available with the option of "divided leg design" which provides individual harness security for the lower limbs, and options of pommel and leg stabilisers

MODEL SPECIFICATION

- Safe working load and lifting capacity (from minimum height) of 225kgs (495lbs=35 stone)
- Large wheel design, with central locking & steering facility on Standard model
- Individual braking castors on Economy models
- Electric height and tilting operation with hand switch control
- Adjustable angle dual foot boards - positive and negative (+15 to -30 degrees)
- Height range 47cm - 101cm (18"-39"), tilt angle from horizontal to 90 degrees
- Lowers to wheelchair height for ease of patient transfer
- Tilt angle inclinometer fitted as standard
- Purpose made precision bearings on all pivot points
- Clearance beneath frame for mobile hoist
- Supplied with patient handgrips and set of harnesses
- Worktable supplied with Standard model - optional with Economy model
- Choice of upholstery colours - see back cover

OPTIONAL COUCH ACCESSORIES

- Model 6057 Battery back-up
- Model 6058 Hip / Leg Stabilisers (pair)
- Model 6059 Adjustable Pommel Support*
- Model 6060 Child Footboard facility*
- Model 6007 Head Support Cushion
- Model 6062 Tilt Table - Standard Harness Set
- Model 6063 Tilt Table - Dual Leg Harness Set*
- Model 6064 Tilt Table - Pair Dual Knee Harnesses*
- Model 6065 Tilt Table - Standard Harness - Wide
- Model 6066 Tilt Table - Standard Harness - Narrow
- Model 7648 Worktable for Economy model

* (will fit Divided Leg version only)

THERAPY TILT TABLES

THERAPY TILT TABLES




CHOICE OF MODELS AVAILABLE

ST7640 Economy Therapy Tilt Table

ST7640DL Economy Therapy Tilt Table divided leg version

ST7641 Standard Therapy Tilt Table

ST7641DL Standard Therapy Tilt Table divided leg version



Model **ST7641DL** Standard Therapy Tilt Table with divided leg design, optional pommel and leg stabilisers. Colour Light Grey



Model **ST7641** Therapy Tilt Table with optional head cushion. Colour Cream

Model **ST7641** Therapy Tilt Table minimum height. Colour Cream



Central wheel locking on Standard models



Individual braked castors on Economy models

The Deluxe model features a 2 section top incorporating an adjustable angle backrest to meet a wide range of applications. Available with the option of "divided leg design" both models feature a large wheel design with steering facility and have the standard benefits of dual adjustable foot boards, patient worktable and a wide choice of optional accessories

MODEL SPECIFICATION

- Safe working load and lifting capacity (from minimum height) of 225kgs (495lbs=35 stone)
- Large wheel design, with central locking & steering facility
- Adjustable angle backrest facility with anti trap design (0 to +75° degrees)
- Electric height and tilting operation with hand switch control
- Adjustable angle dual foot boards - positive and negative (+15° to -30° degrees)
- Height range 47cm - 101cm (18"-39"), tilt angle from horizontal to 90° degrees
- Lowers to wheelchair height for ease of patient transfer
- Tilt angle inclinometer fitted as standard
- Purpose made precision bearings on all pivot points
- Clearance beneath frame for mobile hoist
- Supplied with patient worktable, handgrips and set of harnesses
- Choice of upholstery colours - see back cover

OPTIONAL COUCH ACCESSORIES

- Model 6057 Battery back-up
 - Model 6058 Hip / Leg Stabilisers (pair)
 - Model 6059 Adjustable Pommel Support*
 - Model 6060 Child Footboard facility*
 - Model 6007 Head Support Cushion
 - Model 6062 Tilt Table - Standard Harness Set
 - Model 6063 Tilt Table - Dual Leg Harness Set*
 - Model 6064 Tilt Table - Pair Dual Knee Harnesses*
 - Model 6065 Tilt Table - Standard Harness - Wide
 - Model 6066 Tilt Table - Standard Harness - Narrow
- * (will fit Divided Leg version only)*


DELUXE THERAPY TILT TABLES

DELUXE THERAPY TILT TABLES

CHOICE OF MODELS AVAILABLE

ST7647 Deluxe Therapy Tilt Table

ST7647DL Deluxe Therapy Tilt Table divided leg version



Model **ST7647** Deluxe Therapy Tilt Table upright position. Colour Sky Blue



Model **ST7647** Deluxe Therapy Tilt Table backrest down. Colour Sky Blue



Model **ST7647** Deluxe Therapy Tilt Table backrest raised. Colour Sky Blue



Model **ST7647DL** version with optional accessories



Central wheel locking



Angle inclinometer

Specifically designed to cater for children of all ages through to young adult these variable height child tilt tables feature dual leg fixation and a wide footboard with fixation facility for securing the feet. The child table is also supplied with a range of standard accessories including a pommel and pelvic supports for added security.

MODEL SPECIFICATION

- Safe working load and lifting capacity (from minimum height) of 200kgs (440lbs=31.4 stone)
- Large wheel design, with central locking & steering facility on Standard model
- Individual braking castors on Economy model
- Electric height and tilting operation via hand switch control
- Height range 47cm - 101cm (18"-39"), tilt angle from horizontal to 90° degrees
- Dual leg fixation of the knees with adjustable height pommel for support
- Adjustable pelvic supports for additional stabilisation
- Wide footboard with fixation points for the feet, with straps included
- Lowers to wheelchair height for ease of patient transfer
- Tilt angle inclinometer fitted as standard
- Purpose made precision bearings on all pivot points
- Clearance beneath frame for mobile hoist
- Supplied with patient handgrips and set of harnesses
- 60mm upholstery incorporating memory foam membrane for added comfort
- Choice of upholstery colours - see back cover

OPTIONAL COUCH ACCESSORIES



- Model 6057 Battery Back-up Facility
- Model 7648 Adjustable Worktable
- Model 6007 Head Support Cushion
- Model 6095 Spare Harness Set

CHILD TILT TABLE

MODELS AVAILABLE

ST7650 Economy Child Tilt Table with braked castor system - electric

ST7651 Standard Child Tilt Table with central locking wheel system - electric



Model **ST7651** Standard Child Tilt Table in vertical standing position. Colour Sky Blue



Model **ST7651** Standard Child Tilt Table with angled tilt applied. Colour Sky Blue



Model **ST7651** Standard Child Tilt Table at mid height. Colour Sky Blue



Model **ST7651** Standard Child Tilt Table at low transfer height. Colour Sky Blue



Individual braked castors on Economy model



Central wheel locking on Standard model

For environments such as special schools, where many of the children require regular hygiene attention, these variable height tables provide not only a low transfer height but quick and simple adjustment to the correct height for changing procedures, thus reducing back and postural problems for support staff

MODEL SPECIFICATION

- Safe working load and lifting capacity (from minimum height) of 240kgs (528lbs=37.7 stone)
- Choice of manual or electric height elevation
- Choice of retractable wheel or large mobile wheel design with steering control
- Excellent height range from 46-98cm (18"-38")
- Purpose made precision bearings on all pivot points
- Clearance beneath frame for mobile hoist
- Hand switch fitted as standard on electric models
- Two upholstery lengths available 184cm (72") and 152cm (60") x 65cm (25") wide
- Choice of upholstery colours - see back cover
For alternative widths, please refer to price list.

OPTIONAL COUCH ACCESSORIES

- Power supply safety module
- Single foot switch operation for electric models
- Double foot switch operation for electric models
- Paper towel holder
- Side support rails and cushions
- Matching therapy chair or stool
- Removable head/knee support
- Stretch towelling covers
- Protective base shrouding

See pages 42-43 for additional information

HYGIENE THERAPY TABLE

HYGIENE THERAPY TABLE

CHOICE OF MODELS AVAILABLE

- ST1551** Hydraulic with retractable design
- ST1561** Electric with retractable design
- ST1651** Hydraulic with large wheel design
- ST1661** Electric with large wheel design



Model **ST1551** - Hydraulic elevation with optional side support rails and cushions. Colour Lotus Green



Model **ST1551** - Mid height, with optional side support rails. Colour Lotus Green



Model **ST1551** - Low transfer height, with optional side support rails and cushions. Colour Lotus Green

Width 65cm




184cm

Width 65cm



152cm



Height Range 46cm - 98cm

A range of high quality height adjustable tables providing plenty of leg room and work surface area. Height adjustment is made via a simple retractable winding handle with a range of 68- 93cm. The tables are supplied assembled with a beech laminated work surface and silver frame.


MODEL FEATURES

- Height adjustable from 68cm to 93cm
- Choice of work surface size - with or without cut-out
- Four adjustable feet to ensure table can be levelled on an uneven floor
- Durable and hard wearing silver painted framework
- Retractable winding handle for simple and easy height adjustment
- Light Beech work surface finish

ERGO TABLES

MODEL SPECIFICATION


	A	B	C
STWHD18Z	1800	x 800	x 1000
STWHD16Z	1600	x 800	x 1000



Other sizes, colours & finishes are available at extra cost on request
Electric models also available on request.

MODEL SPECIFICATION

	A	B
STSH18Z	1800	x 800
STSH16Z	1600	x 800
STSH14Z	1400	x 800
STSH12Z	1200	x 800
STSH10Z	1000	x 800
STSH08Z	800	x 800



Other sizes, colours & finishes are available at extra cost on request
Electric models also available on request.



Model **STWHD16Z** - Ergo table with cut out



Model **STSH18Z** - Rectangular Ergo table

Designed to provide transport to and from the showering area, this mobile hydraulic Shower Trolley features a foam padded PVC liner for added patient comfort, a linked wheel system with central locking and steering facility, as well as fold down side support rails for patient transfer.


MODEL SPECIFICATION

- Safe working load and lifting capacity (from minimum height) of 240kgs (528lbs=37.7 stone)
- Large wheel design, with central locking & steering facility
- Hydraulic height adjustment 41cm - 94cm (16"-37") via foot pedal
- Foam padded PVC liner with deep sides and end panels for comfort and security
- Supplied with foam padded PVC patient support cushion
- The side support rails fold down to assist patient transfer
- Low gradient tilt towards foot end for water drainage via integral waste outlet
- Plug and drain hose supplied complete with storage bracket for hose
- Bumpers fitted to all corners for protection during transport procedures
- Bumpers can be removed to reduce the width to 65cm to access tight doorways
- Lowers to wheelchair height for ease of patient transfer
- Purpose made precision bearings on all pivot points
- Clearance beneath frame for mobile hoist

OPTIONAL COUCH ACCESSORIES

- Model 6093 Spare/replacement PVC liner
- Model 6094 Spare patient PVC cushion

Dimensions



SHOWER TROLLEY

MODELS AVAILABLE

ST7700 Shower Trolley - hydraulic



ST7700 Shower Trolley at rased height



ST7700 Shower Trolley at low height for patient transfer



ST7700 Shower Trolley at mid height

DELUXE PORTABLE COUCH SPECIFICATION

- Very strong aluminium frame with 4 cable suspension system
- Very quick and easy to set up - less than 10 seconds
- 10 position adjustable angle backrest with range of 0 - 75°
- Breathing hole and removable plug fitted as standard
- Maximum Safe Working Load of 230kgs (506lbs)
- Adjustable height leg system of 59 - 81cm (23" - 32")
- Product weight of 14.5kgs
- Access for therapists knees at both ends of the table
- Available in stock colour of Dark Blue upholstery
- Supplied complete with heavy duty carrying case
- Dimensions of 185cm long x 62cm wide

SUPA LITE PORTABLE COUCH SPECIFICATION

- Truly light weight portable massage table - only 9kgs !
- Strong aluminium frame construction with high tensile ropes
- Safe Working Load of 200kgs (440lbs)
- Quick and simple to set up
- Adjustable height leg system of 55 - 74cm (21" to 29")
- Supplied complete with carrying case
- Available in stock colour of Red upholstery
- Dimensions of 165cm long x 60cm wide (65" x 24")

SUPA LITE PORTABLE COUCH

SUPA LITE PORTABLE COUCH MODEL AVAILABLE

- ST2703 Supa Lite Portable Couch
- ST2705 Arm Supports for Supa Lite
- ST2706 Face Cradle for Supa Lite

DELUXE PORTABLE COUCH

DELUXE PORTABLE COUCH

MODEL AVAILABLE

- ST2702 Deluxe Portable Couch
- ST2704 Face cradle and armrest

Model **ST2702** - Deluxe Portable Couch.
Colour Dark Blue



Model **ST2703** - Supa Lite Portable Couch
with optional arm supports and face cradle.
Colour Red

A range of optional accessories, chairs and stools can be added to further improve and enhance the use of the couch for the operator and patient.

OPTIONAL COUCH ACCESSORIES, CHAIRS AND STOOLS



Model 6200 Single Foot Switch

This single foot switch can be placed on the floor and operated by foot to raise or lower the couch effortlessly.



Model 6001 Perimeter Foot Switch

Available as an alternative to hand or foot switch control on electric models. This integral system enables the therapist to control the height of the couch by simply pressing the bar on the top surface or underside to make the couch raise or lower from any position around the couch.



Model 6239 Double Foot Switch

The double foot switch option allows the operator to position the foot switches on both sides of the couch, improving access to raising or lowering the couch.



Model 6053 Base Shrouding

An easy to clean protective moulded shroud that covers all the moving parts of the base frame.



Model 6005 Paper Towel Holder

This is usually fitted to the reverse of the backrest to enable the paper towel to be dispensed easily over the full length of the couch or backrest as desired.



Model 2706 Face Cradle

Adjustable angle face cradle for prone treatments which can be fitted to most SEERS treatment couches.



Model 6091 Socket & 6092 Horn

An upholstered horn can be added to the couch to aid the therapist in carrying out their physiotherapy techniques more effectively. The horn is easily removed by simply lifting it out of the socket



Model 6007 Head / Knee Support

This "half moon" shaped support is ideal for supporting the head, neck or lower limb during specific treatments, or being added purely for additional patient comfort.



Model 6002 Side Rails for 2 Section Model 6003 Side Rails for 3 Section

The "swing-down" side support rails can be added to both sides of the couch providing increased security for the patient whilst on the couch. The side support rails are nylon coated for durability



Model 6002P Side Support Cushions Model 6003P Side Support Cushions

Side support cushions can be added to the side support rails providing additional comfort and protection. The cushions are made from high density foam and matching upholstery.




Model 6100 Standard Operators Chair

Height range 48-60cm (19"-24") with adjustable backrest and five star base with castors



Model 6101 High Operators Chair

Height range 59-84cm (23"-33") with adjustable backrest, foot ring support and five star base with glides



Model 6102 Deluxe Operators Chair

Height range 48-60cm (19"-24") with adjustable high level backrest, tilting seat facility & adjustable height armrests



Model 6103 Standard Operators Stool

Height range 48-60cm (19"-24") and five star base a castors



Model 6104 High Operators Stool

Height range 59-84cm (23"-33") adjustable foot ring support and five star base with glides



Model 6109 Mobile Physio Stool

Height range 48-60cm (19"-24") and five star base with castors



Model 6117S Scanning Chair

Height range 48-60cm (19"-24")
Spring loaded backrest support and five star base with castors



Model 6144 Economy Saddle Seat

Height range 48-60cm (19"-24")
and five star base with castors



Model 6107 Deluxe Saddle Seat

Height range of 54-71cm (21"-28") with tilting seat facility and five star base with castors