


SY#	DESCRIPTION	REV. BY	DATE	APPROVED
A	RELEASED	KDS	08/19/09	KS

REVISIONS



PART NO: 9230HT

NOTES:

- 1) FERRULES: 303 SS,
- 2) SHEATH: FLEX SS
- 3) FIBER: 50 MICRON GLASS
- 3) IT "ER" FERRULE MADE FROM 6061 ALUMINUM
- 3) HIGH TEMP EPOXY TO BE USED

MAKE FROM: SEE NOTES



Illumination Technologies, Inc.
Syracuse, NY USA

UNLESS OTHERWISE INDICATED: INTERPRET PER ANSI/ASME Y14. DIMENSIONS ARE INCHES AND DO NOT INCLUDE APPLIED FINISHES. BREAK SPINDLE EDGES & CORNERS PER 2009 & COMMENTS.		DRAWING TITLE LIGHT GUIDE, 30' FLEX SST HIGH TEMP	
GENERAL TOLERANCES: 3 PLACE DIMENSIONS: ±.005 2 PLACE DIMENSIONS: ±.02 FRACTIONS: 1/64 ANGLES: ±1/2° MACHINED SURFACES: R2		DRAWING NUMBER 9230HT	
APPLICABLE SPECIFICATIONS:		REL. DATE	SCALE
DRAWN BY KDS		DATE 08/19/09	NTS
APPROVED BY KDS		DATE 08/19/09	SHEET 1 OF 1
<small>THIS DRAWING AND ITS CONTENTS ARE THE PROPRIETARY PROPERTY OF ILLUMINATION TECHNOLOGIES, INC. IT IS PROVIDED WITH THE UNDERSTANDING THAT THE INFORMATION CONTAINED HEREIN IS CONFIDENTIAL AND PROPRIETARY. NO REPRODUCTION OR TRANSMISSION IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, INCLUDING PHOTOCOPYING, RECORDING, OR BY ANY INFORMATION STORAGE AND RETRIEVAL SYSTEM, IS PERMITTED WITHOUT THE WRITTEN PERMISSION OF ILLUMINATION TECHNOLOGIES, INC. OR ITS DESIGNATED AUTHORIZED AGENTS.</small>			