
TIMARTIN Martin Door®

The World's Finest, Safest Doors

WWW.MARTINDOOR.COM

SINCE 1936

# Martin's Exclusive Patented





Can you tell the difference between Steel and Aluminum?

Martín Door® now offers a patented Steel Athena which gives the same beautiful look as aluminum but up to 40% cheaper.

# Steel Athena Now Available



# **PREMIUM STEEL**

**CORNERSTONE & GATEWAY** 

#### Pages 6 - 17

Cornerstone: 4-Section 7' (2134) High
 Gateway: 5-Section 7' (2134) High
 24 Gauge · Lifetime Warranty\*





## **MARTIN STANDARD**

Pages18 - 21

 $\cdot$  4-Section 8' [2438] High  $\cdot$  26 Gauge  $\cdot$  5 Year Warranty



### ATHENA ALL GLASS

Pages 24 - 29

Aluminum Athena
 Martin Premium Hardware
 Lifetime Warranty\*





## **FRENCHPORTE**

Pages 28 - 29

 $\begin{array}{ccc} \bullet \ \, \text{Aluminum or Steel} & \bullet \ \, \text{Martin Premium Hardware} \\ & \bullet \ \, \text{Lifetime Warranty}^* \end{array}$ 



<sup>\*</sup> See manufacturer's written warranty for details and limitations.

## ELITE CHALET & COPPER

#### Pages 38-51

- $\cdot \; \mathsf{Composite} \; \mathsf{Wood} \; \cdot \; \mathsf{Copper}$
- $\cdot$  Martin Premium Hardware
  - · Lifetime Warranty\*



**PINNACLE** 

**CARRIAGE HOUSE** 

- Aluminum Pinnacle
   Steel Pinnacle
   Martin Premium Hardware
  - Lifetime Warranty\*


































# **CORNERSTONE**





#### **PANEL STYLES**

24 gauge steel. 4-section 7' (2134) high. Optional wide center style available. - 😡



#### **COLORS**

Long-lasting baked-on enamel paint.



STEEL WOOD GRAIN\* - 10



POWDER COAT COLORS<sup>\*†</sup> - 5

(See full list of colors on page 58-59)



- ^ Powder coated doors are insulated.
- † See manufacturer's written warranty for details and limitations.
- ♦ Flush doors available in smooth. Call factory for details.

#### **INSULATION**

Add insulation for thermal efficiency, noise reduction, durability, and minimal upkeep.

**R8** 

Steel + Insulation + Vinyl



Steel + Insulation + Steel



Steel + 2 Insulation Layers + Steel

#### **HARDWARE**

Includes roller, track and accessories for a strong and lasting door system. (More information on page 61)



Martin Premium Hardware Package - 😡





Martin Standard Hardware Package - (5)



#### **WINDOWS**

Available in acrylic or tempered glass and in Classic or Steel-Framed windows. (See pages 54 - 55)

#### **WINDOW TINT**

Insulated glass options are available on most window types.

(See p. 52 for full tint options)

#### **GLASS / ACRYLIC**



Clear



Frosted



Pebbled



Bronze (Tinted)



Gray (Tinted)



Smoked (Tinted)



Clear



LAMINATE

White

#### **EXTRA OPTIONS**

(More information on page 59)

- MAIL SLOTS
- T-HANDLE LOCK
- ∨ENTS
- VAULT RELEASE
- INSIDE LOCK
- ANTIQUE HARDWARE

#### **SECTION JOINT**



Tongue & Groove Joint Industry standard tongue and groove joint.




Safety Joint Martin safety joint helps protect fingers and hands from serious injury.











# **GATEWAY**






Legend: ∞ - Lifetime Warranty † 5 - 5 Year Warranty † 10 - 10 Year Warranty †


#### **PANEL STYLES**

5-Section (7' (2134) high) design. 24 gauge steel. Optional wide center style available. Max height is 13' 3" (4039). - (See Gateway panel stacking guide on page 56)



#### **COLORS**

Long-lasting baked-on enamel paint.



STEEL WOOD GRAIN\* - 10



# POWDER COAT COLORS<sup>\*†</sup> - (5)

(See full list of colors on page 58-59)



#### **INSULATION**

Add insulation for thermal efficiency, noise reduction, durability, and minimal upkeep.



<sup>†</sup> See manufacturer's written warranty for details and limitations.

#### **HARDWARE**

Includes roller, track and accessories for a strong and lasting door system. (More information on page 61)



Martin Premium Hardware Package - (\infty)





Martin Standard Hardware Package - (5)



#### **WINDOWS**

Available in acrylic or tempered glass and in Classic or Steel-Framed windows. (See pages 54 - 55)

#### WINDOW TINT

Insulated glass options are available on most window types.

(See p. 52 for full tint options)

#### **GLASS / ACRYLIC**

















LAMINATE

Clear

Frosted

Pebbled

Bronze (Tinted)

(Tinted)

(Tinted)

#### **EXTRA OPTIONS**

(More information on page 59)

- MAIL SLOTS
- T-HANDLE LOCK
- O VAULT RELEASE

- VENTS
- INSIDE LOCK
- ANTIQUE HARDWARE


#### **SECTION JOINT**




Safety Joint Martin safety joint helps protect fingers and hands from serious injury.












# **MARTIN STANDARD**





#### **PANEL STYLES**

26 gauge steel. 4-section 8' (2438) high. - (5)



(For any other Tongue & Groove joint panels, please see the commercial line)

#### **COLORS**

Long-lasting baked-on enamel paint.

# STEEL PAINT COLORS - 5



POWDER COAT COLORS<sup>\*†</sup> - 5

(See full list of colors on page 58-59



#### **INSULATION**

Add insulation for thermal efficiency, noise reduction, durability, and minimal upkeep.

i2 R8 Steel + Insulation + Vinyl i3 R8 Steel + Insulation + Steel i4 R14 Steel + 2 Insulation Layers + Steel

#### **HARDWARE**

Includes roller, track and accessories for a strong and lasting door system.

(More information on page 61)



Martin Premium Hardware Package - 🗪





Martin Standard Hardware Package - (5)



#### WINDOWS

Available in acrylic or tempered glass and in Classic or Steel-Framed windows.

(See pages 54 - 55)

#### WINDOW TINT

Insulated glass options are available on most window types.

(See p. 52 for full tint options)

#### **GLASS / ACRYLIC**

















Clear

Frosted

Pebbled

Gray (Tinted)

(Tinted)

LAMINATE

21"

21"

#### **EXTRA OPTIONS**

(More information on page 59)

- MAIL SLOTS
- T-HANDLE LOCK
- VAULT RELEASE

- VENTS
- ( ) INSIDE LOCK
- ANTIQUE HARDWARE

#### **SECTION JOINT**



Tongue & Groove Joint Industry standard tongue and groove joint.



#### Safety Joint

Martin safety joint helps protect fingers and hands from serious injury.


### **DOOR HEIGHT EXAMPLES^**

For heights above 8' 9"(2667) refer to door height examples on page 57.

#### MEASUREMENTS:

18" = 457 mm

21" = 533 mm 24" = 610 mm



<sup>^</sup> Please note that the Martin Standard and the Cornerstone tongue and groove joint 8' (2438) is 4 sections vs 5 section for the 8' Safety Joint Cornerstone.









# **ATHENA**






**Legend:** ∞ - Lifetime Warranty † (5) - 5 Year Warranty † (3) - 3 Year Warranty † (10) - 10 Year Warranty †

### **PANEL STYLES**

24 gauge steel or aluminum - 😡



## **COLORS**

Long-lasting baked-on paint.



## STEEL WOOD GRAIN\* - 10



# POWDER COAT FINISHES<sup>+</sup> (STEEL- 5 OR ALUMINUM-3)

(See full list of colors on page 58-59)



#### ANODIZED ALUMINUM FINISH

A natural looking, durable and corrosion-resistant finish. Other colors available upon request.









Black

#### **TEXTURE**

#### Smooth or embossed textures are available on this door.

(Embossed comes standard. Smooth doors are powdercoated)



Smooth Steel



Embossed Steel



Smooth Aluminum

#### INSULATION

Add insulation for thermal efficiency, noise reduction, durability, and minimal upkeep.

 $\hbox{($R$-value represents rails only. Total door $r$-value will vary depending on glass type.)}\\$ 



Insulated Steel Frame Upgrade

#### **HARDWARE**

Includes roller, track and accessories for a strong and lasting door system.

(More information on page 61)



Martin Premium Hardware Package - \infty



#### WINDOW TINT

Insulated glass options are available on most window types.

(See p. 52 for full tint options)

#### **GLASS / ACRYLIC**



Clear



Frosted



Pebbled



Bronze



Gray (Tinted)







LAMINATE

White

#### **EXTRA OPTIONS**

(More information on page 59)

- MAIL SLOTS
- T-HANDLE LOCK
- VAULT RELEASE

- ∨ENTS
- INSIDE LOCK
- ANTIQUE HARDWARE

### **SECTION JOINT**



Safety Joint


Martin safety joint helps protect fingers and hands from serious injury.


# **FRENCHPORTE**




See Athena for colors, texture, insulation, hardware, and tint options.

Madeleine














# **PINNACLE**





**Legend:** (∞) - Lifetime Warranty † (5) - 5 Year Warranty † (3) - 3 Year Warranty † (10) - 10 Year Warranty †

# **BASE MATERIAL**

24 gauge steel or aluminum -(∞) (More panel styles on page 38 - 39)

#### STEEL COLOR OPTIONS

Long-lasting baked-on paint. (See full list of colors on page 58-59)

# STEEL PAINT COLORS\* - 10





Mist



Light Almond



Dark Brown





Desert Taupe






Adobe Stone



Silver



Bronze









Ash



Natural

POWDER COAT FINISHES<sup>†</sup> (STEEL- 5) OR ALUMINUM- 3)

(See full list of colors on page 58-59)







# **DUO-TONE FINISH OPTION**

Duo-Tone finish allows you to combine two color choices on one Pinnacle door. Choose two complementing finishes to enhance the look of your home.

(See available finishes and full list of colors on page 58)



Ash Wood Grain & Desert Bronze



Signal Brown & Mahogany Brown



Walnut & Natural Wood Grain Steel



Antique Silver & Window Gray

<sup>\*</sup> Available in steel only.

#### **TEXTURE**

#### Smooth or embossed textures are available on this door.

(Embossed comes standard. Smooth doors are powdercoated)








Smooth Steel

Embossed Steel

Smooth Aluminum


#### **PANEL STYLES\***

24 Gauge Steel (Available in 2.5"(64) or 5"(127) groove spacing)



#### **DOUBLE CENTER STILES**

Optional double center stiles are available on all H/V Groove designs. Also available with hinges, handles and clavos.



#### **INSULATION**

Add insulation with steel backing for thermal efficiency, noise reduction, durability, and minimal upkeep.



Steel + Insulation + Steel



Aluminum + Insulation + Steel



Insulated Steel Frame Upgrade

#### **HARDWARE**

Includes roller, track and accessories for a strong and lasting door system.



Martin Premium Hardware Package

LAMINATE

#### WINDOW TINT

Insulated glass options are available on most window types.

(See p. 52 for full tint options)

#### **GLASS / ACRYLIC**









(Tinted)





(Tinted)





Gray (Tinted)

Clear

White

#### **EXTRA OPTIONS**

(More information on page 59)

- ∨ENTS
- INSIDE LOCK
- VAULT RELEASE
- ANTIQUE HARDWARE
- MAIL SLOTS
- T-HANDLE LOCK


#### **SECTION JOINT**




#### Safety Joint

Martin safety joint helps protect fingers and hands from serious injury.

# **PINNACLE PANEL STYLES**




# PINNACLE PANEL STYLES



15'3"-22' widths = [4648 - 6706]









## **CHALET**







### **PANEL STYLES**

24 gauge steel. - 🗪 (See page 47)

### **WOOD COLORS**

Choose between two wood species and 6 long-lasting wood stains.

### WOOD STAINS - (10)























Kingwood

### STEEL COLOR OPTIONS

Long-lasting baked-on paint. (See full list of colors on page 58-59)





White Mist



Light  ${\sf Almond}$ 



Dark Brown



Desert Taupe



Adobe Stone



Silver



Bronze

### STEEL WOOD GRAIN\* - (10)



Walnut





Ash



Natural

### **FINISH OPTIONS**

Combine two color choices on one Chalet door.

Choose two complementary finishes to enhance the look of your home.

(See available finishes and full list of colors on page 58)



Composite Wood (Medium Beachwood on Natural Kingwood)



Composite Wood on Wood Grain Steel (Dark Beachwood on Ash Steel Wood Grain)



Composite Wood on Standard Steel (Natural Kingwood on Adobe Stone)

### **INSULATION**

All doors are insulated with steel backing for thermal efficiency, noise reduction, durability, and minimal upkeep.

R14

Steel + 2 Insulation Layers + Steel

Cladding + Steel + 2 Insulation Layers + Steel

### **HARDWARE**

Includes roller, track and accessories for a strong and lasting door system. (More information on page 61)



Martin Premium Hardware Package - (🗪



### **EXTRA OPTIONS**

(More information on page 59)

MAIL SLOTS

○ VENTS

○ VAULT RELEASE

- INSIDE LOCK
- ANTIQUE HARDWARE

### **SECTION JOINT**



Safety Joint Martin safety joint helps protect fingers and hands from serious injury.




# **CHALET**





# **CHALET PANEL STYLES**


Custom designs available upon request.











# **COPPER**






**Legend: ∞** - Lifetime Warranty<sup>†</sup>

### **PANEL STYLES**

99.9% Copper Metal. - (∞)



### **COLOR**



99.9% Copper Metal

Installed with new copper and in time, the copper door will naturally patina.

Patina rates will vary depending on environment.

### **INSULATION\***

All doors are insulated with steel backing for thermal efficiency, noise reduction, durability, and minimal upkeep.



<sup>†</sup> See manufacturer's written warranty for details and limitations.

<sup>\*</sup> i3 Insulation comes standard

### **HARDWARE**

Includes roller, track and accessories for a strong and lasting door system.

(More information on page 61)



Martin Premium Hardware Package - ∞





#### **Powder Coated Hardware**

All Copper model doors come with a white powder coated track and hardware.

### WINDOWS

Available in acrylic or tempered glass and in Classic or Steel-Framed windows. (See pages 54 - 55)

### **WINDOW TINT**

Insulated glass options are available on most window types.

(See p. 52 for full tint options)

#### **GLASS / ACRYLIC**







Frosted



Pebbled



Bronze (Tinted)



Gray (Tinted)



Smoked (Tinted)



Clear



LAMINATE

White

### **EXTRA OPTIONS**

(More information on page 59)

- MAIL SLOTS
- T-HANDLE LOCK
- ∨ENTS
- O VAULT RELEASE
- INSIDE LOCK
- ANTIQUE HARDWARE

### **SECTION JOINT**



### Safety Joint

Martin safety joint helps protect fingers and hands from serious injury.








2 ATENTED DE FIGUR

## STEEL-FRAMED WINDOWS

Martin's innovative window design provides proper wood grain direction and exact color match on these hand crafted sections.



### WINDOW OPTIONS




### Which one would you choose?



### WINDOW TINT & LAMINATE OPTIONS

(Simulated color. In some cases glass tint is lighter than acrylic tint.)




### **INSULATED WINDOW OPTIONS**

### **INSULATED GLASS**

Upgrade your Steel-Framed windows with insulated glass.

### **CLASSIC WINDOWS®**

Old School but not forgotten, Martin Classic Windows come in a variety of beautiful choices.



\* Not available in 12'-15' (3658-4572) widths.

 $\lozenge \ \, \text{Not all panel styles allow for windows.} \ \, \text{Choose Steel-framed windows for exact color match.}$ 

### **DOUBLE PANE**



Upgrade your Classic Windows with an acrylic double pane option.

Double Pane Window adds additional sound reduction and is ideal for hot or cold climates.

### INSULATION

Insulation increases thermal efficiency, helps decrease noise levels and improves the appearance of the door interior. Choose steel backed insulation for durability and minimal upkeep.

### ATHENA & PINNACLE

#### Pinnacle Panels

Polystyrene insulation with heavy-gauge color-matched steel backing.



Athena & Pinnacle Rails
Polyurethane insulated rails.

### **CHALET**





i4 R18

(Cladding) + Steel + 2 Insulation Layers + Steel

1-layer of polystyrene and 1-layer of thermal insulation.

### **CORNERSTONE, GATEWAY & STANDARD**





Steel

2" (51) Thick door construction.





Steel + Insulation + Vinyl

Polystyrene insulation with vinyl paneled backing.





Steel + Insulation + Steel

Polystyrene insulation with heavy-gauge steel paneled backing.






Steel + 2 Insulation Layers + Steel

1-layer of polystyrene and

1-layer of thermal insulation.


### **PROTECTIVE SYSTEM**


Martin Multi-layered baked-on enamel paint ensures superior corrosion resistance and a durable finish.



## **DOOR HEIGHT EXAMPLES**

For Safety Joint Cornerstone and Copper doors up to 20' (60%). (See Page 21 for Tongue and Groove Joint)





Height	21"	24"	Total
14'0"(4267)	0	7	7
14'3"[4343]	7	1	8
14'6"(4420)	6	2	8
14'9"(4496)	5	3	8
15'0"(4572)	4	4	8
15'3"(4648)	3	5	8
15'6"(4724)	2	6	8
15'9"(4801)	1	7	8
16'0"(4877)	0	8	8
16'3"(4953)	7	2	9
16'6"(5029)	6	3	9
<b>16'9</b> "(5105)	5	4	9
17'0"(5182)	4	5	9
17'3"(5258)	3	6	9
<b>17'6</b> "(5334)	2	7	9
<b>17'9</b> "(5410)	1	8	9
18'0"(5486)	0	9	9
18'3"(5563)	7	3	10
18'6"(5639)	6	4	10
18'9"(5715)	5	5	10
19'0"(5791)	4	6	10
19'3"(5867)	3	7	10
19'6"(5944)	2	8	10
19'9"(6020)	1	9	10
20'0"(6096)	0	10	10


#### MEASUREMENTS:

<sup>18&</sup>quot; = 457 mm

<sup>21&</sup>quot; = 533 mm 24" = 610 mm

# **GATEWAY PANEL STACKING GUIDE**

On some heights the Gateway has a larger header and footer sections that completes this unique look. The Gateway stacking has a max height of 13'3" [4039].



MEASUREMENTS:

15" = 381 mm 18" = 457 mm 19.5" = 495 mm

# **ADDITIONAL OPTIONS**

### **DOOR ACCESSORIES**

Customized features make Martin Garage Doors a unique and individualized door. Martin's many unique options and security features bring style and functionality to any door.



Mail Slots Available in brass or brushed aluminum. \*Cannot be painted.



Vents
Color matched with the rest
of the door.



Outside T-Handle Lock Chrome, brass or black.



Inside Side Latch Lock
(Padlock Not Included)



Vault Release Allows you to open and close the door during power outage.

### **HARDWARE KIT**

Beautiful matching hinges and handles add a touch charm to your garage door. Can be powder coated.



hd102 x 2

\* hd105 only comes in a hardware kit.



# **POWDER COAT FINISHES**

Martin's powder coat finishes are long-lasting and durable.

### SOLID



# **POWDER COAT FINISHES**

Martin's textured metallic powder coat finishes are long-lasting and durable.

### **METALLIC**



#### $\label{eq:Available} A vailable in high / low gloss.$

Color samples will vary due to printer's color adjustments. For color accuracy see actual color chips.

All steel and copper doors have an embossed texture, unless ordered smooth.

Aluminum doors are smooth.

Insulation is required on powder coated doors.

# **COMPARISON CHART**

	Premiur	m Steel	Martin	MartinE			
	Cornerstone	Gateway	Standard	Chalet	Copper	Athena	Pinnacle
Material							
High Tensile Steel							
Steel + Wood Composite Overlay							
Extruded Aluminum						•	
Copper							
Panels							
Short, Long, Grooved							
Ribbed							
Flush	•						
Special							
Number of Sections to 7'							
4-Section					•		
5-Section	_		_		_		
Varies		_					
Stiles						_	_
Standard		_			_		
Standard	-		•		-		
	-	_		_	•	_	_
Varies							
Steel Windows							
Acrylic or Tempered Glass	•	-	•		•		_
Insulated Glass							
Laminated Glass	•						•
Classic Windows							
Acrylic or Tempered Glass					•		
Double Pane							
Gauge							
Steel - 26							
Steel - 24							
Copper - 23					•		
Aluminum - 14						•	
Color Options							
White Mist, Lt. Almond, Dk. Brown, Dsrt. Taupe	•						
Adobe Stone, Silver, Bronze							
Powder Coat							
Walnut. Ash. Natural Wood Grain Steel							
Dark, Medium, White, Primed Wood Stains							
Insulation Value							
R8		_					
R14	-						
R18	_		_		_		
				_		_	
Varies							-
Warranty†	_			_	_	_	_
Lifetime Section & Parts	•	•		•	-		•
5 Year Warranty Section & Parts*			•				
5 Year Delamination Warranty				_			
Hardware, Hinges, Track & Roller							
Martin Standard Hardware Package	•	-	•				
Martin Premium Hardware Package							•
Galvanized Springs	•		•		•		
Safety Joint							
Tongue & Groove Joint							

<sup>†</sup> See manufacturer's written warranty for details and limitations. Limited warranty in some environments, climates, coastlines and all of Hawaii and Middle East region. Powder coat warranty on steel is 5 years. Powder coat warranty on aluminum is 3 years. Steel-Framed Windows warranty is 10 years except Copper & Martin Standard which are 5 years. Classic Windows warranty is 3 years. 10 year paint warranty excluding Martin Standard, which is 5 years.

\* Martin Standard can be upgraded to premium hardware, which comes with a lifetime warranty.

### **HARDWARE**

Martin's hardware is long lasting, corrosion resistant, and has better safety features than industry standard.

**MARTIN** 

**MARTIN** 


**INDUSTRY** 

### **STANDARD STANDARD PREMIUM Spring** Center-mount springs have a high risk of explosive × 1 discharge due to spring torque. Martin's sidemounted Safety Spring Galvanized Springs Galvanized Springs Oil-tempered spring ( ) 15,000 life cycle system helps prevent 30,000 life cycle 5,000 - 10,000 life cycle accidents from happening. Side or center-mount springs are available on all doors. Track & Roller Martin hardware comes with hemmed edges and reduced holes size to help prevent injury. Martin rollers have 2 16 Gauge Steel 11 sealed ball bearings, and are pre-lubricated for smooth (V) Reverse Angle use. Roller shields are used for additional finger safety. Hinge Martin's low-profile safety hinge 🖾 16 Gauge 2 + 14 Gauge used on all doors reduces the gap between sections. Lift Cable Martin's thicker 1/8" (3mm) cable protects from breakage, (") 3/32" (2.4mm) thick 1/8" (3mm) thick 1/8" (3mm) thick (a) 2000 lbs. lift capacity making your door safer. No loop protection 2000 lbs. lift capacity Extra loop protection Extra loop protection WARNING INJURY OR DEATH **5 Year Warranty** Lifetime Warranty\*

<sup>\*</sup> See manufacturer's written warranty for details and limitations.

<sup>†</sup> Some doors require only one spring due to weight.

# **MARTIN ADVANTAGE**



### How do other garage doors compare to Martin?

These upgrades are included on most Martin garage doors, and are usually an up-charge or not included at all on companies doors.

Safety		
Items that help protect you from injury	Martin	Others
1. Controlled Descent Device <sup>†</sup>	✓	_
2. Side Spring Anchor Bracket	<b>V</b>	
3. Safety Set Screws	<b>1</b>	
4. Curve Shields <sup>†</sup>	<b>&gt;</b>	
5. Acrylic Panes for Windows	<b>√</b>	$\checkmark$
6. Rolled Edges on Tracks	$\checkmark$	
7. Rolled Edges, Stiles / Sections	✓	_
8. Roller Shields™ <sup>†</sup>	<b>√</b>	
9. Round Corners on Brackets	<b>√</b>	_
<b>10.</b> Rolled Edge Rev. Angle Shields <sup>†</sup>	$\checkmark$	_
11. Safer Joint <sup>†</sup>	✓	_
12. Reduced Hole Sizes in Tracks	$\checkmark$	_
13. Low Profile Safety Hinges	✓	_
14. Concealed Lift Cables	✓	_
15. De-burred Steel Parts	✓	_
16. Lock-on Bottom Roller Brackets	$\checkmark$	
Long Life		
A. Two Galvanized Torsion Springs <sup>†</sup>	1	
B. Hot-Dip Galvanized Steel		
C. Extruded Holes For Fastening Screws		
D. Hardened Fasteners	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	
E. Longer Stem Rollers <sup>†</sup>		
F. Minimum Four Sections High		$\checkmark$
G. 3-Layer Hinge, Stile, Section Fastening		
H. Higher Wind Load Ratings*	<b>1</b>	
I. Sealed Bearing Nylon Rollers <sup>†</sup>		
J. Commercial Grade Roller Brackets <sup>†</sup>	<b>V</b>	
K. Self-Adjusting Lift Cables	<b>1</b>	
L. Hardware Tested to 100,000 Cycles <sup>†</sup>	<b>√</b>	
M. Full Length Bottom Reinforcing Angle	✓	
Commoniones		
Convenience	<b>」</b>	
Convenience  AA. Home Owners Information	<b>√</b>	
	<b>√</b>	

<sup>\*</sup> Not applicable on Martin Standard

<sup>†</sup> Optional upgrade on some models

### INDUSTRY STANDARD GARAGE DOORS ARE DANGEROUS

Martin protects children and adults from serious injuries and death.

### **COMMON INJURIES - PER YEAR\***

Finger crushing, dislocation, amputation or death

Snow Blowers | Push Mowers | Garbage Disposals

Garage Doors

9,275

15,259


\*According to a recent report from the Consumer Product Safety Commission NEISS survey.

### **Industry Standard Joint**



### Safety Joint System

SERIOUS INJURY



### **Industry Standard Track**





### Safety Track System



### **Industry Standard Spring**





### Safety Spring System





Martin Door's safety joint is designed to help protect you while adding strength to your door. This joint is available on all Martin doors, improving the design and enhancing beauty.

No other brand offers such a comprehensive system



WINNER OF THE INNOVATIONS IN AMERICAN GOVERNMENT AWARD WELCOMES THE PLEDGE OF

Martin Door Manufacturing

